

BARGE "GBL 330"
HULL NO. 01-2408

1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	495	0	11,389	0	24,156	0	37,247	0	50,341	0	63,434	0	76,527	0	89,620	0	102,712	0	115,805
1/4	658	1/4	11,641	1/4	24,429	1/4	37,520	1/4	50,614	1/4	63,707	1/4	76,799	1/4	89,893	1/4	102,985	1/4	116,078
1/2	821	1/2	11,893	1/2	24,701	1/2	37,793	1/2	50,886	1/2	63,979	1/2	77,072	1/2	90,165	1/2	103,258	1/2	116,350
3/4	984	3/4	12,145	3/4	24,974	3/4	38,066	3/4	51,159	3/4	64,252	3/4	77,345	3/4	90,438	3/4	103,531	3/4	116,623
1	1,147	1	12,397	1	25,247	1	38,339	1	51,432	1	64,525	1	77,618	1	90,711	1	103,803	1	116,896
1/4	1,356	1/4	12,652	1/4	25,519	1/4	38,611	1/4	51,705	1/4	64,798	1/4	77,890	1/4	90,984	1/4	104,076	1/4	117,169
1/2	1,566	1/2	12,907	1/2	25,792	1/2	38,884	1/2	51,978	1/2	65,070	1/2	78,163	1/2	91,256	1/2	104,349	1/2	117,441
3/4	1,775	3/4	13,162	3/4	26,065	3/4	39,157	3/4	52,250	3/4	65,343	3/4	78,436	3/4	91,529	3/4	104,622	3/4	117,714
2	1,985	2	13,417	2	26,337	2	39,430	2	52,523	2	65,616	2	78,709	2	91,802	2	104,894	2	117,987
1/4	2,206	1/4	13,675	1/4	26,610	1/4	39,702	1/4	52,796	1/4	65,889	1/4	78,982	1/4	92,075	1/4	105,167	1/4	118,260
1/2	2,427	1/2	13,933	1/2	26,883	1/2	39,975	1/2	53,069	1/2	66,161	1/2	79,254	1/2	92,347	1/2	105,440	1/2	118,532
3/4	2,649	3/4	14,192	3/4	27,155	3/4	40,248	3/4	53,341	3/4	66,434	3/4	79,527	3/4	92,620	3/4	105,713	3/4	118,805
3	2,870	3	14,450	3	27,428	3	40,521	3	53,614	3	66,707	3	79,800	3	92,893	3	105,985	3	119,078
1/4	3,094	1/4	14,711	1/4	27,701	1/4	40,794	1/4	53,887	1/4	66,980	1/4	80,073	1/4	93,166	1/4	106,258	1/4	119,351
1/2	3,319	1/2	14,972	1/2	27,973	1/2	41,066	1/2	54,160	1/2	67,252	1/2	80,345	1/2	93,438	1/2	106,531	1/2	119,623
3/4	3,543	3/4	15,234	3/4	28,246	3/4	41,339	3/4	54,433	3/4	67,525	3/4	80,618	3/4	93,711	3/4	106,804	3/4	119,896
4	3,767	4	15,495	4	28,519	4	41,612	4	54,705	4	67,798	4	80,891	4	93,984	4	107,076	4	120,169
1/4	3,995	1/4	15,759	1/4	28,792	1/4	41,885	1/4	54,978	1/4	68,071	1/4	81,164	1/4	94,257	1/4	107,349	1/4	120,442
1/2	4,222	1/2	16,023	1/2	29,064	1/2	42,157	1/2	55,251	1/2	68,343	1/2	81,437	1/2	94,529	1/2	107,622	1/2	120,714
3/4	4,449	3/4	16,288	3/4	29,337	3/4	42,430	3/4	55,524	3/4	68,616	3/4	81,709	3/4	94,802	3/4	107,895	3/4	120,987
5	4,677	5	16,552	5	29,610	5	42,703	5	55,796	5	68,889	5	81,982	5	95,075	5	108,167	5	121,260
1/4	4,907	1/4	16,819	1/4	29,882	1/4	42,976	1/4	56,069	1/4	69,162	1/4	82,255	1/4	95,348	1/4	108,440	1/4	121,533
1/2	5,138	1/2	17,087	1/2	30,155	1/2	43,249	1/2	56,342	1/2	69,434	1/2	82,528	1/2	95,621	1/2	108,713	1/2	121,805
3/4	5,368	3/4	17,354	3/4	30,428	3/4	43,521	3/4	56,615	3/4	69,707	3/4	82,800	3/4	95,893	3/4	108,986	3/4	122,078
6	5,599	6	17,622	6	30,701	6	43,794	6	56,888	6	69,980	6	83,073	6	96,166	6	109,259	6	122,351
1/4	5,832	1/4	17,892	1/4	30,973	1/4	44,067	1/4	57,160	1/4	70,253	1/4	83,346	1/4	96,439	1/4	109,531	1/4	122,624
1/2	6,066	1/2	18,163	1/2	31,246	1/2	44,340	1/2	57,433	1/2	70,525	1/2	83,619	1/2	96,712	1/2	109,804	1/2	122,897
3/4	6,299	3/4	18,433	3/4	31,519	3/4	44,612	3/4	57,706	3/4	70,798	3/4	83,892	3/4	96,984	3/4	110,077	3/4	123,169
7	6,533	7	18,704	7	31,792	7	44,885	7	57,979	7	71,071	7	84,164	7	97,257	7	110,350	7	123,442
1/4	6,770	1/4	18,976	1/4	32,065	1/4	45,158	1/4	58,251	1/4	71,344	1/4	84,437	1/4	97,530	1/4	110,622	1/4	123,715
1/2	7,006	1/2	19,248	1/2	32,337	1/2	45,431	1/2	58,524	1/2	71,616	1/2	84,710	1/2	97,803	1/2	110,895	1/2	123,988
3/4	7,243	3/4	19,521	3/4	32,610	3/4	45,704	3/4	58,797	3/4	71,889	3/4	84,983	3/4	98,075	3/4	111,168	3/4	124,260
8	7,480	8	19,793	8	32,883	8	45,976	8	59,070	8	72,162	8	85,255	8	98,348	8	111,441	8	124,533
1/4	7,719	1/4	20,066	1/4	33,156	1/4	46,249	1/4	59,343	1/4	72,435	1/4	85,528	1/4	98,621	1/4	111,713	1/4	124,806
1/2	7,959	1/2	20,339	1/2	33,428	1/2	46,522	1/2	59,615	1/2	72,708	1/2	85,801	1/2	98,894	1/2	111,986	1/2	125,079
3/4	8,199	3/4	20,611	3/4	33,701	3/4	46,795	3/4	59,888	3/4	72,980	3/4	86,074	3/4	99,166	3/4	112,259	3/4	125,351
9	8,438	9	20,884	9	33,974	9	47,067	9	60,161	9	73,253	9	86,347	9	99,439	9	112,532	9	125,624
1/4	8,681	1/4	21,157	1/4	34,247	1/4	47,340	1/4	60,434	1/4	73,526	1/4	86,619	1/4	99,712	1/4	112,804	1/4	125,897
1/2	8,924	1/2	21,429	1/2	34,520	1/2	47,613	1/2	60,706	1/2	73,799	1/2	86,892	1/2	99,985	1/2	113,077	1/2	126,170
3/4	9,167	3/4	21,702	3/4	34,792	3/4	47,886	3/4	60,979	3/4	74,071	3/4	87,165	3/4	100,257	3/4	113,350	3/4	126,442
10	9,410	10	21,975	10	35,065	10	48,159	10	61,252	10	74,344	10	87,438	10	100,530	10	113,623	10	126,715
1/4	9,655	1/4	22,247	1/4	35,338	1/4	48,431	1/4	61,525	1/4	74,617	1/4	87,710	1/4	100,803	1/4	113,895	1/4	126,988
1/2	9,901	1/2	22,520	1/2	35,611	1/2	48,704	1/2	61,797	1/2	74,890	1/2	87,983	1/2	101,076	1/2	114,168	1/2	127,261
3/4	10,147	3/4	22,793	3/4	35,883	3/4	48,977	3/4	62,070	3/4	75,163	3/4	88,256	3/4	101,348	3/4	114,441	3/4	127,533
11	10,393	11	23,065	11	36,156	11	49,250	11	62,343	11	75,435	11	88,529	11	101,621	11	114,714	11	127,806
1/4	10,642	1/4	23,338	1/4	36,429	1/4	49,522	1/4	62,616	1/4	75,708	1/4	88,802	1/4	101,894	1/4	114,986	1/4	128,079
1/2	10,891	1/2	23,611	1/2	36,702	1/2	49,795	1/2	62,888	1/2	75,981	1/2	89,074	1/2	102,167	1/2	115,259	1/2	128,352
3/4	11,140	3/4	23,883	3/4	36,975	3/4	50,068	3/4	63,161	3/4	76,254	3/4	89,347	3/4	102,440	3/4	115,532	3/4	128,624

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL 330"
HULL NO. 01-2408**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	128,897	0	141,990	0	155,082	0	168,175	0	181,170	0		0		0		0		0	
1/4	129,170	1/4	142,262	1/4	155,355	1/4	168,446	1/4	181,441	1/4		1/4		1/4		1/4		1/4	
1/2	129,443	1/2	142,535	1/2	155,628	1/2	168,717	1/2	181,712	1/2		1/2		1/2		1/2		1/2	
3/4	129,716	3/4	142,808	3/4	155,900	3/4	168,988	3/4	181,982	3/4		3/4		3/4		3/4		3/4	
1	129,988	1	143,081	1	156,173	1	169,260	1	182,253	1		1		1		1		1	
1/4	130,261	1/4	143,354	1/4	156,446	1/4	169,530	1/4	182,524	1/4		1/4		1/4		1/4		1/4	
1/2	130,534	1/2	143,626	1/2	156,719	1/2	169,801	1/2	182,795	1/2		1/2		1/2		1/2		1/2	
3/4	130,807	3/4	143,899	3/4	156,992	3/4	170,072	3/4	183,065	3/4		3/4		3/4		3/4		3/4	
2	131,079	2	144,172	2	157,264	2	170,342	2	183,336	2		2		2		2		2	
1/4	131,352	1/4	144,445	1/4	157,537	1/4	170,613	1/4	183,605	1/4		1/4		1/4		1/4		1/4	
1/2	131,625	1/2	144,717	1/2	157,810	1/2	170,884	1/2	183,874	1/2		1/2		1/2		1/2		1/2	
3/4	131,898	3/4	144,990	3/4	158,083	3/4	171,154	3/4	184,144	3/4		3/4		3/4		3/4		3/4	
3	132,170	3	145,263	3	158,355	3	171,425	3	184,413	3		3		3		3		3	
1/4	132,443	1/4	145,536	1/4	158,628	1/4	171,696	1/4	184,682	1/4		1/4		1/4		1/4		1/4	
1/2	132,716	1/2	145,808	1/2	158,901	1/2	171,967	1/2	184,951	1/2		1/2		1/2		1/2		1/2	
3/4	132,989	3/4	146,081	3/4	159,174	3/4	172,237	3/4	185,220	3/4		3/4		3/4		3/4		3/4	
4	133,261	4	146,354	4	159,446	4	172,508	4	185,489	4		4		4		4		4	
1/4	133,534	1/4	146,627	1/4	159,719	1/4	172,779	1/4	185,758	1/4		1/4		1/4		1/4		1/4	
1/2	133,807	1/2	146,899	1/2	159,992	1/2	173,049	1/2	186,027	1/2		1/2		1/2		1/2		1/2	
3/4	134,080	3/4	147,172	3/4	160,265	3/4	173,320	3/4	186,295	3/4		3/4		3/4		3/4		3/4	
5	134,352	5	147,445	5	160,537	5	173,591	5	186,564	5		5		5		5		5	
1/4	134,625	1/4	147,718	1/4	160,810	1/4	173,861	1/4	186,833	1/4		1/4		1/4		1/4		1/4	
1/2	134,898	1/2	147,990	1/2	161,083	1/2	174,132	1/2	187,102	1/2		1/2		1/2		1/2		1/2	
3/4	135,171	3/4	148,263	3/4	161,356	3/4	174,403	3/4	187,371	3/4		3/4		3/4		3/4		3/4	
6	135,443	6	148,536	6	161,628	6	174,674	6	187,640	6		6		6		6		6	
1/4	135,716	1/4	148,809	1/4	161,901	1/4	174,944	1/4	187,909	1/4		1/4		1/4		1/4		1/4	
1/2	135,989	1/2	149,081	1/2	162,174	1/2	175,215	1/2	188,178	1/2		1/2		1/2		1/2		1/2	
3/4	136,262	3/4	149,354	3/4	162,447	3/4	175,486	3/4	188,447	3/4		3/4		3/4		3/4		3/4	
7	136,535	7	149,627	7	162,719	7	175,756	7	188,716	7		7		7		7		7	
1/4	136,807	1/4	149,900	1/4	162,992	1/4	176,027	1/4	188,968	1/4		1/4		1/4		1/4		1/4	
1/2	137,080	1/2	150,173	1/2	163,265	1/2	176,298	1/2	189,219	1/2		1/2		1/2		1/2		1/2	
3/4	137,353	3/4	150,445	3/4	163,538	3/4	176,568	3/4	189,471	3/4		3/4		3/4		3/4		3/4	
8	137,626	8	150,718	8	163,811	8	176,839	8	189,723	8		8		8		8		8	
1/4	137,898	1/4	150,991	1/4	164,083	1/4	177,110	1/4	189,935	1/4		1/4		1/4		1/4		1/4	
1/2	138,171	1/2	151,264	1/2	164,356	1/2	177,381	1/2	190,147	1/2		1/2		1/2		1/2		1/2	
3/4	138,444	3/4	151,536	3/4	164,629	3/4	177,651	3/4	190,359	3/4		3/4		3/4		3/4		3/4	
9	138,717	9	151,809	9	164,902	9	177,922	9	190,571	9		9		9		9		9	
1/4	138,989	1/4	152,082	1/4	165,174	1/4	178,193	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	139,262	1/2	152,355	1/2	165,447	1/2	178,463	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	139,535	3/4	152,627	3/4	165,720	3/4	178,734	3/4		3/4		3/4		3/4		3/4		3/4	
10	139,808	10	152,900	10	165,993	10	179,005	10		10		10		10		10		10	
1/4	140,080	1/4	153,173	1/4	166,265	1/4	179,275	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	140,353	1/2	153,446	1/2	166,538	1/2	179,546	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	140,626	3/4	153,718	3/4	166,811	3/4	179,817	3/4		3/4		3/4		3/4		3/4		3/4	
11	140,899	11	153,991	11	167,084	11	180,088	11		11		11		11		11		11	
1/4	141,171	1/4	154,264	1/4	167,356	1/4	180,358	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	141,444	1/2	154,537	1/2	167,629	1/2	180,629	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	141,717	3/4	154,809	3/4	167,902	3/4	180,900	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-4 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	494	0	11,382	0	24,141	0	37,224	0	50,309	0	63,391	0	76,471	0	89,556	0	102,641	0	115,725
1/4	657	1/4	11,633	1/4	24,414	1/4	37,497	1/4	50,582	1/4	63,664	1/4	76,744	1/4	89,829	1/4	102,913	1/4	115,998
1/2	820	1/2	11,885	1/2	24,686	1/2	37,769	1/2	50,855	1/2	63,936	1/2	77,016	1/2	90,102	1/2	103,186	1/2	116,270
3/4	983	3/4	12,137	3/4	24,959	3/4	38,042	3/4	51,127	3/4	64,209	3/4	77,289	3/4	90,374	3/4	103,458	3/4	116,543
1	1,146	1	12,389	1	25,231	1	38,315	1	51,400	1	64,481	1	77,562	1	90,647	1	103,731	1	116,815
1/4	1,356	1/4	12,644	1/4	25,504	1/4	38,587	1/4	51,673	1/4	64,753	1/4	77,834	1/4	90,919	1/4	104,004	1/4	117,088
1/2	1,565	1/2	12,899	1/2	25,776	1/2	38,860	1/2	51,945	1/2	65,026	1/2	78,107	1/2	91,192	1/2	104,276	1/2	117,361
3/4	1,774	3/4	13,154	3/4	26,049	3/4	39,132	3/4	52,218	3/4	65,298	3/4	78,379	3/4	91,465	3/4	104,549	3/4	117,633
2	1,984	2	13,409	2	26,321	2	39,405	2	52,490	2	65,571	2	78,652	2	91,737	2	104,821	2	117,906
1/4	2,205	1/4	13,667	1/4	26,594	1/4	39,678	1/4	52,763	1/4	65,843	1/4	78,925	1/4	92,010	1/4	105,094	1/4	118,178
1/2	2,426	1/2	13,925	1/2	26,866	1/2	39,950	1/2	53,036	1/2	66,115	1/2	79,197	1/2	92,282	1/2	105,367	1/2	118,451
3/4	2,647	3/4	14,183	3/4	27,139	3/4	40,223	3/4	53,308	3/4	66,388	3/4	79,470	3/4	92,555	3/4	105,639	3/4	118,724
3	2,868	3	14,441	3	27,411	3	40,496	3	53,581	3	66,660	3	79,743	3	92,827	3	105,912	3	118,996
1/4	3,092	1/4	14,702	1/4	27,684	1/4	40,768	1/4	53,853	1/4	66,933	1/4	80,015	1/4	93,100	1/4	106,184	1/4	119,269
1/2	3,316	1/2	14,963	1/2	27,956	1/2	41,041	1/2	54,126	1/2	67,205	1/2	80,288	1/2	93,373	1/2	106,457	1/2	119,541
3/4	3,541	3/4	15,224	3/4	28,229	3/4	41,313	3/4	54,399	3/4	67,477	3/4	80,560	3/4	93,645	3/4	106,730	3/4	119,814
4	3,765	4	15,485	4	28,501	4	41,586	4	54,671	4	67,750	4	80,833	4	93,918	4	107,002	4	120,086
1/4	3,992	1/4	15,749	1/4	28,774	1/4	41,859	1/4	54,944	1/4	68,022	1/4	81,106	1/4	94,190	1/4	107,275	1/4	120,359
1/2	4,219	1/2	16,013	1/2	29,046	1/2	42,131	1/2	55,216	1/2	68,295	1/2	81,378	1/2	94,463	1/2	107,547	1/2	120,632
3/4	4,447	3/4	16,278	3/4	29,319	3/4	42,404	3/4	55,489	3/4	68,567	3/4	81,651	3/4	94,736	3/4	107,820	3/4	120,904
5	4,674	5	16,542	5	29,591	5	42,676	5	55,762	5	68,840	5	81,923	5	95,008	5	108,093	5	121,177
1/4	4,904	1/4	16,809	1/4	29,864	1/4	42,949	1/4	56,034	1/4	69,112	1/4	82,196	1/4	95,281	1/4	108,365	1/4	121,449
1/2	5,135	1/2	17,076	1/2	30,136	1/2	43,222	1/2	56,307	1/2	69,384	1/2	82,469	1/2	95,553	1/2	108,638	1/2	121,722
3/4	5,365	3/4	17,343	3/4	30,409	3/4	43,494	3/4	56,579	3/4	69,657	3/4	82,741	3/4	95,826	3/4	108,910	3/4	121,995
6	5,595	6	17,611	6	30,682	6	43,767	6	56,852	6	69,929	6	83,014	6	96,099	6	109,183	6	122,267
1/4	5,829	1/4	17,881	1/4	30,954	1/4	44,039	1/4	57,125	1/4	70,202	1/4	83,286	1/4	96,371	1/4	109,455	1/4	122,540
1/2	6,062	1/2	18,151	1/2	31,227	1/2	44,312	1/2	57,397	1/2	70,474	1/2	83,559	1/2	96,644	1/2	109,728	1/2	122,812
3/4	6,296	3/4	18,422	3/4	31,499	3/4	44,585	3/4	57,670	3/4	70,747	3/4	83,832	3/4	96,916	3/4	110,001	3/4	123,085
7	6,529	7	18,692	7	31,772	7	44,857	7	57,943	7	71,019	7	84,104	7	97,189	7	110,273	7	123,358
1/4	6,765	1/4	18,964	1/4	32,045	1/4	45,130	1/4	58,215	1/4	71,292	1/4	84,377	1/4	97,461	1/4	110,546	1/4	123,630
1/2	7,002	1/2	19,236	1/2	32,317	1/2	45,402	1/2	58,488	1/2	71,564	1/2	84,650	1/2	97,734	1/2	110,818	1/2	123,903
3/4	7,238	3/4	19,509	3/4	32,590	3/4	45,675	3/4	58,760	3/4	71,837	3/4	84,922	3/4	98,007	3/4	111,091	3/4	124,175
8	7,475	8	19,781	8	32,862	8	45,948	8	59,033	8	72,109	8	85,195	8	98,279	8	111,364	8	124,448
1/4	7,714	1/4	20,053	1/4	33,135	1/4	46,220	1/4	59,305	1/4	72,382	1/4	85,467	1/4	98,552	1/4	111,636	1/4	124,720
1/2	7,954	1/2	20,326	1/2	33,408	1/2	46,493	1/2	59,578	1/2	72,655	1/2	85,740	1/2	98,824	1/2	111,909	1/2	124,993
3/4	8,194	3/4	20,598	3/4	33,680	3/4	46,766	3/4	59,850	3/4	72,927	3/4	86,013	3/4	99,097	3/4	112,181	3/4	125,266
9	8,433	9	20,871	9	33,953	9	47,038	9	60,122	9	73,200	9	86,285	9	99,370	9	112,454	9	125,538
1/4	8,676	1/4	21,144	1/4	34,225	1/4	47,311	1/4	60,395	1/4	73,473	1/4	86,558	1/4	99,642	1/4	112,727	1/4	125,811
1/2	8,918	1/2	21,416	1/2	34,498	1/2	47,583	1/2	60,667	1/2	73,745	1/2	86,830	1/2	99,915	1/2	112,999	1/2	126,083
3/4	9,161	3/4	21,689	3/4	34,771	3/4	47,856	3/4	60,940	3/4	74,018	3/4	87,103	3/4	100,187	3/4	113,272	3/4	126,356
10	9,404	10	21,961	10	35,043	10	48,129	10	61,212	10	74,290	10	87,376	10	100,460	10	113,544	10	126,629
1/4	9,649	1/4	22,234	1/4	35,316	1/4	48,401	1/4	61,484	1/4	74,563	1/4	87,648	1/4	100,733	1/4	113,817	1/4	126,901
1/2	9,895	1/2	22,506	1/2	35,589	1/2	48,674	1/2	61,757	1/2	74,836	1/2	87,921	1/2	101,005	1/2	114,089	1/2	127,174
3/4	10,141	3/4	22,779	3/4	35,861	3/4	48,946	3/4	62,029	3/4	75,108	3/4	88,193	3/4	101,278	3/4	114,362	3/4	127,446
11	10,387	11	23,051	11	36,134	11	49,219	11	62,302	11	75,381	11	88,466	11	101,550	11	114,635	11	127,719
1/4	10,635	1/4	23,324	1/4	36,406	1/4	49,492	1/4	62,574	1/4	75,653	1/4	88,739	1/4	101,823	1/4	114,907	1/4	127,992
1/2	10,884	1/2	23,596	1/2	36,679	1/2	49,764	1/2	62,846	1/2	75,926	1/2	89,011	1/2	102,096	1/2	115,180	1/2	128,264
3/4	11,133	3/4	23,869	3/4	36,952	3/4	50,037	3/4	63,119	3/4	76,199	3/4	89,284	3/4	102,368	3/4	115,452	3/4	128,537

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL-330"
HULL NO. 01-2408**

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GUAGE HEIGHT 16'-4 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	128,809	0	141,894	0	154,978	0	168,062	0	181,049	0		0		0		0		0	
1/4	129,082	1/4	142,166	1/4	155,251	1/4	168,333	1/4	181,320	1/4		1/4		1/4		1/4		1/4	
1/2	129,355	1/2	142,439	1/2	155,523	1/2	168,604	1/2	181,590	1/2		1/2		1/2		1/2		1/2	
3/4	129,627	3/4	142,711	3/4	155,796	3/4	168,875	3/4	181,861	3/4		3/4		3/4		3/4		3/4	
1	129,900	1	142,984	1	156,068	1	169,146	1	182,131	1		1		1		1		1	
1/4	130,172	1/4	143,257	1/4	156,341	1/4	169,417	1/4	182,402	1/4		1/4		1/4		1/4		1/4	
1/2	130,445	1/2	143,529	1/2	156,614	1/2	169,687	1/2	182,672	1/2		1/2		1/2		1/2		1/2	
3/4	130,717	3/4	143,802	3/4	156,886	3/4	169,958	3/4	182,943	3/4		3/4		3/4		3/4		3/4	
2	130,990	2	144,074	2	157,159	2	170,229	2	183,213	2		2		2		2		2	
1/4	131,263	1/4	144,347	1/4	157,431	1/4	170,499	1/4	183,483	1/4		1/4		1/4		1/4		1/4	
1/2	131,535	1/2	144,620	1/2	157,704	1/2	170,770	1/2	183,752	1/2		1/2		1/2		1/2		1/2	
3/4	131,808	3/4	144,892	3/4	157,976	3/4	171,040	3/4	184,021	3/4		3/4		3/4		3/4		3/4	
3	132,080	3	145,165	3	158,249	3	171,311	3	184,290	3		3		3		3		3	
1/4	132,353	1/4	145,437	1/4	158,522	1/4	171,581	1/4	184,559	1/4		1/4		1/4		1/4		1/4	
1/2	132,626	1/2	145,710	1/2	158,794	1/2	171,852	1/2	184,828	1/2		1/2		1/2		1/2		1/2	
3/4	132,898	3/4	145,983	3/4	159,067	3/4	172,122	3/4	185,097	3/4		3/4		3/4		3/4		3/4	
4	133,171	4	146,255	4	159,339	4	172,393	4	185,365	4		4		4		4		4	
1/4	133,443	1/4	146,528	1/4	159,612	1/4	172,663	1/4	185,634	1/4		1/4		1/4		1/4		1/4	
1/2	133,716	1/2	146,800	1/2	159,885	1/2	172,934	1/2	185,903	1/2		1/2		1/2		1/2		1/2	
3/4	133,989	3/4	147,073	3/4	160,157	3/4	173,204	3/4	186,172	3/4		3/4		3/4		3/4		3/4	
5	134,261	5	147,345	5	160,430	5	173,475	5	186,440	5		5		5		5		5	
1/4	134,534	1/4	147,618	1/4	160,702	1/4	173,745	1/4	186,709	1/4		1/4		1/4		1/4		1/4	
1/2	134,806	1/2	147,891	1/2	160,975	1/2	174,016	1/2	186,978	1/2		1/2		1/2		1/2		1/2	
3/4	135,079	3/4	148,163	3/4	161,248	3/4	174,286	3/4	187,247	3/4		3/4		3/4		3/4		3/4	
6	135,352	6	148,436	6	161,520	6	174,557	6	187,515	6		6		6		6		6	
1/4	135,624	1/4	148,708	1/4	161,793	1/4	174,827	1/4	187,784	1/4		1/4		1/4		1/4		1/4	
1/2	135,897	1/2	148,981	1/2	162,065	1/2	175,098	1/2	188,053	1/2		1/2		1/2		1/2		1/2	
3/4	136,169	3/4	149,254	3/4	162,338	3/4	175,368	3/4	188,322	3/4		3/4		3/4		3/4		3/4	
7	136,442	7	149,526	7	162,610	7	175,639	7	188,590	7		7		7		7		7	
1/4	136,714	1/4	149,799	1/4	162,883	1/4	175,909	1/4	188,842	1/4		1/4		1/4		1/4		1/4	
1/2	136,987	1/2	150,071	1/2	163,156	1/2	176,180	1/2	189,094	1/2		1/2		1/2		1/2		1/2	
3/4	137,260	3/4	150,344	3/4	163,428	3/4	176,450	3/4	189,345	3/4		3/4		3/4		3/4		3/4	
8	137,532	8	150,617	8	163,701	8	176,721	8	189,597	8		8		8		8		8	
1/4	137,805	1/4	150,889	1/4	163,973	1/4	176,992	1/4	189,809	1/4		1/4		1/4		1/4		1/4	
1/2	138,077	1/2	151,162	1/2	164,246	1/2	177,262	1/2	190,021	1/2		1/2		1/2		1/2		1/2	
3/4	138,350	3/4	151,434	3/4	164,519	3/4	177,533	3/4	190,233	3/4		3/4		3/4		3/4		3/4	
9	138,623	9	151,707	9	164,791	9	177,803	9	190,445	9		9		9		9		9	
1/4	138,895	1/4	151,979	1/4	165,064	1/4	178,074	1/4	190,528	1/4		1/4		1/4		1/4		1/4	
1/2	139,168	1/2	152,252	1/2	165,336	1/2	178,344	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	139,440	3/4	152,525	3/4	165,609	3/4	178,615	3/4		3/4		3/4		3/4		3/4		3/4	
10	139,713	10	152,797	10	165,882	10	178,885	10		10		10		10		10		10	
1/4	139,986	1/4	153,070	1/4	166,154	1/4	179,156	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	140,258	1/2	153,342	1/2	166,427	1/2	179,426	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	140,531	3/4	153,615	3/4	166,699	3/4	179,697	3/4		3/4		3/4		3/4		3/4		3/4	
11	140,803	11	153,888	11	166,972	11	179,967	11		11		11		11		11		11	
1/4	141,076	1/4	154,160	1/4	167,245	1/4	180,238	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	141,348	1/2	154,433	1/2	167,517	1/2	180,508	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	141,621	3/4	154,705	3/4	167,790	3/4	180,779	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL 330"
HULL NO. 01-2408**

**2 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5 3/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	218,557	0	203,562	0	188,487	0	173,372	0	158,257	0	143,142	0	128,026	0	112,911	0	97,796
1/4		1/4	218,245	1/4	203,250	1/4	188,172	1/4	173,057	1/4	157,942	1/4	142,827	1/4	127,712	1/4	112,596	1/4	97,481
1/2		1/2	217,934	1/2	202,937	1/2	187,857	1/2	172,742	1/2	157,627	1/2	142,512	1/2	127,397	1/2	112,281	1/2	97,166
3/4		3/4	217,623	3/4	202,624	3/4	187,543	3/4	172,427	3/4	157,312	3/4	142,197	3/4	127,082	3/4	111,967	3/4	96,851
1		1	217,312	1	202,311	1	187,228	1	172,112	1	156,997	1	141,882	1	126,767	1	111,652	1	96,536
1/4		1/4	217,001	1/4	201,998	1/4	186,913	1/4	171,798	1/4	156,682	1/4	141,567	1/4	126,452	1/4	111,337	1/4	96,222
1/2		1/2	216,690	1/2	201,685	1/2	186,598	1/2	171,483	1/2	156,367	1/2	141,252	1/2	126,137	1/2	111,022	1/2	95,907
3/4		3/4	216,379	3/4	201,373	3/4	186,283	3/4	171,168	3/4	156,053	3/4	140,937	3/4	125,822	3/4	110,707	3/4	95,592
2		2	216,068	2	201,060	2	185,968	2	170,853	2	155,738	2	140,622	2	125,507	2	110,392	2	95,277
1/4		1/4	215,757	1/4	200,747	1/4	185,653	1/4	170,538	1/4	155,423	1/4	140,308	1/4	125,192	1/4	110,077	1/4	94,962
1/2		1/2	215,446	1/2	200,434	1/2	185,338	1/2	170,223	1/2	155,108	1/2	139,993	1/2	124,877	1/2	109,762	1/2	94,647
3/4		3/4	215,134	3/4	200,121	3/4	185,023	3/4	169,908	3/4	154,793	3/4	139,678	3/4	124,563	3/4	109,447	3/4	94,332
3		3	214,823	3	199,808	3	184,708	3	169,593	3	154,478	3	139,363	3	124,248	3	109,132	3	94,017
1/4		1/4	214,511	1/4	199,496	1/4	184,394	1/4	169,278	1/4	154,163	1/4	139,048	1/4	123,933	1/4	108,818	1/4	93,702
1/2		1/2	214,198	1/2	199,183	1/2	184,079	1/2	168,963	1/2	153,848	1/2	138,733	1/2	123,618	1/2	108,503	1/2	93,387
3/4		3/4	213,886	3/4	198,870	3/4	183,764	3/4	168,649	3/4	153,533	3/4	138,418	3/4	123,303	3/4	108,188	3/4	93,073
4		4	213,573	4	198,557	4	183,449	4	168,334	4	153,218	4	138,103	4	122,988	4	107,873	4	92,758
1/4		1/4	213,260	1/4	198,244	1/4	183,134	1/4	168,019	1/4	152,904	1/4	137,788	1/4	122,673	1/4	107,558	1/4	92,443
1/2		1/2	212,948	1/2	197,931	1/2	182,819	1/2	167,704	1/2	152,589	1/2	137,473	1/2	122,358	1/2	107,243	1/2	92,128
3/4		3/4	212,635	3/4	197,618	3/4	182,504	3/4	167,389	3/4	152,274	3/4	137,159	3/4	122,043	3/4	106,928	3/4	91,813
5		5	212,322	5	197,304	5	182,189	5	167,074	5	151,959	5	136,844	5	121,728	5	106,613	5	91,498
1/4		1/4	212,009	1/4	196,991	1/4	181,874	1/4	166,759	1/4	151,644	1/4	136,529	1/4	121,414	1/4	106,298	1/4	91,183
1/2		1/2	211,696	1/2	196,676	1/2	181,559	1/2	166,444	1/2	151,329	1/2	136,214	1/2	121,099	1/2	105,983	1/2	90,868
3/4		3/4	211,383	3/4	196,360	3/4	181,245	3/4	166,129	3/4	151,014	3/4	135,899	3/4	120,784	3/4	105,669	3/4	90,553
6		6	211,071	6	196,045	6	180,930	6	165,814	6	150,699	6	135,584	6	120,469	6	105,354	6	90,238
1/4		1/4	210,758	1/4	195,730	1/4	180,615	1/4	165,500	1/4	150,384	1/4	135,269	1/4	120,154	1/4	105,039	1/4	89,924
1/2		1/2	210,445	1/2	195,415	1/2	180,300	1/2	165,185	1/2	150,069	1/2	134,954	1/2	119,839	1/2	104,724	1/2	89,609
3/4		3/4	210,132	3/4	195,100	3/4	179,985	3/4	164,870	3/4	149,755	3/4	134,639	3/4	119,524	3/4	104,409	3/4	89,294
7		7	209,819	7	194,785	7	179,670	7	164,555	7	149,440	7	134,324	7	119,209	7	104,094	7	88,979
1/4		1/4	209,506	1/4	194,470	1/4	179,355	1/4	164,240	1/4	149,125	1/4	134,010	1/4	118,894	1/4	103,779	1/4	88,664
1/2		1/2	209,194	1/2	194,155	1/2	179,040	1/2	163,925	1/2	148,810	1/2	133,695	1/2	118,579	1/2	103,464	1/2	88,349
7/8	223,112	3/4	208,881	3/4	193,841	3/4	178,725	3/4	163,610	3/4	148,495	3/4	133,380	3/4	118,265	3/4	103,149	3/4	88,034
8	223,015	8	208,568	8	193,526	8	178,410	8	163,295	8	148,180	8	133,065	8	117,950	8	102,834	8	87,719
1/4	222,822	1/4	208,255	1/4	193,211	1/4	178,096	1/4	162,980	1/4	147,865	1/4	132,750	1/4	117,635	1/4	102,520	1/4	87,404
1/2	222,583	1/2	207,942	1/2	192,896	1/2	177,781	1/2	162,665	1/2	147,550	1/2	132,435	1/2	117,320	1/2	102,205	1/2	87,089
3/4	222,344	3/4	207,629	3/4	192,581	3/4	177,466	3/4	162,351	3/4	147,235	3/4	132,120	3/4	117,005	3/4	101,890	3/4	86,775
9	222,105	9	207,317	9	192,266	9	177,151	9	162,036	9	146,920	9	131,805	9	116,690	9	101,575	9	86,460
1/4	221,867	1/4	207,004	1/4	191,951	1/4	176,836	1/4	161,721	1/4	146,606	1/4	131,490	1/4	116,375	1/4	101,260	1/4	86,145
1/2	221,581	1/2	206,691	1/2	191,636	1/2	176,521	1/2	161,406	1/2	146,291	1/2	131,175	1/2	116,060	1/2	100,945	1/2	85,830
3/4	221,295	3/4	206,378	3/4	191,321	3/4	176,206	3/4	161,091	3/4	145,976	3/4	130,861	3/4	115,745	3/4	100,630	3/4	85,515
10	221,010	10	206,065	10	191,006	10	175,891	10	160,776	10	145,661	10	130,546	10	115,430	10	100,315	10	85,200
1/4	220,724	1/4	205,752	1/4	190,692	1/4	175,576	1/4	160,461	1/4	145,346	1/4	130,231	1/4	115,116	1/4	100,000	1/4	84,885
1/2	220,415	1/2	205,439	1/2	190,377	1/2	175,261	1/2	160,146	1/2	145,031	1/2	129,916	1/2	114,801	1/2	99,685	1/2	84,570
3/4	220,107	3/4	205,127	3/4	190,062	3/4	174,947	3/4	159,831	3/4	144,716	3/4	129,601	3/4	114,486	3/4	99,371	3/4	84,255
11	219,798	11	204,814	11	189,747	11	174,632	11	159,516	11	144,401	11	129,286	11	114,171	11	99,056	11	83,940
1/4	219,490	1/4	204,501	1/4	189,432	1/4	174,317	1/4	159,202	1/4	144,086	1/4	128,971	1/4	113,856	1/4	98,741	1/4	83,626
1/2	219,179	1/2	204,188	1/2	189,117	1/2	174,002	1/2	158,887	1/2	143,771	1/2	128,656	1/2	113,541	1/2	98,426	1/2	83,311
3/4	218,868	3/4	203,875	3/4	188,802	3/4	173,687	3/4	158,572	3/4	143,457	3/4	128,341	3/4	113,226	3/4	98,111	3/4	82,996

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5 3/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	82,681	0	67,566	0	52,450	0	37,336	0	22,224	0	7,109	0		0		0		0	
1/4	82,366	1/4	67,251	1/4	52,136	1/4	37,021	1/4	21,909	1/4	6,794	1/4		1/4		1/4		1/4	
1/2	82,051	1/2	66,936	1/2	51,821	1/2	36,706	1/2	21,594	1/2	6,479	1/2		1/2		1/2		1/2	
3/4	81,736	3/4	66,621	3/4	51,506	3/4	36,392	3/4	21,279	3/4	6,164	3/4		3/4		3/4		3/4	
1	81,421	1	66,306	1	51,191	1	36,077	1	20,964	1	5,849	1		1		1		1	
1/4	81,106	1/4	65,991	1/4	50,876	1/4	35,762	1/4	20,650	1/4	5,534	1/4		1/4		1/4		1/4	
1/2	80,791	1/2	65,676	1/2	50,561	1/2	35,447	1/2	20,335	1/2	5,219	1/2		1/2		1/2		1/2	
3/4	80,477	3/4	65,361	3/4	50,246	3/4	35,132	3/4	20,020	3/4	4,905	3/4		3/4		3/4		3/4	
2	80,162	2	65,046	2	49,931	2	34,818	2	19,705	2	4,590	2		2		2		2	
1/4	79,847	1/4	64,732	1/4	49,616	1/4	34,503	1/4	19,390	1/4	4,275	1/4		1/4		1/4		1/4	
1/2	79,532	1/2	64,417	1/2	49,301	1/2	34,188	1/2	19,075	1/2	3,960	1/2		1/2		1/2		1/2	
3/4	79,217	3/4	64,102	3/4	48,987	3/4	33,873	3/4	18,760	3/4	3,645	3/4		3/4		3/4		3/4	
3	78,902	3	63,787	3	48,672	3	33,558	3	18,445	3	3,330	3		3		3		3	
1/4	78,587	1/4	63,472	1/4	48,357	1/4	33,244	1/4	18,130	1/4	3,015	1/4		1/4		1/4		1/4	
1/2	78,272	1/2	63,157	1/2	48,042	1/2	32,929	1/2	17,815	1/2	2,712	1/2		1/2		1/2		1/2	
3/4	77,957	3/4	62,842	3/4	47,727	3/4	32,614	3/4	17,501	3/4	2,408	3/4		3/4		3/4		3/4	
4	77,642	4	62,527	4	47,412	4	32,299	4	17,186	4	2,105	4		4		4		4	
1/4	77,328	1/4	62,212	1/4	47,097	1/4	31,984	1/4	16,871	1/4	1,801	1/4		1/4		1/4		1/4	
1/2	77,013	1/2	61,897	1/2	46,782	1/2	31,670	1/2	16,556	1/2	1,557	1/2		1/2		1/2		1/2	
3/4	76,698	3/4	61,583	3/4	46,467	3/4	31,355	3/4	16,241	3/4	1,313	3/4		3/4		3/4		3/4	
5	76,383	5	61,268	5	46,153	5	31,040	5	15,926	5	1,068	5		5		5		5	
1/4	76,068	1/4	60,953	1/4	45,838	1/4	30,725	1/4	15,611	1/4	824	1/4		1/4		1/4		1/4	
1/2	75,753	1/2	60,638	1/2	45,523	1/2	30,410	1/2	15,296	1/2	706	1/2		1/2		1/2		1/2	
3/4	75,438	3/4	60,323	3/4	45,208	3/4	30,096	3/4	14,981	3/4		3/4		3/4		3/4		3/4	
6	75,123	6	60,008	6	44,893	6	29,781	6	14,666	6		6		6		6		6	
1/4	74,808	1/4	59,693	1/4	44,578	1/4	29,466	1/4	14,352	1/4		1/4		1/4		1/4		1/4	
1/2	74,493	1/2	59,378	1/2	44,263	1/2	29,151	1/2	14,037	1/2		1/2		1/2		1/2		1/2	
3/4	74,179	3/4	59,063	3/4	43,948	3/4	28,837	3/4	13,722	3/4		3/4		3/4		3/4		3/4	
7	73,864	7	58,748	7	43,634	7	28,522	7	13,407	7		7		7		7		7	
1/4	73,549	1/4	58,434	1/4	43,319	1/4	28,207	1/4	13,092	1/4		1/4		1/4		1/4		1/4	
1/2	73,234	1/2	58,119	1/2	43,004	1/2	27,892	1/2	12,777	1/2		1/2		1/2		1/2		1/2	
3/4	72,919	3/4	57,804	3/4	42,689	3/4	27,577	3/4	12,462	3/4		3/4		3/4		3/4		3/4	
8	72,604	8	57,489	8	42,374	8	27,263	8	12,147	8		8		8		8		8	
1/4	72,289	1/4	57,174	1/4	42,059	1/4	26,948	1/4	11,832	1/4		1/4		1/4		1/4		1/4	
1/2	71,974	1/2	56,859	1/2	41,744	1/2	26,633	1/2	11,517	1/2		1/2		1/2		1/2		1/2	
3/4	71,659	3/4	56,544	3/4	41,429	3/4	26,318	3/4	11,203	3/4		3/4		3/4		3/4		3/4	
9	71,344	9	56,229	9	41,115	9	26,003	9	10,888	9		9		9		9		9	
1/4	71,030	1/4	55,914	1/4	40,800	1/4	25,688	1/4	10,573	1/4		1/4		1/4		1/4		1/4	
1/2	70,715	1/2	55,599	1/2	40,485	1/2	25,373	1/2	10,258	1/2		1/2		1/2		1/2		1/2	
3/4	70,400	3/4	55,285	3/4	40,170	3/4	25,058	3/4	9,943	3/4		3/4		3/4		3/4		3/4	
10	70,085	10	54,970	10	39,855	10	24,743	10	9,628	10		10		10		10		10	
1/4	69,770	1/4	54,655	1/4	39,540	1/4	24,428	1/4	9,313	1/4		1/4		1/4		1/4		1/4	
1/2	69,455	1/2	54,340	1/2	39,225	1/2	24,113	1/2	8,998	1/2		1/2		1/2		1/2		1/2	
3/4	69,140	3/4	54,025	3/4	38,911	3/4	23,799	3/4	8,683	3/4		3/4		3/4		3/4		3/4	
11	68,825	11	53,710	11	38,596	11	23,484	11	8,368	11		11		11		11		11	
1/4	68,510	1/4	53,395	1/4	38,281	1/4	23,169	1/4	8,054	1/4		1/4		1/4		1/4		1/4	
1/2	68,195	1/2	53,080	1/2	37,966	1/2	22,854	1/2	7,739	1/2		1/2		1/2		1/2		1/2	
3/4	67,881	3/4	52,765	3/4	37,651	3/4	22,539	3/4	7,424	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	706	0	15,464	0	30,589	0	45,679	0	60,758	0	75,838	0	90,936	0	106,061	0	121,187	0	136,313
1/4	943	1/4	15,780	1/4	30,904	1/4	45,993	1/4	61,072	1/4	76,152	1/4	91,251	1/4	106,377	1/4	121,502	1/4	136,628
1/2	1,179	1/2	16,095	1/2	31,219	1/2	46,307	1/2	61,386	1/2	76,466	1/2	91,566	1/2	106,692	1/2	121,817	1/2	136,943
3/4	1,415	3/4	16,410	3/4	31,534	3/4	46,621	3/4	61,700	3/4	76,780	3/4	91,881	3/4	107,007	3/4	122,132	3/4	137,258
1	1,652	1	16,725	1	31,849	1	46,935	1	62,014	1	77,095	1	92,196	1	107,322	1	122,448	1	137,573
1/4	1,954	1/4	17,040	1/4	32,164	1/4	47,249	1/4	62,329	1/4	77,409	1/4	92,511	1/4	107,637	1/4	122,763	1/4	137,888
1/2	2,256	1/2	17,355	1/2	32,479	1/2	47,563	1/2	62,643	1/2	77,723	1/2	92,826	1/2	107,952	1/2	123,078	1/2	138,204
3/4	2,558	3/4	17,670	3/4	32,794	3/4	47,877	3/4	62,957	3/4	78,037	3/4	93,141	3/4	108,267	3/4	123,393	3/4	138,519
2	2,860	2	17,985	2	33,109	2	48,191	2	63,271	2	78,351	2	93,457	2	108,582	2	123,708	2	138,834
1/4	3,175	1/4	18,301	1/4	33,424	1/4	48,505	1/4	63,585	1/4	78,665	1/4	93,772	1/4	108,897	1/4	124,023	1/4	139,149
1/2	3,490	1/2	18,616	1/2	33,739	1/2	48,820	1/2	63,899	1/2	78,980	1/2	94,087	1/2	109,213	1/2	124,338	1/2	139,464
3/4	3,805	3/4	18,931	3/4	34,054	3/4	49,134	3/4	64,214	3/4	79,294	3/4	94,402	3/4	109,528	3/4	124,653	3/4	139,779
3	4,120	3	19,246	3	34,369	3	49,448	3	64,528	3	79,608	3	94,717	3	109,843	3	124,969	3	140,094
1/4	4,435	1/4	19,561	1/4	34,684	1/4	49,762	1/4	64,842	1/4	79,922	1/4	95,032	1/4	110,158	1/4	125,284	1/4	140,409
1/2	4,750	1/2	19,876	1/2	34,998	1/2	50,076	1/2	65,156	1/2	80,236	1/2	95,347	1/2	110,473	1/2	125,599	1/2	140,725
3/4	5,066	3/4	20,191	3/4	35,313	3/4	50,390	3/4	65,470	3/4	80,550	3/4	95,662	3/4	110,788	3/4	125,914	3/4	141,040
4	5,381	4	20,506	4	35,628	4	50,704	4	65,785	4	80,865	4	95,978	4	111,103	4	126,229	4	141,355
1/4	5,696	1/4	20,822	1/4	35,942	1/4	51,019	1/4	66,099	1/4	81,179	1/4	96,293	1/4	111,418	1/4	126,544	1/4	141,670
1/2	6,011	1/2	21,137	1/2	36,256	1/2	51,333	1/2	66,413	1/2	81,493	1/2	96,608	1/2	111,734	1/2	126,859	1/2	141,985
3/4	6,326	3/4	21,452	3/4	36,570	3/4	51,647	3/4	66,727	3/4	81,807	3/4	96,923	3/4	112,049	3/4	127,174	3/4	142,300
5	6,641	5	21,767	5	36,884	5	51,961	5	67,041	5	82,121	5	97,238	5	112,364	5	127,490	5	142,615
1/4	6,956	1/4	22,082	1/4	37,199	1/4	52,275	1/4	67,355	1/4	82,436	1/4	97,553	1/4	112,679	1/4	127,805	1/4	142,930
1/2	7,271	1/2	22,397	1/2	37,513	1/2	52,589	1/2	67,670	1/2	82,750	1/2	97,868	1/2	112,994	1/2	128,120	1/2	143,246
3/4	7,586	3/4	22,712	3/4	37,827	3/4	52,904	3/4	67,984	3/4	83,064	3/4	98,183	3/4	113,309	3/4	128,435	3/4	143,561
6	7,902	6	23,027	6	38,141	6	53,218	6	68,298	6	83,378	6	98,498	6	113,624	6	128,750	6	143,876
1/4	8,217	1/4	23,342	1/4	38,455	1/4	53,532	1/4	68,612	1/4	83,692	1/4	98,814	1/4	113,939	1/4	129,065	1/4	144,191
1/2	8,532	1/2	23,658	1/2	38,769	1/2	53,846	1/2	68,926	1/2	84,006	1/2	99,129	1/2	114,254	1/2	129,380	1/2	144,506
3/4	8,847	3/4	23,973	3/4	39,083	3/4	54,160	3/4	69,240	3/4	84,321	3/4	99,444	3/4	114,570	3/4	129,695	3/4	144,821
7	9,162	7	24,288	7	39,397	7	54,474	7	69,555	7	84,635	7	99,759	7	114,885	7	130,010	7	145,136
1/4	9,477	1/4	24,603	1/4	39,711	1/4	54,789	1/4	69,869	1/4	84,949	1/4	100,074	1/4	115,200	1/4	130,326	1/4	145,451
1/2	9,792	1/2	24,918	1/2	40,025	1/2	55,103	1/2	70,183	1/2	85,264	1/2	100,389	1/2	115,515	1/2	130,641	1/2	145,766
3/4	10,107	3/4	25,233	3/4	40,339	3/4	55,417	3/4	70,497	3/4	85,579	3/4	100,704	3/4	115,830	3/4	130,956	3/4	146,082
8	10,423	8	25,548	8	40,653	8	55,731	8	70,811	8	85,894	8	101,019	8	116,145	8	131,271	8	146,397
1/4	10,738	1/4	25,863	1/4	40,967	1/4	56,045	1/4	71,125	1/4	86,209	1/4	101,335	1/4	116,460	1/4	131,586	1/4	146,712
1/2	11,053	1/2	26,179	1/2	41,282	1/2	56,359	1/2	71,440	1/2	86,524	1/2	101,650	1/2	116,775	1/2	131,901	1/2	147,027
3/4	11,368	3/4	26,494	3/4	41,596	3/4	56,674	3/4	71,754	3/4	86,839	3/4	101,965	3/4	117,091	3/4	132,216	3/4	147,342
9	11,683	9	26,809	9	41,910	9	56,988	9	72,068	9	87,154	9	102,280	9	117,406	9	132,531	9	147,657
1/4	11,998	1/4	27,124	1/4	42,224	1/4	57,302	1/4	72,382	1/4	87,469	1/4	102,595	1/4	117,721	1/4	132,847	1/4	147,972
1/2	12,313	1/2	27,439	1/2	42,538	1/2	57,616	1/2	72,696	1/2	87,784	1/2	102,910	1/2	118,036	1/2	133,162	1/2	148,287
3/4	12,628	3/4	27,754	3/4	42,852	3/4	57,930	3/4	73,010	3/4	88,100	3/4	103,225	3/4	118,351	3/4	133,477	3/4	148,603
10	12,944	10	28,069	10	43,166	10	58,244	10	73,325	10	88,415	10	103,540	10	118,666	10	133,792	10	148,918
1/4	13,259	1/4	28,384	1/4	43,480	1/4	58,559	1/4	73,639	1/4	88,730	1/4	103,856	1/4	118,981	1/4	134,107	1/4	149,233
1/2	13,574	1/2	28,699	1/2	43,794	1/2	58,873	1/2	73,953	1/2	89,045	1/2	104,171	1/2	119,296	1/2	134,422	1/2	149,548
3/4	13,889	3/4	29,014	3/4	44,108	3/4	59,187	3/4	74,267	3/4	89,360	3/4	104,486	3/4	119,612	3/4	134,737	3/4	149,863
11	14,204	11	29,329	11	44,422	11	59,501	11	74,581	11	89,675	11	104,801	11	119,927	11	135,052	11	150,178
1/4	14,519	1/4	29,644	1/4	44,736	1/4	59,815	1/4	74,895	1/4	89,990	1/4	105,116	1/4	120,242	1/4	135,368	1/4	150,493
1/2	14,834	1/2	29,959	1/2	45,051	1/2	60,129	1/2	75,210	1/2	90,305	1/2	105,431	1/2	120,557	1/2	135,683	1/2	150,808
3/4	15,149	3/4	30,274	3/4	45,365	3/4	60,444	3/4	75,524	3/4	90,620	3/4	105,746	3/4	120,872	3/4	135,998	3/4	151,124

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 5 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,439	0	166,564	0	181,690	0	196,816	0	211,846	0		0		0		0		0	
1/4	151,754	1/4	166,880	1/4	182,005	1/4	197,130	1/4	212,159	1/4		1/4		1/4		1/4		1/4	
1/2	152,069	1/2	167,195	1/2	182,320	1/2	197,444	1/2	212,472	1/2		1/2		1/2		1/2		1/2	
3/4	152,384	3/4	167,510	3/4	182,636	3/4	197,757	3/4	212,785	3/4		3/4		3/4		3/4		3/4	
1	152,699	1	167,825	1	182,951	1	198,071	1	213,098	1		1		1		1		1	
1/4	153,014	1/4	168,140	1/4	183,266	1/4	198,384	1/4	213,411	1/4		1/4		1/4		1/4		1/4	
1/2	153,329	1/2	168,455	1/2	183,581	1/2	198,697	1/2	213,724	1/2		1/2		1/2		1/2		1/2	
3/4	153,644	3/4	168,770	3/4	183,896	3/4	199,010	3/4	214,037	3/4		3/4		3/4		3/4		3/4	
2	153,960	2	169,085	2	184,211	2	199,323	2	214,350	2		2		2		2		2	
1/4	154,275	1/4	169,400	1/4	184,526	1/4	199,636	1/4	214,662	1/4		1/4		1/4		1/4		1/4	
1/2	154,590	1/2	169,716	1/2	184,841	1/2	199,949	1/2	214,974	1/2		1/2		1/2		1/2		1/2	
3/4	154,905	3/4	170,031	3/4	185,156	3/4	200,263	3/4	215,285	3/4		3/4		3/4		3/4		3/4	
3	155,220	3	170,346	3	185,472	3	200,576	3	215,597	3		3		3		3		3	
1/4	155,535	1/4	170,661	1/4	185,787	1/4	200,889	1/4	215,908	1/4		1/4		1/4		1/4		1/4	
1/2	155,850	1/2	170,976	1/2	186,102	1/2	201,202	1/2	216,220	1/2		1/2		1/2		1/2		1/2	
3/4	156,165	3/4	171,291	3/4	186,417	3/4	201,515	3/4	216,531	3/4		3/4		3/4		3/4		3/4	
4	156,481	4	171,606	4	186,732	4	201,828	4	216,842	4		4		4		4		4	
1/4	156,796	1/4	171,921	1/4	187,047	1/4	202,141	1/4	217,153	1/4		1/4		1/4		1/4		1/4	
1/2	157,111	1/2	172,237	1/2	187,362	1/2	202,454	1/2	217,465	1/2		1/2		1/2		1/2		1/2	
3/4	157,426	3/4	172,552	3/4	187,677	3/4	202,767	3/4	217,776	3/4		3/4		3/4		3/4		3/4	
5	157,741	5	172,867	5	187,993	5	203,080	5	218,087	5		5		5		5		5	
1/4	158,056	1/4	173,182	1/4	188,308	1/4	203,393	1/4	218,398	1/4		1/4		1/4		1/4		1/4	
1/2	158,371	1/2	173,497	1/2	188,623	1/2	203,706	1/2	218,710	1/2		1/2		1/2		1/2		1/2	
3/4	158,686	3/4	173,812	3/4	188,938	3/4	204,019	3/4	219,021	3/4		3/4		3/4		3/4		3/4	
6	159,002	6	174,127	6	189,253	6	204,332	6	219,332	6		6		6		6		6	
1/4	159,317	1/4	174,442	1/4	189,568	1/4	204,645	1/4	219,643	1/4		1/4		1/4		1/4		1/4	
1/2	159,632	1/2	174,758	1/2	189,883	1/2	204,958	1/2	219,955	1/2		1/2		1/2		1/2		1/2	
3/4	159,947	3/4	175,073	3/4	190,198	3/4	205,271	3/4	220,266	3/4		3/4		3/4		3/4		3/4	
7	160,262	7	175,388	7	190,514	7	205,585	7	220,577	7		7		7		7		7	
1/4	160,577	1/4	175,703	1/4	190,829	1/4	205,898	1/4	220,889	1/4		1/4		1/4		1/4		1/4	
1/2	160,892	1/2	176,018	1/2	191,144	1/2	206,211	1/2	221,160	1/2		1/2		1/2		1/2		1/2	
3/4	161,207	3/4	176,333	3/4	191,459	3/4	206,524	3/4	221,452	3/4		3/4		3/4		3/4		3/4	
8	161,522	8	176,648	8	191,774	8	206,837	8	221,744	8		8		8		8		8	
1/4	161,838	1/4	176,963	1/4	192,089	1/4	207,150	1/4	221,989	1/4		1/4		1/4		1/4		1/4	
1/2	162,153	1/2	177,278	1/2	192,404	1/2	207,463	1/2	222,235	1/2		1/2		1/2		1/2		1/2	
3/4	162,468	3/4	177,594	3/4	192,719	3/4	207,776	3/4	222,481	3/4		3/4		3/4		3/4		3/4	
9	162,783	9	177,909	9	193,034	9	208,089	9	222,726	9		9		9		9		9	
1/4	163,098	1/4	178,224	1/4	193,350	1/4	208,402	1/4	222,919	1/4		1/4		1/4		1/4		1/4	
1/2	163,413	1/2	178,539	1/2	193,665	1/2	208,715	1/2	223,112	1/2		1/2		1/2		1/2		1/2	
3/4	163,728	3/4	178,854	3/4	193,980	3/4	209,028	5/8	223,209	3/4		3/4		3/4		3/4		3/4	
10	164,043	10	179,169	10	194,295	10	209,341	10		10		10		10		10		10	
1/4	164,359	1/4	179,484	1/4	194,610	1/4	209,654	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,674	1/2	179,799	1/2	194,925	1/2	209,967	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,989	3/4	180,115	3/4	195,240	3/4	210,280	3/4		3/4		3/4		3/4		3/4		3/4	
11	165,304	11	180,430	11	195,555	11	210,593	11		11		11		11		11		11	
1/4	165,619	1/4	180,745	1/4	195,871	1/4	210,907	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,934	1/2	181,060	1/2	196,186	1/2	211,220	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,249	3/4	181,375	3/4	196,501	3/4	211,533	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	706	0	15,465	0	30,590	0	45,713	0	60,839	0	75,966	0	91,092	0	106,218	0	121,343	0	136,453
1/4	943	1/4	15,780	1/4	30,905	1/4	46,028	1/4	61,154	1/4	76,281	1/4	91,407	1/4	106,533	1/4	121,657	1/4	136,767
1/2	1,179	1/2	16,095	1/2	31,220	1/2	46,343	1/2	61,470	1/2	76,596	1/2	91,722	1/2	106,848	1/2	121,972	1/2	137,082
3/4	1,415	3/4	16,410	3/4	31,535	3/4	46,659	3/4	61,785	3/4	76,911	3/4	92,037	3/4	107,163	3/4	122,287	3/4	137,396
1	1,652	1	16,726	1	31,850	1	46,974	1	62,100	1	77,226	1	92,352	1	107,479	1	122,602	1	137,711
1/4	1,954	1/4	17,041	1/4	32,165	1/4	47,289	1/4	62,415	1/4	77,541	1/4	92,667	1/4	107,794	1/4	122,917	1/4	138,025
1/2	2,256	1/2	17,356	1/2	32,480	1/2	47,604	1/2	62,730	1/2	77,856	1/2	92,983	1/2	108,109	1/2	123,231	1/2	138,340
3/4	2,558	3/4	17,671	3/4	32,795	3/4	47,919	3/4	63,045	3/4	78,171	3/4	93,298	3/4	108,424	3/4	123,546	3/4	138,654
2	2,860	2	17,986	2	33,110	2	48,234	2	63,360	2	78,487	2	93,613	2	108,739	2	123,861	2	138,969
1/4	3,175	1/4	18,301	1/4	33,425	1/4	48,549	1/4	63,675	1/4	78,802	1/4	93,928	1/4	109,054	1/4	124,176	1/4	139,283
1/2	3,490	1/2	18,616	1/2	33,740	1/2	48,864	1/2	63,991	1/2	79,117	1/2	94,243	1/2	109,369	1/2	124,491	1/2	139,598
3/4	3,805	3/4	18,931	3/4	34,055	3/4	49,179	3/4	64,306	3/4	79,432	3/4	94,558	3/4	109,684	3/4	124,805	3/4	139,912
3	4,120	3	19,247	3	34,370	3	49,495	3	64,621	3	79,747	3	94,873	3	110,000	3	125,120	3	140,227
1/4	4,435	1/4	19,562	1/4	34,685	1/4	49,810	1/4	64,936	1/4	80,062	1/4	95,188	1/4	110,315	1/4	125,435	1/4	140,541
1/2	4,751	1/2	19,877	1/2	35,000	1/2	50,125	1/2	65,251	1/2	80,377	1/2	95,504	1/2	110,630	1/2	125,750	1/2	140,856
3/4	5,066	3/4	20,192	3/4	35,315	3/4	50,440	3/4	65,566	3/4	80,692	3/4	95,819	3/4	110,945	3/4	126,065	3/4	141,170
4	5,381	4	20,507	4	35,630	4	50,755	4	65,881	4	81,008	4	96,134	4	111,260	4	126,379	4	141,485
1/4	5,696	1/4	20,822	1/4	35,945	1/4	51,070	1/4	66,197	1/4	81,323	1/4	96,449	1/4	111,575	1/4	126,694	1/4	141,799
1/2	6,011	1/2	21,137	1/2	36,260	1/2	51,385	1/2	66,512	1/2	81,638	1/2	96,764	1/2	111,890	1/2	127,009	1/2	142,114
3/4	6,326	3/4	21,452	3/4	36,575	3/4	51,701	3/4	66,827	3/4	81,953	3/4	97,079	3/4	112,205	3/4	127,324	3/4	142,428
5	6,641	5	21,768	5	36,891	5	52,016	5	67,142	5	82,268	5	97,394	5	112,521	5	127,639	5	142,743
1/4	6,957	1/4	22,083	1/4	37,206	1/4	52,331	1/4	67,457	1/4	82,583	1/4	97,710	1/4	112,836	1/4	127,953	1/4	143,057
1/2	7,272	1/2	22,398	1/2	37,521	1/2	52,646	1/2	67,772	1/2	82,898	1/2	98,025	1/2	113,151	1/2	128,268	1/2	143,372
3/4	7,587	3/4	22,713	3/4	37,836	3/4	52,961	3/4	68,087	3/4	83,214	3/4	98,340	3/4	113,466	3/4	128,583	3/4	143,686
6	7,902	6	23,028	6	38,151	6	53,276	6	68,402	6	83,529	6	98,655	6	113,781	6	128,898	6	144,001
1/4	8,217	1/4	23,343	1/4	38,466	1/4	53,591	1/4	68,718	1/4	83,844	1/4	98,970	1/4	114,096	1/4	129,213	1/4	144,315
1/2	8,532	1/2	23,658	1/2	38,781	1/2	53,906	1/2	69,033	1/2	84,159	1/2	99,285	1/2	114,411	1/2	129,527	1/2	144,630
3/4	8,847	3/4	23,974	3/4	39,096	3/4	54,222	3/4	69,348	3/4	84,474	3/4	99,600	3/4	114,727	3/4	129,842	3/4	144,944
7	9,162	7	24,289	7	39,411	7	54,537	7	69,663	7	84,789	7	99,915	7	115,042	7	130,157	7	145,259
1/4	9,478	1/4	24,604	1/4	39,726	1/4	54,852	1/4	69,978	1/4	85,104	1/4	100,231	1/4	115,357	1/4	130,472	1/4	145,566
1/2	9,793	1/2	24,919	1/2	40,041	1/2	55,167	1/2	70,293	1/2	85,419	1/2	100,546	1/2	115,672	1/2	130,787	1/2	145,872
3/4	10,108	3/4	25,234	3/4	40,357	3/4	55,482	3/4	70,608	3/4	85,735	3/4	100,861	3/4	115,987	3/4	131,101	3/4	146,179
8	10,423	8	25,549	8	40,672	8	55,797	8	70,923	8	86,050	8	101,176	8	116,302	8	131,416	8	146,486
1/4	10,738	1/4	25,864	1/4	40,987	1/4	56,112	1/4	71,239	1/4	86,365	1/4	101,491	1/4	116,617	1/4	131,731	1/4	146,774
1/2	11,053	1/2	26,179	1/2	41,302	1/2	56,427	1/2	71,554	1/2	86,680	1/2	101,806	1/2	116,932	1/2	132,046	1/2	147,063
3/4	11,368	3/4	26,495	3/4	41,617	3/4	56,743	3/4	71,869	3/4	86,995	3/4	102,121	3/4	117,248	3/4	132,361	3/4	147,351
9	11,683	9	26,810	9	41,932	9	57,058	9	72,184	9	87,310	9	102,436	9	117,563	9	132,675	9	147,640
1/4	11,999	1/4	27,125	1/4	42,247	1/4	57,373	1/4	72,499	1/4	87,625	1/4	102,752	1/4	117,878	1/4	132,990	1/4	147,908
1/2	12,314	1/2	27,440	1/2	42,562	1/2	57,688	1/2	72,814	1/2	87,940	1/2	103,067	1/2	118,193	1/2	133,305	1/2	148,175
3/4	12,629	3/4	27,755	3/4	42,877	3/4	58,003	3/4	73,129	3/4	88,256	3/4	103,382	3/4	118,508	3/4	133,620	3/4	148,443
10	12,944	10	28,070	10	43,192	10	58,318	10	73,444	10	88,571	10	103,697	10	118,823	10	133,935	10	148,711
1/4	13,259	1/4	28,385	1/4	43,508	1/4	58,633	1/4	73,760	1/4	88,886	1/4	104,012	1/4	119,138	1/4	134,249	1/4	148,958
1/2	13,574	1/2	28,700	1/2	43,823	1/2	58,949	1/2	74,075	1/2	89,201	1/2	104,327	1/2	119,453	1/2	134,564	1/2	149,205
3/4	13,889	3/4	29,015	3/4	44,138	3/4	59,264	3/4	74,390	3/4	89,516	3/4	104,642	3/4	119,768	3/4	134,879	3/4	149,452
11	14,205	11	29,330	11	44,453	11	59,579	11	74,705	11	89,831	11	104,958	11	120,083	11	135,194	11	149,699
1/4	14,520	1/4	29,645	1/4	44,768	1/4	59,894	1/4	75,020	1/4	90,146	1/4	105,273	1/4	120,398	1/4	135,509	1/4	149,934
1/2	14,835	1/2	29,960	1/2	45,083	1/2	60,209	1/2	75,335	1/2	90,462	1/2	105,588	1/2	120,713	1/2	135,823	1/2	150,168
3/4	15,150	3/4	30,275	3/4	45,398	3/4	60,524	3/4	75,650	3/4	90,777	3/4	105,903	3/4	121,028	3/4	136,138	3/4	150,403

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL 330"
HULL NO. 01-2408**

**3 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,637	0	161,778	0	172,919	0	184,060	0	195,120	0		0		0		0		0	
1/4	150,869	1/4	162,010	1/4	173,151	1/4	184,290	1/4	195,350	1/4		1/4		1/4		1/4		1/4	
1/2	151,101	1/2	162,242	1/2	173,383	1/2	184,521	1/2	195,581	1/2		1/2		1/2		1/2		1/2	
3/4	151,334	3/4	162,474	3/4	173,615	3/4	184,752	3/4	195,811	3/4		3/4		3/4		3/4		3/4	
1	151,566	1	162,706	1	173,847	1	184,983	1	196,041	1		1		1		1		1	
1/4	151,798	1/4	162,939	1/4	174,079	1/4	185,213	1/4	196,272	1/4		1/4		1/4		1/4		1/4	
1/2	152,030	1/2	163,171	1/2	174,311	1/2	185,444	1/2	196,502	1/2		1/2		1/2		1/2		1/2	
3/4	152,262	3/4	163,403	3/4	174,544	3/4	185,674	3/4	196,732	3/4		3/4		3/4		3/4		3/4	
2	152,494	2	163,635	2	174,776	2	185,905	2	196,963	2		2		2		2		2	
1/4	152,726	1/4	163,867	1/4	175,008	1/4	186,135	1/4	197,192	1/4		1/4		1/4		1/4		1/4	
1/2	152,958	1/2	164,099	1/2	175,240	1/2	186,365	1/2	197,421	1/2		1/2		1/2		1/2		1/2	
3/4	153,190	3/4	164,331	3/4	175,472	3/4	186,596	3/4	197,651	3/4		3/4		3/4		3/4		3/4	
3	153,422	3	164,563	3	175,704	3	186,826	3	197,880	3		3		3		3		3	
1/4	153,655	1/4	164,795	1/4	175,936	1/4	187,056	1/4	198,109	1/4		1/4		1/4		1/4		1/4	
1/2	153,887	1/2	165,027	1/2	176,168	1/2	187,287	1/2	198,338	1/2		1/2		1/2		1/2		1/2	
3/4	154,119	3/4	165,260	3/4	176,400	3/4	187,517	3/4	198,567	3/4		3/4		3/4		3/4		3/4	
4	154,351	4	165,492	4	176,632	4	187,748	4	198,796	4		4		4		4		4	
1/4	154,583	1/4	165,724	1/4	176,865	1/4	187,978	1/4	199,025	1/4		1/4		1/4		1/4		1/4	
1/2	154,815	1/2	165,956	1/2	177,097	1/2	188,208	1/2	199,253	1/2		1/2		1/2		1/2		1/2	
3/4	155,047	3/4	166,188	3/4	177,329	3/4	188,439	3/4	199,482	3/4		3/4		3/4		3/4		3/4	
5	155,279	5	166,420	5	177,561	5	188,669	5	199,711	5		5		5		5		5	
1/4	155,511	1/4	166,652	1/4	177,793	1/4	188,899	1/4	199,940	1/4		1/4		1/4		1/4		1/4	
1/2	155,743	1/2	166,884	1/2	178,025	1/2	189,130	1/2	200,169	1/2		1/2		1/2		1/2		1/2	
3/4	155,976	3/4	167,116	3/4	178,257	3/4	189,360	3/4	200,398	3/4		3/4		3/4		3/4		3/4	
6	156,208	6	167,348	6	178,489	6	189,591	6	200,627	6		6		6		6		6	
1/4	156,440	1/4	167,581	1/4	178,721	1/4	189,821	1/4	200,856	1/4		1/4		1/4		1/4		1/4	
1/2	156,672	1/2	167,813	1/2	178,953	1/2	190,051	1/2	201,085	1/2		1/2		1/2		1/2		1/2	
3/4	156,904	3/4	168,045	3/4	179,186	3/4	190,282	3/4	201,314	3/4		3/4		3/4		3/4		3/4	
7	157,136	7	168,277	7	179,418	7	190,512	7	201,542	7		7		7		7		7	
1/4	157,368	1/4	168,509	1/4	179,650	1/4	190,743	1/4	201,757	1/4		1/4		1/4		1/4		1/4	
1/2	157,600	1/2	168,741	1/2	179,882	1/2	190,973	1/2	201,971	1/2		1/2		1/2		1/2		1/2	
3/4	157,832	3/4	168,973	3/4	180,114	3/4	191,203	3/4	202,186	3/4		3/4		3/4		3/4		3/4	
8	158,064	8	169,205	8	180,346	8	191,434	8	202,400	8		8		8		8		8	
1/4	158,297	1/4	169,437	1/4	180,578	1/4	191,664	1/4	202,581	1/4		1/4		1/4		1/4		1/4	
1/2	158,529	1/2	169,669	1/2	180,810	1/2	191,894	1/2	202,761	1/2		1/2		1/2		1/2		1/2	
3/4	158,761	3/4	169,902	3/4	181,042	3/4	192,125	3/4	202,942	3/4		3/4		3/4		3/4		3/4	
9	158,993	9	170,134	9	181,274	9	192,355	9		9		9		9		9		9	
1/4	159,225	1/4	170,366	1/4	181,507	1/4	192,586	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,457	1/2	170,598	1/2	181,739	1/2	192,816	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,689	3/4	170,830	3/4	181,971	3/4	193,046	3/4		3/4		3/4		3/4		3/4		3/4	
10	159,921	10	171,062	10	182,203	10	193,277	10		10		10		10		10		10	
1/4	160,153	1/4	171,294	1/4	182,435	1/4	193,507	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,385	1/2	171,526	1/2	182,667	1/2	193,737	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,618	3/4	171,758	3/4	182,899	3/4	193,968	3/4		3/4		3/4		3/4		3/4		3/4	
11	160,850	11	171,990	11	183,131	11	194,198	11		11		11		11		11		11	
1/4	161,082	1/4	172,223	1/4	183,363	1/4	194,429	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,314	1/2	172,455	1/2	183,595	1/2	194,659	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,546	3/4	172,687	3/4	183,828	3/4	194,889	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	705	0	15,444	0	30,548	0	45,628	0	60,691	0	75,778	0	90,876	0	105,981	0	121,083	0	136,172
1/4	942	1/4	15,759	1/4	30,863	1/4	45,942	1/4	61,005	1/4	76,092	1/4	91,191	1/4	106,296	1/4	121,398	1/4	136,486
1/2	1,178	1/2	16,074	1/2	31,177	1/2	46,256	1/2	61,318	1/2	76,407	1/2	91,505	1/2	106,610	1/2	121,712	1/2	136,800
3/4	1,414	3/4	16,388	3/4	31,492	3/4	46,570	3/4	61,632	3/4	76,721	3/4	91,820	3/4	106,925	3/4	122,026	3/4	137,114
1	1,650	1	16,703	1	31,806	1	46,884	1	61,946	1	77,036	1	92,135	1	107,240	1	122,341	1	137,428
1/4	1,951	1/4	17,018	1/4	32,121	1/4	47,198	1/4	62,259	1/4	77,350	1/4	92,449	1/4	107,554	1/4	122,655	1/4	137,742
1/2	2,253	1/2	17,332	1/2	32,436	1/2	47,512	1/2	62,573	1/2	77,665	1/2	92,764	1/2	107,869	1/2	122,969	1/2	138,056
3/4	2,554	3/4	17,647	3/4	32,750	3/4	47,826	3/4	62,887	3/4	77,979	3/4	93,079	3/4	108,184	3/4	123,284	3/4	138,370
2	2,856	2	17,962	2	33,065	2	48,140	2	63,200	2	78,294	2	93,393	2	108,499	2	123,598	2	138,684
1/4	3,171	1/4	18,276	1/4	33,379	1/4	48,454	1/4	63,514	1/4	78,608	1/4	93,708	1/4	108,813	1/4	123,912	1/4	138,998
1/2	3,485	1/2	18,591	1/2	33,694	1/2	48,768	1/2	63,828	1/2	78,923	1/2	94,023	1/2	109,128	1/2	124,227	1/2	139,312
3/4	3,800	3/4	18,906	3/4	34,008	3/4	49,082	3/4	64,141	3/4	79,237	3/4	94,337	3/4	109,443	3/4	124,541	3/4	139,626
3	4,115	3	19,221	3	34,323	3	49,396	3	64,455	3	79,552	3	94,652	3	109,757	3	124,855	3	139,940
1/4	4,430	1/4	19,535	1/4	34,637	1/4	49,710	1/4	64,769	1/4	79,866	1/4	94,967	1/4	110,072	1/4	125,170	1/4	140,254
1/2	4,744	1/2	19,850	1/2	34,952	1/2	50,024	1/2	65,083	1/2	80,180	1/2	95,282	1/2	110,387	1/2	125,484	1/2	140,568
3/4	5,059	3/4	20,165	3/4	35,266	3/4	50,338	3/4	65,398	3/4	80,495	3/4	95,596	3/4	110,701	3/4	125,798	3/4	140,882
4	5,374	4	20,479	4	35,580	4	50,652	4	65,712	4	80,809	4	95,911	4	111,016	4	126,113	4	141,196
1/4	5,688	1/4	20,794	1/4	35,894	1/4	50,966	1/4	66,026	1/4	81,124	1/4	96,226	1/4	111,331	1/4	126,427	1/4	141,510
1/2	6,003	1/2	21,109	1/2	36,208	1/2	51,280	1/2	66,341	1/2	81,438	1/2	96,540	1/2	111,645	1/2	126,741	1/2	141,824
3/4	6,318	3/4	21,423	3/4	36,522	3/4	51,594	3/4	66,656	3/4	81,753	3/4	96,855	3/4	111,960	3/4	127,056	3/4	142,139
5	6,633	5	21,738	5	36,836	5	51,908	5	66,970	5	82,067	5	97,170	5	112,275	5	127,370	5	142,453
1/4	6,947	1/4	22,053	1/4	37,150	1/4	52,222	1/4	67,285	1/4	82,382	1/4	97,484	1/4	112,589	1/4	127,684	1/4	142,767
1/2	7,262	1/2	22,367	1/2	37,464	1/2	52,535	1/2	67,599	1/2	82,696	1/2	97,799	1/2	112,904	1/2	127,999	1/2	143,081
3/4	7,577	3/4	22,682	3/4	37,778	3/4	52,849	3/4	67,914	3/4	83,011	3/4	98,114	3/4	113,219	3/4	128,313	3/4	143,395
6	7,891	6	22,997	6	38,092	6	53,163	6	68,229	6	83,325	6	98,428	6	113,534	6	128,627	6	143,709
1/4	8,206	1/4	23,311	1/4	38,406	1/4	53,477	1/4	68,543	1/4	83,640	1/4	98,743	1/4	113,848	1/4	128,942	1/4	144,023
1/2	8,521	1/2	23,626	1/2	38,720	1/2	53,790	1/2	68,858	1/2	83,954	1/2	99,058	1/2	114,163	1/2	129,256	1/2	144,337
3/4	8,836	3/4	23,941	3/4	39,034	3/4	54,104	3/4	69,173	3/4	84,269	3/4	99,372	3/4	114,478	3/4	129,570	3/4	144,651
7	9,150	7	24,256	7	39,348	7	54,418	7	69,487	7	84,583	7	99,687	7	114,792	7	129,885	7	144,965
1/4	9,465	1/4	24,570	1/4	39,662	1/4	54,731	1/4	69,802	1/4	84,898	1/4	100,002	1/4	115,107	1/4	130,199	1/4	145,271
1/2	9,780	1/2	24,885	1/2	39,976	1/2	55,045	1/2	70,117	1/2	85,212	1/2	100,317	1/2	115,422	1/2	130,513	1/2	145,577
3/4	10,094	3/4	25,200	3/4	40,290	3/4	55,359	3/4	70,431	3/4	85,527	3/4	100,631	3/4	115,736	3/4	130,828	3/4	145,884
8	10,409	8	25,514	8	40,604	8	55,672	8	70,746	8	85,841	8	100,946	8	116,051	8	131,142	8	146,190
1/4	10,724	1/4	25,829	1/4	40,918	1/4	55,986	1/4	71,060	1/4	86,156	1/4	101,261	1/4	116,366	1/4	131,456	1/4	146,478
1/2	11,038	1/2	26,144	1/2	41,232	1/2	56,300	1/2	71,375	1/2	86,470	1/2	101,575	1/2	116,680	1/2	131,771	1/2	146,766
3/4	11,353	3/4	26,458	3/4	41,546	3/4	56,613	3/4	71,689	3/4	86,785	3/4	101,890	3/4	116,995	3/4	132,085	3/4	147,054
9	11,668	9	26,773	9	41,860	9	56,927	9	72,004	9	87,100	9	102,205	9	117,310	9	132,399	9	147,342
1/4	11,983	1/4	27,088	1/4	42,174	1/4	57,241	1/4	72,319	1/4	87,414	1/4	102,519	1/4	117,625	1/4	132,714	1/4	147,610
1/2	12,297	1/2	27,402	1/2	42,488	1/2	57,554	1/2	72,633	1/2	87,729	1/2	102,834	1/2	117,939	1/2	133,028	1/2	147,877
3/4	12,612	3/4	27,717	3/4	42,802	3/4	57,868	3/4	72,947	3/4	88,044	3/4	103,149	3/4	118,254	3/4	133,342	3/4	148,145
10	12,927	10	28,031	10	43,116	10	58,182	10	73,262	10	88,358	10	103,463	10	118,569	10	133,657	10	148,412
1/4	13,241	1/4	28,346	1/4	43,430	1/4	58,495	1/4	73,576	1/4	88,673	1/4	103,778	1/4	118,883	1/4	133,971	1/4	148,659
1/2	13,556	1/2	28,661	1/2	43,744	1/2	58,809	1/2	73,891	1/2	88,988	1/2	104,093	1/2	119,197	1/2	134,286	1/2	148,905
3/4	13,871	3/4	28,975	3/4	44,058	3/4	59,123	3/4	74,205	3/4	89,302	3/4	104,408	3/4	119,512	3/4	134,600	3/4	149,152
11	14,185	11	29,290	11	44,372	11	59,436	11	74,520	11	89,617	11	104,722	11	119,826	11	134,914	11	149,399
1/4	14,500	1/4	29,604	1/4	44,686	1/4	59,750	1/4	74,834	1/4	89,932	1/4	105,037	1/4	120,140	1/4	135,229	1/4	149,633
1/2	14,815	1/2	29,919	1/2	45,000	1/2	60,064	1/2	75,149	1/2	90,246	1/2	105,352	1/2	120,455	1/2	135,543	1/2	149,867
3/4	15,130	3/4	30,233	3/4	45,314	3/4	60,377	3/4	75,463	3/4	90,561	3/4	105,666	3/4	120,769	3/4	135,857	3/4	150,101

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,335	0	161,461	0	172,587	0	183,713	0	194,758	0		0		0		0		0	
1/4	150,567	1/4	161,693	1/4	172,819	1/4	183,944	1/4	194,988	1/4		1/4		1/4		1/4		1/4	
1/2	150,799	1/2	161,925	1/2	173,051	1/2	184,174	1/2	195,218	1/2		1/2		1/2		1/2		1/2	
3/4	151,031	3/4	162,157	3/4	173,283	3/4	184,405	3/4	195,448	3/4		3/4		3/4		3/4		3/4	
1	151,263	1	162,388	1	173,514	1	184,635	1	195,679	1		1		1		1		1	
1/4	151,494	1/4	162,620	1/4	173,746	1/4	184,865	1/4	195,909	1/4		1/4		1/4		1/4		1/4	
1/2	151,726	1/2	162,852	1/2	173,978	1/2	185,095	1/2	196,139	1/2		1/2		1/2		1/2		1/2	
3/4	151,958	3/4	163,084	3/4	174,210	3/4	185,325	3/4	196,369	3/4		3/4		3/4		3/4		3/4	
2	152,190	2	163,316	2	174,442	2	185,555	2	196,599	2		2		2		2		2	
1/4	152,421	1/4	163,547	1/4	174,673	1/4	185,785	1/4	196,828	1/4		1/4		1/4		1/4		1/4	
1/2	152,653	1/2	163,779	1/2	174,905	1/2	186,016	1/2	197,057	1/2		1/2		1/2		1/2		1/2	
3/4	152,885	3/4	164,011	3/4	175,137	3/4	186,246	3/4	197,286	3/4		3/4		3/4		3/4		3/4	
3	153,117	3	164,243	3	175,369	3	186,476	3	197,515	3		3		3		3		3	
1/4	153,349	1/4	164,475	1/4	175,600	1/4	186,706	1/4	197,743	1/4		1/4		1/4		1/4		1/4	
1/2	153,580	1/2	164,706	1/2	175,832	1/2	186,936	1/2	197,972	1/2		1/2		1/2		1/2		1/2	
3/4	153,812	3/4	164,938	3/4	176,064	3/4	187,166	3/4	198,201	3/4		3/4		3/4		3/4		3/4	
4	154,044	4	165,170	4	176,296	4	187,396	4	198,429	4		4		4		4		4	
1/4	154,276	1/4	165,402	1/4	176,528	1/4	187,626	1/4	198,658	1/4		1/4		1/4		1/4		1/4	
1/2	154,508	1/2	165,634	1/2	176,759	1/2	187,856	1/2	198,886	1/2		1/2		1/2		1/2		1/2	
3/4	154,739	3/4	165,865	3/4	176,991	3/4	188,086	3/4	199,115	3/4		3/4		3/4		3/4		3/4	
5	154,971	5	166,097	5	177,223	5	188,316	5	199,343	5		5		5		5		5	
1/4	155,203	1/4	166,329	1/4	177,455	1/4	188,546	1/4	199,572	1/4		1/4		1/4		1/4		1/4	
1/2	155,435	1/2	166,561	1/2	177,687	1/2	188,776	1/2	199,801	1/2		1/2		1/2		1/2		1/2	
3/4	155,667	3/4	166,792	3/4	177,918	3/4	189,006	3/4	200,029	3/4		3/4		3/4		3/4		3/4	
6	155,898	6	167,024	6	178,150	6	189,237	6	200,258	6		6		6		6		6	
1/4	156,130	1/4	167,256	1/4	178,382	1/4	189,467	1/4	200,486	1/4		1/4		1/4		1/4		1/4	
1/2	156,362	1/2	167,488	1/2	178,614	1/2	189,697	1/2	200,715	1/2		1/2		1/2		1/2		1/2	
3/4	156,594	3/4	167,720	3/4	178,846	3/4	189,927	3/4	200,944	3/4		3/4		3/4		3/4		3/4	
7	156,826	7	167,951	7	179,077	7	190,157	7	201,172	7		7		7		7		7	
1/4	157,057	1/4	168,183	1/4	179,309	1/4	190,387	1/4	201,386	1/4		1/4		1/4		1/4		1/4	
1/2	157,289	1/2	168,415	1/2	179,541	1/2	190,617	1/2	201,600	1/2		1/2		1/2		1/2		1/2	
3/4	157,521	3/4	168,647	3/4	179,773	3/4	190,847	3/4	201,815	3/4		3/4		3/4		3/4		3/4	
8	157,753	8	168,879	8	180,005	8	191,077	8	202,029	8		8		8		8		8	
1/4	157,984	1/4	169,110	1/4	180,236	1/4	191,307	1/4	202,209	1/4		1/4		1/4		1/4		1/4	
1/2	158,216	1/2	169,342	1/2	180,468	1/2	191,537	1/2	202,389	1/2		1/2		1/2		1/2		1/2	
3/4	158,448	3/4	169,574	3/4	180,700	3/4	191,767	3/4	202,570	3/4		3/4		3/4		3/4		3/4	
9	158,680	9	169,806	9	180,932	9	191,997	9	202,750	9		9		9		9		9	
1/4	158,912	1/4	170,038	1/4	181,163	1/4	192,227	1/4	202,892	1/4		1/4		1/4		1/4		1/4	
1/2	159,143	1/2	170,269	1/2	181,395	1/2	192,458	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,375	3/4	170,501	3/4	181,627	3/4	192,688	3/4		3/4		3/4		3/4		3/4		3/4	
10	159,607	10	170,733	10	181,859	10	192,918	10		10		10		10		10		10	
1/4	159,839	1/4	170,965	1/4	182,091	1/4	193,148	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,071	1/2	171,196	1/2	182,322	1/2	193,378	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,302	3/4	171,428	3/4	182,554	3/4	193,608	3/4		3/4		3/4		3/4		3/4		3/4	
11	160,534	11	171,660	11	182,786	11	193,838	11		11		11		11		11		11	
1/4	160,766	1/4	171,892	1/4	183,018	1/4	194,068	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,998	1/2	172,124	1/2	183,250	1/2	194,298	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,230	3/4	172,355	3/4	183,481	3/4	194,528	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'- 6 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,001	0	2,002	0	3,003	0	4,004	0		0		0		0		0	
1/4	21	1/4	1,022	1/4	2,023	1/4	3,024	1/4	4,025	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,043	1/2	2,044	1/2	3,045	1/2	4,046	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,064	3/4	2,065	3/4	3,066	3/4	4,067	3/4		3/4		3/4		3/4		3/4	
1	83	1	1,084	1	2,086	1	3,087	1	4,088	1		1		1		1		1	
1/4	104	1/4	1,105	1/4	2,106	1/4	3,107	1/4	4,108	1/4		1/4		1/4		1/4		1/4	
1/2	125	1/2	1,126	1/2	2,127	1/2	3,128	1/2	4,129	1/2		1/2		1/2		1/2		1/2	
3/4	146	3/4	1,147	3/4	2,148	3/4	3,149	3/4	4,150	3/4		3/4		3/4		3/4		3/4	
2	167	2	1,168	2	2,169	2	3,170	2	4,171	2		2		2		2		2	
1/4	188	1/4	1,189	1/4	2,190	1/4	3,191	1/4	4,192	1/4		1/4		1/4		1/4		1/4	
1/2	209	1/2	1,210	1/2	2,211	1/2	3,212	1/2	4,213	1/2		1/2		1/2		1/2		1/2	
3/4	229	3/4	1,230	3/4	2,231	3/4	3,233	3/4	4,234	3/4		3/4		3/4		3/4		3/4	
3	250	3	1,251	3	2,252	3	3,253	3	4,254	3		3		3		3		3	
1/4	271	1/4	1,272	1/4	2,273	1/4	3,274	1/4	4,275	1/4		1/4		1/4		1/4		1/4	
1/2	292	1/2	1,293	1/2	2,294	1/2	3,295	1/2	4,296	1/2		1/2		1/2		1/2		1/2	
3/4	313	3/4	1,314	3/4	2,315	3/4	3,316	3/4	4,317	3/4		3/4		3/4		3/4		3/4	
4	334	4	1,335	4	2,336	4	3,337	4	4,338	4		4		4		4		4	
1/4	355	1/4	1,356	1/4	2,357	1/4	3,358	1/4	4,359	1/4		1/4		1/4		1/4		1/4	
1/2	375	1/2	1,376	1/2	2,377	1/2	3,379	1/2	4,380	1/2		1/2		1/2		1/2		1/2	
3/4	396	3/4	1,397	3/4	2,398	3/4	3,399	3/4	4,400	3/4		3/4		3/4		3/4		3/4	
5	417	5	1,418	5	2,419	5	3,420	5	4,421	5		5		5		5		5	
1/4	438	1/4	1,439	1/4	2,440	1/4	3,441	1/4	4,442	1/4		1/4		1/4		1/4		1/4	
1/2	459	1/2	1,460	1/2	2,461	1/2	3,462	1/2	4,463	1/2		1/2		1/2		1/2		1/2	
3/4	480	3/4	1,481	3/4	2,482	3/4	3,483	3/4	4,484	3/4		3/4		3/4		3/4		3/4	
6	501	6	1,502	6	2,503	6	3,504	6	4,505	6		6		6		6		6	
1/4	521	1/4	1,522	1/4	2,523	1/4	3,524	1/4	4,526	1/4		1/4		1/4		1/4		1/4	
1/2	542	1/2	1,543	1/2	2,544	1/2	3,545	1/2	4,546	1/2		1/2		1/2		1/2		1/2	
3/4	563	3/4	1,564	3/4	2,565	3/4	3,566	3/4	4,567	3/4		3/4		3/4		3/4		3/4	
7	584	7	1,585	7	2,586	7	3,587	7	4,588	7		7		7		7		7	
1/4	605	1/4	1,606	1/4	2,607	1/4	3,608	1/4	4,609	1/4		1/4		1/4		1/4		1/4	
1/2	626	1/2	1,627	1/2	2,628	1/2	3,629	1/2	4,630	1/2		1/2		1/2		1/2		1/2	
3/4	647	3/4	1,648	3/4	2,649	3/4	3,650	3/4	4,651	3/4		3/4		3/4		3/4		3/4	
8	667	8	1,668	8	2,669	8	3,670	8	4,672	8		8		8		8		8	
1/4	688	1/4	1,689	1/4	2,690	1/4	3,691	1/4	4,692	1/4		1/4		1/4		1/4		1/4	
1/2	709	1/2	1,710	1/2	2,711	1/2	3,712	1/2	4,713	1/2		1/2		1/2		1/2		1/2	
3/4	730	3/4	1,731	3/4	2,732	3/4	3,733	3/4	4,734	3/4		3/4		3/4		3/4		3/4	
9	751	9	1,752	9	2,753	9	3,754	9	4,755	9		9		9		9		9	
1/4	772	1/4	1,773	1/4	2,774	1/4	3,775	1/4	4,776	1/4		1/4		1/4		1/4		1/4	
1/2	792	1/2	1,794	1/2	2,795	1/2	3,796	1/2	4,797	1/2		1/2		1/2		1/2		1/2	
3/4	813	3/4	1,814	3/4	2,815	3/4	3,816	3/4	4,818	3/4		3/4		3/4		3/4		3/4	
10	834	10	1,835	10	2,836	10	3,837	10	4,838	10		10		10		10		10	
1/4	855	1/4	1,856	1/4	2,857	1/4	3,858	1/4	4,859	1/4		1/4		1/4		1/4		1/4	
1/2	876	1/2	1,877	1/2	2,878	1/2	3,879	1/2	4,880	1/2		1/2		1/2		1/2		1/2	
3/4	897	3/4	1,898	3/4	2,899	3/4	3,900	3/4	4,901	3/4		3/4		3/4		3/4		3/4	
11	918	11	1,919	11	2,920	11	3,921	11	4,922	11		11		11		11		11	
1/4	938	1/4	1,940	1/4	2,941	1/4	3,942	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	959	1/2	1,960	1/2	2,961	1/2	3,962	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	980	3/4	1,981	3/4	2,982	3/4	3,983	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "GBL 330"
HULL NO. 01-2408

STBD SLOP TANK
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'- 6 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	994	0	1,987	0	2,981	0	3,974	0		0		0		0		0	
1/4	21	1/4	1,014	1/4	2,008	1/4	3,001	1/4	3,995	1/4		1/4		1/4		1/4		1/4	
1/2	41	1/2	1,035	1/2	2,029	1/2	3,022	1/2	4,016	1/2		1/2		1/2		1/2		1/2	
3/4	62	3/4	1,056	3/4	2,049	3/4	3,043	3/4	4,036	3/4		3/4		3/4		3/4		3/4	
1	83	1	1,076	1	2,070	1	3,064	1	4,057	1		1		1		1		1	
1/4	104	1/4	1,097	1/4	2,091	1/4	3,084	1/4	4,078	1/4		1/4		1/4		1/4		1/4	
1/2	124	1/2	1,118	1/2	2,111	1/2	3,105	1/2	4,099	1/2		1/2		1/2		1/2		1/2	
3/4	145	3/4	1,139	3/4	2,132	3/4	3,126	3/4	4,119	3/4		3/4		3/4		3/4		3/4	
2	166	2	1,159	2	2,153	2	3,146	2	4,140	2		2		2		2		2	
1/4	186	1/4	1,180	1/4	2,174	1/4	3,167	1/4	4,161	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	1,201	1/2	2,194	1/2	3,188	1/2	4,181	1/2		1/2		1/2		1/2		1/2	
3/4	228	3/4	1,221	3/4	2,215	3/4	3,208	3/4	4,202	3/4		3/4		3/4		3/4		3/4	
3	248	3	1,242	3	2,236	3	3,229	3	4,223	3		3		3		3		3	
1/4	269	1/4	1,263	1/4	2,256	1/4	3,250	1/4	4,243	1/4		1/4		1/4		1/4		1/4	
1/2	290	1/2	1,283	1/2	2,277	1/2	3,271	1/2	4,264	1/2		1/2		1/2		1/2		1/2	
3/4	311	3/4	1,304	3/4	2,298	3/4	3,291	3/4	4,285	3/4		3/4		3/4		3/4		3/4	
4	331	4	1,325	4	2,318	4	3,312	4	4,306	4		4		4		4		4	
1/4	352	1/4	1,346	1/4	2,339	1/4	3,333	1/4	4,326	1/4		1/4		1/4		1/4		1/4	
1/2	373	1/2	1,366	1/2	2,360	1/2	3,353	1/2	4,347	1/2		1/2		1/2		1/2		1/2	
3/4	393	3/4	1,387	3/4	2,381	3/4	3,374	3/4	4,368	3/4		3/4		3/4		3/4		3/4	
5	414	5	1,408	5	2,401	5	3,395	5	4,388	5		5		5		5		5	
1/4	435	1/4	1,428	1/4	2,422	1/4	3,415	1/4	4,409	1/4		1/4		1/4		1/4		1/4	
1/2	455	1/2	1,449	1/2	2,443	1/2	3,436	1/2	4,430	1/2		1/2		1/2		1/2		1/2	
3/4	476	3/4	1,470	3/4	2,463	3/4	3,457	3/4	4,450	3/4		3/4		3/4		3/4		3/4	
6	497	6	1,490	6	2,484	6	3,478	6	4,471	6		6		6		6		6	
1/4	518	1/4	1,511	1/4	2,505	1/4	3,498	1/4	4,492	1/4		1/4		1/4		1/4		1/4	
1/2	538	1/2	1,532	1/2	2,525	1/2	3,519	1/2	4,513	1/2		1/2		1/2		1/2		1/2	
3/4	559	3/4	1,553	3/4	2,546	3/4	3,540	3/4	4,533	3/4		3/4		3/4		3/4		3/4	
7	580	7	1,573	7	2,567	7	3,560	7	4,554	7		7		7		7		7	
1/4	600	1/4	1,594	1/4	2,588	1/4	3,581	1/4	4,575	1/4		1/4		1/4		1/4		1/4	
1/2	621	1/2	1,615	1/2	2,608	1/2	3,602	1/2	4,595	1/2		1/2		1/2		1/2		1/2	
3/4	642	3/4	1,635	3/4	2,629	3/4	3,622	3/4	4,616	3/4		3/4		3/4		3/4		3/4	
8	662	8	1,656	8	2,650	8	3,643	8	4,637	8		8		8		8		8	
1/4	683	1/4	1,677	1/4	2,670	1/4	3,664	1/4	4,657	1/4		1/4		1/4		1/4		1/4	
1/2	704	1/2	1,697	1/2	2,691	1/2	3,685	1/2	4,678	1/2		1/2		1/2		1/2		1/2	
3/4	725	3/4	1,718	3/4	2,712	3/4	3,705	3/4	4,699	3/4		3/4		3/4		3/4		3/4	
9	745	9	1,739	9	2,732	9	3,726	9	4,720	9		9		9		9		9	
1/4	766	1/4	1,760	1/4	2,753	1/4	3,747	1/4	4,740	1/4		1/4		1/4		1/4		1/4	
1/2	787	1/2	1,780	1/2	2,774	1/2	3,767	1/2	4,761	1/2		1/2		1/2		1/2		1/2	
3/4	807	3/4	1,801	3/4	2,795	3/4	3,788	3/4	4,782	3/4		3/4		3/4		3/4		3/4	
10	828	10	1,822	10	2,815	10	3,809	10	4,802	10		10		10		10		10	
1/4	849	1/4	1,842	1/4	2,836	1/4	3,829	1/4	4,823	1/4		1/4		1/4		1/4		1/4	
1/2	869	1/2	1,863	1/2	2,857	1/2	3,850	1/2	4,844	1/2		1/2		1/2		1/2		1/2	
3/4	890	3/4	1,884	3/4	2,877	3/4	3,871	3/4	4,864	3/4		3/4		3/4		3/4		3/4	
11	911	11	1,904	11	2,898	11	3,892	11	4,885	11		11		11		11		11	
1/4	932	1/4	1,925	1/4	2,919	1/4	3,912	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	952	1/2	1,946	1/2	2,939	1/2	3,933	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	973	3/4	1,967	3/4	2,960	3/4	3,954	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.