

**BARGE "GBL 330"
HULL NO. 01-2408**

**1 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	185,892	0	172,914	0	159,856	0	146,763	0	133,671	0	120,578	0	107,486	0	94,393	0	81,300
1/4		1/4	185,623	1/4	172,643	1/4	159,583	1/4	146,490	1/4	133,398	1/4	120,305	1/4	107,213	1/4	94,120	1/4	81,027
1/2		1/2	185,354	1/2	172,372	1/2	159,310	1/2	146,218	1/2	133,125	1/2	120,033	1/2	106,940	1/2	93,848	1/2	80,755
3/4		3/4	185,085	3/4	172,102	3/4	159,037	3/4	145,945	3/4	132,852	3/4	119,760	3/4	106,667	3/4	93,575	3/4	80,482
1		1	184,816	1	171,831	1	158,764	1	145,672	1	132,580	1	119,487	1	106,395	1	93,302	1	80,209
1/4		1/4	184,548	1/4	171,560	1/4	158,492	1/4	145,399	1/4	132,307	1/4	119,214	1/4	106,122	1/4	93,029	1/4	79,936
1/2		1/2	184,278	1/2	171,290	1/2	158,219	1/2	145,126	1/2	132,034	1/2	118,942	1/2	105,849	1/2	92,757	1/2	79,663
3/4		3/4	184,009	3/4	171,019	3/4	157,946	3/4	144,854	3/4	131,761	3/4	118,669	3/4	105,576	3/4	92,484	3/4	79,391
2		2	183,740	2	170,748	2	157,673	2	144,581	2	131,488	2	118,396	2	105,304	2	92,211	2	79,118
1/4		1/4	183,470	1/4	170,478	1/4	157,401	1/4	144,308	1/4	131,216	1/4	118,123	1/4	105,031	1/4	91,938	1/4	78,845
1/2		1/2	183,200	1/2	170,207	1/2	157,128	1/2	144,035	1/2	130,943	1/2	117,850	1/2	104,758	1/2	91,666	1/2	78,572
3/4		3/4	182,929	3/4	169,936	3/4	156,855	3/4	143,763	3/4	130,670	3/4	117,578	3/4	104,485	3/4	91,393	3/4	78,300
3		3	182,659	3	169,666	3	156,582	3	143,490	3	130,397	3	117,305	3	104,212	3	91,120	3	78,027
1/4		1/4	182,388	1/4	169,395	1/4	156,310	1/4	143,217	1/4	130,125	1/4	117,032	1/4	103,940	1/4	90,847	1/4	77,754
1/2		1/2	182,117	1/2	169,124	1/2	156,037	1/2	142,944	1/2	129,852	1/2	116,759	1/2	103,667	1/2	90,574	1/2	77,481
3/4		3/4	181,847	3/4	168,853	3/4	155,764	3/4	142,672	3/4	129,579	3/4	116,487	3/4	103,394	3/4	90,302	3/4	77,208
4		4	181,576	4	168,581	4	155,491	4	142,399	4	129,306	4	116,214	4	103,121	4	90,029	4	76,936
1/4		1/4	181,305	1/4	168,310	1/4	155,219	1/4	142,126	1/4	129,034	1/4	115,941	1/4	102,849	1/4	89,756	1/4	76,663
1/2		1/2	181,035	1/2	168,038	1/2	154,946	1/2	141,853	1/2	128,761	1/2	115,668	1/2	102,576	1/2	89,483	1/2	76,390
3/4		3/4	180,764	3/4	167,765	3/4	154,673	3/4	141,581	3/4	128,488	3/4	115,396	3/4	102,303	3/4	89,211	3/4	76,117
5		5	180,493	5	167,493	5	154,400	5	141,308	5	128,215	5	115,123	5	102,030	5	88,938	5	75,845
1/4		1/4	180,222	1/4	167,220	1/4	154,128	1/4	141,035	1/4	127,943	1/4	114,850	1/4	101,758	1/4	88,665	1/4	75,572
1/2		1/2	179,952	1/2	166,947	1/2	153,855	1/2	140,762	1/2	127,670	1/2	114,577	1/2	101,485	1/2	88,392	1/2	75,299
3/4		3/4	179,681	3/4	166,675	3/4	153,582	3/4	140,490	3/4	127,397	3/4	114,305	3/4	101,212	3/4	88,120	3/4	75,026
6		6	179,410	6	166,402	6	153,309	6	140,217	6	127,124	6	114,032	6	100,939	6	87,847	6	74,753
1/4		1/4	179,140	1/4	166,129	1/4	153,037	1/4	139,944	1/4	126,852	1/4	113,759	1/4	100,667	1/4	87,574	1/4	74,481
1/2		1/2	178,869	1/2	165,856	1/2	152,764	1/2	139,671	1/2	126,579	1/2	113,486	1/2	100,394	1/2	87,301	1/2	74,208
3/4		3/4	178,598	3/4	165,583	3/4	152,491	3/4	139,399	3/4	126,306	3/4	113,214	3/4	100,121	3/4	87,029	3/4	73,935
7		7	178,328	7	165,311	7	152,218	7	139,126	7	126,033	7	112,941	7	99,848	7	86,756	7	73,662
3/8	190,571	1/4	178,057	1/4	165,038	1/4	151,945	1/4	138,853	1/4	125,761	1/4	112,668	1/4	99,576	1/4	86,483	1/4	73,390
1/2	190,465	1/2	177,786	1/2	164,765	1/2	151,673	1/2	138,580	1/2	125,488	1/2	112,395	1/2	99,303	1/2	86,210	1/2	73,117
3/4	190,253	3/4	177,516	3/4	164,492	3/4	151,400	3/4	138,307	3/4	125,215	3/4	112,123	3/4	99,030	3/4	85,937	3/4	72,844
8	190,041	8	177,245	8	164,220	8	151,127	8	138,035	8	124,942	8	111,850	8	98,757	8	85,665	8	72,571
1/4	189,829	1/4	176,974	1/4	163,947	1/4	150,854	1/4	137,762	1/4	124,669	1/4	111,577	1/4	98,485	1/4	85,392	1/4	72,298
1/2	189,582	1/2	176,704	1/2	163,674	1/2	150,582	1/2	137,489	1/2	124,397	1/2	111,304	1/2	98,212	1/2	85,119	1/2	72,026
3/4	189,335	3/4	176,433	3/4	163,401	3/4	150,309	3/4	137,216	3/4	124,124	3/4	111,031	3/4	97,939	3/4	84,846	3/4	71,753
9	189,088	9	176,162	9	163,129	9	150,036	9	136,944	9	123,851	9	110,759	9	97,666	9	84,573	9	71,480
1/4	188,842	1/4	175,891	1/4	162,856	1/4	149,763	1/4	136,671	1/4	123,578	1/4	110,486	1/4	97,393	1/4	84,301	1/4	71,207
1/2	188,575	1/2	175,621	1/2	162,583	1/2	149,491	1/2	136,398	1/2	123,306	1/2	110,213	1/2	97,121	1/2	84,028	1/2	70,935
3/4	188,308	3/4	175,350	3/4	162,310	3/4	149,218	3/4	136,125	3/4	123,033	3/4	109,940	3/4	96,848	3/4	83,755	3/4	70,662
10	188,041	10	175,079	10	162,038	10	148,945	10	135,853	10	122,760	10	109,668	10	96,575	10	83,482	10	70,389
1/4	187,774	1/4	174,809	1/4	161,765	1/4	148,672	1/4	135,580	1/4	122,487	1/4	109,395	1/4	96,302	1/4	83,210	1/4	70,116
1/2	187,506	1/2	174,538	1/2	161,492	1/2	148,400	1/2	135,307	1/2	122,215	1/2	109,122	1/2	96,030	1/2	82,937	1/2	69,843
3/4	187,237	3/4	174,267	3/4	161,219	3/4	148,127	3/4	135,034	3/4	121,942	3/4	108,849	3/4	95,757	3/4	82,664	3/4	69,571
11	186,968	11	173,997	11	160,947	11	147,854	11	134,762	11	121,669	11	108,577	11	95,484	11	82,391	11	69,298
1/4	186,699	1/4	173,726	1/4	160,674	1/4	147,581	1/4	134,489	1/4	121,396	1/4	108,304	1/4	95,211	1/4	82,118	1/4	69,025
1/2	186,430	1/2	173,455	1/2	160,401	1/2	147,309	1/2	134,216	1/2	121,124	1/2	108,031	1/2	94,939	1/2	81,846	1/2	68,752
3/4	186,161	3/4	173,185	3/4	160,128	3/4	147,036	3/4	133,943	3/4	120,851	3/4	107,758	3/4	94,666	3/4	81,573	3/4	68,480

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	68,207	0	55,114	0	42,021	0	28,928	0	15,892	0	4,109	0		0		0		0	
1/4	67,934	1/4	54,842	1/4	41,748	1/4	28,655	1/4	15,627	1/4	3,881	1/4		1/4		1/4		1/4	
1/2	67,661	1/2	54,569	1/2	41,475	1/2	28,382	1/2	15,365	1/2	3,656	1/2		1/2		1/2		1/2	
3/4	67,389	3/4	54,296	3/4	41,203	3/4	28,110	3/4	15,104	3/4	3,431	3/4		3/4		3/4		3/4	
1	67,116	1	54,023	1	40,930	1	27,837	1	14,842	1	3,207	1		1		1		1	
1/4	66,843	1/4	53,751	1/4	40,657	1/4	27,564	1/4	14,580	1/4	2,982	1/4		1/4		1/4		1/4	
1/2	66,570	1/2	53,478	1/2	40,384	1/2	27,292	1/2	14,322	1/2	2,760	1/2		1/2		1/2		1/2	
3/4	66,298	3/4	53,205	3/4	40,112	3/4	27,019	3/4	14,063	3/4	2,539	3/4		3/4		3/4		3/4	
2	66,025	2	52,932	2	39,839	2	26,746	2	13,805	2	2,317	2		2		2		2	
1/4	65,752	1/4	52,659	1/4	39,566	1/4	26,474	1/4	13,546	1/4	2,095	1/4		1/4		1/4		1/4	
1/2	65,479	1/2	52,387	1/2	39,293	1/2	26,201	1/2	13,291	1/2	1,885	1/2		1/2		1/2		1/2	
3/4	65,207	3/4	52,114	3/4	39,020	3/4	25,928	3/4	13,035	3/4	1,674	3/4		3/4		3/4		3/4	
3	64,934	3	51,841	3	38,748	3	25,656	3	12,780	3	1,463	3		3		3		3	
1/4	64,661	1/4	51,568	1/4	38,475	1/4	25,383	1/4	12,524	1/4	1,252	1/4		1/4		1/4		1/4	
1/2	64,388	1/2	51,296	1/2	38,202	1/2	25,110	1/2	12,272	1/2	1,083	1/2		1/2		1/2		1/2	
3/4	64,116	3/4	51,023	3/4	37,929	3/4	24,838	3/4	12,020	3/4	914	3/4		3/4		3/4		3/4	
4	63,843	4	50,750	4	37,657	4	24,565	4	11,767	4	745	4		4		4		4	
1/4	63,570	1/4	50,477	1/4	37,384	1/4	24,292	1/4	11,515	1/4	576	1/4		1/4		1/4		1/4	
1/2	63,297	1/2	50,204	1/2	37,111	1/2	24,020	1/2	11,265	1/2	495	1/2		1/2		1/2		1/2	
3/4	63,025	3/4	49,932	3/4	36,838	3/4	23,747	3/4	11,016	3/4		3/4		3/4		3/4		3/4	
5	62,752	5	49,659	5	36,565	5	23,474	5	10,767	5		5		5		5		5	
1/4	62,479	1/4	49,386	1/4	36,293	1/4	23,202	1/4	10,517	1/4		1/4		1/4		1/4		1/4	
1/2	62,206	1/2	49,113	1/2	36,020	1/2	22,929	1/2	10,271	1/2		1/2		1/2		1/2		1/2	
3/4	61,934	3/4	48,841	3/4	35,747	3/4	22,656	3/4	10,025	3/4		3/4		3/4		3/4		3/4	
6	61,661	6	48,568	6	35,474	6	22,384	6	9,779	6		6		6		6		6	
1/4	61,388	1/4	48,295	1/4	35,202	1/4	22,111	1/4	9,532	1/4		1/4		1/4		1/4		1/4	
1/2	61,115	1/2	48,022	1/2	34,929	1/2	21,838	1/2	9,289	1/2		1/2		1/2		1/2		1/2	
3/4	60,843	3/4	47,749	3/4	34,656	3/4	21,566	3/4	9,046	3/4		3/4		3/4		3/4		3/4	
7	60,570	7	47,477	7	34,383	7	21,293	7	8,803	7		7		7		7		7	
1/4	60,297	1/4	47,204	1/4	34,110	1/4	21,020	1/4	8,560	1/4		1/4		1/4		1/4		1/4	
1/2	60,024	1/2	46,931	1/2	33,838	1/2	20,748	1/2	8,320	1/2		1/2		1/2		1/2		1/2	
3/4	59,752	3/4	46,658	3/4	33,565	3/4	20,475	3/4	8,080	3/4		3/4		3/4		3/4		3/4	
8	59,479	8	46,385	8	33,292	8	20,202	8	7,839	8		8		8		8		8	
1/4	59,206	1/4	46,113	1/4	33,019	1/4	19,929	1/4	7,599	1/4		1/4		1/4		1/4		1/4	
1/2	58,933	1/2	45,840	1/2	32,746	1/2	19,657	1/2	7,362	1/2		1/2		1/2		1/2		1/2	
3/4	58,661	3/4	45,567	3/4	32,474	3/4	19,385	3/4	7,125	3/4		3/4		3/4		3/4		3/4	
9	58,388	9	45,294	9	32,201	9	19,112	9	6,888	9		9		9		9		9	
1/4	58,115	1/4	45,022	1/4	31,928	1/4	18,840	1/4	6,651	1/4		1/4		1/4		1/4		1/4	
1/2	57,842	1/2	44,749	1/2	31,655	1/2	18,569	1/2	6,417	1/2		1/2		1/2		1/2		1/2	
3/4	57,569	3/4	44,476	3/4	31,383	3/4	18,298	3/4	6,183	3/4		3/4		3/4		3/4		3/4	
10	57,297	10	44,203	10	31,110	10	18,028	10	5,949	10		10		10		10		10	
1/4	57,024	1/4	43,930	1/4	30,837	1/4	17,757	1/4	5,716	1/4		1/4		1/4		1/4		1/4	
1/2	56,751	1/2	43,658	1/2	30,564	1/2	17,489	1/2	5,485	1/2		1/2		1/2		1/2		1/2	
3/4	56,478	3/4	43,385	3/4	30,292	3/4	17,221	3/4	5,254	3/4		3/4		3/4		3/4		3/4	
11	56,206	11	43,112	11	30,019	11	16,953	11	5,023	11		11		11		11		11	
1/4	55,933	1/4	42,839	1/4	29,746	1/4	16,686	1/4	4,792	1/4		1/4		1/4		1/4		1/4	
1/2	55,660	1/2	42,567	1/2	29,473	1/2	16,421	1/2	4,564	1/2		1/2		1/2		1/2		1/2	
3/4	55,387	3/4	42,294	3/4	29,201	3/4	16,156	3/4	4,336	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**BARGE "GBL 330"
HULL NO. 01-2408**

**1 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	186,172	0	173,204	0	160,157	0	147,073	0	133,989	0	120,904	0	107,820	0	94,736	0	81,651
1/4		1/4	185,903	1/4	172,934	1/4	159,885	1/4	146,800	1/4	133,716	1/4	120,632	1/4	107,547	1/4	94,463	1/4	81,378
1/2		1/2	185,634	1/2	172,663	1/2	159,612	1/2	146,528	1/2	133,443	1/2	120,359	1/2	107,275	1/2	94,190	1/2	81,106
3/4		3/4	185,365	3/4	172,393	3/4	159,339	3/4	146,255	3/4	133,171	3/4	120,086	3/4	107,002	3/4	93,918	3/4	80,833
1		1	185,097	1	172,122	1	159,067	1	145,983	1	132,898	1	119,814	1	106,730	1	93,645	1	80,560
1/4		1/4	184,828	1/4	171,852	1/4	158,794	1/4	145,710	1/4	132,626	1/4	119,541	1/4	106,457	1/4	93,373	1/4	80,288
1/2		1/2	184,559	1/2	171,581	1/2	158,522	1/2	145,437	1/2	132,353	1/2	119,269	1/2	106,184	1/2	93,100	1/2	80,015
3/4		3/4	184,291	3/4	171,311	3/4	158,249	3/4	145,165	3/4	132,080	3/4	118,996	3/4	105,912	3/4	92,827	3/4	79,743
2		2	184,021	2	171,040	2	157,976	2	144,892	2	131,808	2	118,724	2	105,639	2	92,555	2	79,470
1/4		1/4	183,752	1/4	170,770	1/4	157,704	1/4	144,620	1/4	131,535	1/4	118,451	1/4	105,367	1/4	92,282	1/4	79,197
1/2		1/2	183,483	1/2	170,499	1/2	157,431	1/2	144,347	1/2	131,263	1/2	118,178	1/2	105,094	1/2	92,010	1/2	78,925
3/4		3/4	183,214	3/4	170,229	3/4	157,159	3/4	144,074	3/4	130,990	3/4	117,906	3/4	104,821	3/4	91,737	3/4	78,652
3		3	182,943	3	169,958	3	156,886	3	143,802	3	130,717	3	117,633	3	104,549	3	91,465	3	78,379
1/4		1/4	182,672	1/4	169,688	1/4	156,614	1/4	143,529	1/4	130,445	1/4	117,361	1/4	104,276	1/4	91,192	1/4	78,107
1/2		1/2	182,402	1/2	169,417	1/2	156,341	1/2	143,257	1/2	130,172	1/2	117,088	1/2	104,004	1/2	90,919	1/2	77,834
3/4		3/4	182,131	3/4	169,146	3/4	156,068	3/4	142,984	3/4	129,900	3/4	116,815	3/4	103,731	3/4	90,647	3/4	77,562
4		4	181,861	4	168,875	4	155,796	4	142,711	4	129,627	4	116,543	4	103,458	4	90,374	4	77,289
1/4		1/4	181,590	1/4	168,604	1/4	155,523	1/4	142,439	1/4	129,355	1/4	116,270	1/4	103,186	1/4	90,102	1/4	77,016
1/2		1/2	181,320	1/2	168,333	1/2	155,251	1/2	142,166	1/2	129,082	1/2	115,998	1/2	102,913	1/2	89,829	1/2	76,744
3/4		3/4	181,049	3/4	168,062	3/4	154,978	3/4	141,894	3/4	128,809	3/4	115,725	3/4	102,641	3/4	89,556	3/4	76,471
5		5	180,779	5	167,790	5	154,705	5	141,621	5	128,537	5	115,452	5	102,368	5	89,284	5	76,199
1/4		1/4	180,508	1/4	167,517	1/4	154,433	1/4	141,348	1/4	128,264	1/4	115,180	1/4	102,096	1/4	89,011	1/4	75,926
1/2		1/2	180,238	1/2	167,245	1/2	154,160	1/2	141,076	1/2	127,992	1/2	114,907	1/2	101,823	1/2	88,739	1/2	75,653
3/4		3/4	179,967	3/4	166,972	3/4	153,888	3/4	140,803	3/4	127,719	3/4	114,635	3/4	101,550	3/4	88,466	3/4	75,381
6		6	179,697	6	166,699	6	153,615	6	140,531	6	127,446	6	114,362	6	101,278	6	88,193	6	75,108
1/4		1/4	179,426	1/4	166,427	1/4	153,342	1/4	140,258	1/4	127,174	1/4	114,089	1/4	101,005	1/4	87,921	1/4	74,836
1/2		1/2	179,156	1/2	166,154	1/2	153,070	1/2	139,986	1/2	126,901	1/2	113,817	1/2	100,733	1/2	87,648	1/2	74,563
3/4		3/4	178,885	3/4	165,882	3/4	152,797	3/4	139,713	3/4	126,629	3/4	113,544	3/4	100,460	3/4	87,376	3/4	74,290
7		7	178,615	7	165,609	7	152,525	7	139,440	7	126,356	7	113,272	7	100,187	7	87,103	7	74,018
1/4		1/4	178,344	1/4	165,336	1/4	152,252	1/4	139,168	1/4	126,083	1/4	112,999	1/4	99,915	1/4	86,830	1/4	73,745
5/8	190,528	1/2	178,074	1/2	165,064	1/2	151,979	1/2	138,895	1/2	125,811	1/2	112,727	1/2	99,642	1/2	86,558	1/2	73,473
3/4	190,445	3/4	177,803	3/4	164,791	3/4	151,707	3/4	138,623	3/4	125,538	3/4	112,454	3/4	99,370	3/4	86,285	3/4	73,200
8	190,233	8	177,533	8	164,519	8	151,434	8	138,350	8	125,266	8	112,181	8	99,097	8	86,013	8	72,927
1/4	190,021	1/4	177,262	1/4	164,246	1/4	151,162	1/4	138,077	1/4	124,993	1/4	111,909	1/4	98,824	1/4	85,740	1/4	72,655
1/2	189,809	1/2	176,992	1/2	163,973	1/2	150,889	1/2	137,805	1/2	124,720	1/2	111,636	1/2	98,552	1/2	85,467	1/2	72,382
3/4	189,597	3/4	176,721	3/4	163,701	3/4	150,617	3/4	137,532	3/4	124,448	3/4	111,364	3/4	98,279	3/4	85,195	3/4	72,109
9	189,346	9	176,451	9	163,428	9	150,344	9	137,260	9	124,175	9	111,091	9	98,007	9	84,922	9	71,837
1/4	189,094	1/4	176,180	1/4	163,156	1/4	150,071	1/4	136,987	1/4	123,903	1/4	110,818	1/4	97,734	1/4	84,650	1/4	71,564
1/2	188,842	1/2	175,909	1/2	162,883	1/2	149,799	1/2	136,714	1/2	123,630	1/2	110,546	1/2	97,461	1/2	84,377	1/2	71,292
3/4	188,590	3/4	175,639	3/4	162,611	3/4	149,526	3/4	136,442	3/4	123,358	3/4	110,273	3/4	97,189	3/4	84,104	3/4	71,019
10	188,322	10	175,368	10	162,338	10	149,254	10	136,169	10	123,085	10	110,001	10	96,916	10	83,832	10	70,747
1/4	188,053	1/4	175,098	1/4	162,065	1/4	148,981	1/4	135,897	1/4	122,812	1/4	109,728	1/4	96,644	1/4	83,559	1/4	70,474
1/2	187,784	1/2	174,827	1/2	161,793	1/2	148,708	1/2	135,624	1/2	122,540	1/2	109,455	1/2	96,371	1/2	83,286	1/2	70,202
3/4	187,515	3/4	174,557	3/4	161,520	3/4	148,436	3/4	135,352	3/4	122,267	3/4	109,183	3/4	96,099	3/4	83,014	3/4	69,929
11	187,247	11	174,286	11	161,248	11	148,163	11	135,079	11	121,995	11	108,910	11	95,826	11	82,741	11	69,657
1/4	186,978	1/4	174,016	1/4	160,975	1/4	147,891	1/4	134,806	1/4	121,722	1/4	108,638	1/4	95,553	1/4	82,469	1/4	69,384
1/2	186,709	1/2	173,745	1/2	160,702	1/2	147,618	1/2	134,534	1/2	121,449	1/2	108,365	1/2	95,281	1/2	82,196	1/2	69,112
3/4	186,440	3/4	173,475	3/4	160,430	3/4	147,345	3/4	134,261	3/4	121,177	3/4	108,093	3/4	95,008	3/4	81,923	3/4	68,840

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	68,567	0	55,489	0	42,404	0	29,319	0	16,278	0	4,447	0		0		0		0	
1/4	68,295	1/4	55,216	1/4	42,131	1/4	29,046	1/4	16,013	1/4	4,219	1/4		1/4		1/4		1/4	
1/2	68,022	1/2	54,944	1/2	41,859	1/2	28,774	1/2	15,749	1/2	3,992	1/2		1/2		1/2		1/2	
3/4	67,750	3/4	54,671	3/4	41,586	3/4	28,501	3/4	15,485	3/4	3,765	3/4		3/4		3/4		3/4	
1	67,477	1	54,399	1	41,313	1	28,229	1	15,224	1	3,541	1		1		1		1	
1/4	67,205	1/4	54,126	1/4	41,041	1/4	27,956	1/4	14,963	1/4	3,316	1/4		1/4		1/4		1/4	
1/2	66,933	1/2	53,853	1/2	40,768	1/2	27,684	1/2	14,702	1/2	3,092	1/2		1/2		1/2		1/2	
3/4	66,660	3/4	53,581	3/4	40,496	3/4	27,411	3/4	14,441	3/4	2,868	3/4		3/4		3/4		3/4	
2	66,388	2	53,308	2	40,223	2	27,139	2	14,183	2	2,647	2		2		2		2	
1/4	66,115	1/4	53,036	1/4	39,950	1/4	26,866	1/4	13,925	1/4	2,426	1/4		1/4		1/4		1/4	
1/2	65,843	1/2	52,763	1/2	39,678	1/2	26,594	1/2	13,667	1/2	2,205	1/2		1/2		1/2		1/2	
3/4	65,571	3/4	52,490	3/4	39,405	3/4	26,321	3/4	13,409	3/4	1,984	3/4		3/4		3/4		3/4	
3	65,298	3	52,218	3	39,132	3	26,049	3	13,154	3	1,774	3		3		3		3	
1/4	65,026	1/4	51,945	1/4	38,860	1/4	25,776	1/4	12,899	1/4	1,565	1/4		1/4		1/4		1/4	
1/2	64,753	1/2	51,673	1/2	38,587	1/2	25,504	1/2	12,644	1/2	1,356	1/2		1/2		1/2		1/2	
3/4	64,481	3/4	51,400	3/4	38,315	3/4	25,231	3/4	12,389	3/4	1,146	3/4		3/4		3/4		3/4	
4	64,209	4	51,127	4	38,042	4	24,959	4	12,137	4	983	4		4		4		4	
1/4	63,936	1/4	50,855	1/4	37,769	1/4	24,686	1/4	11,885	1/4	820	1/4		1/4		1/4		1/4	
1/2	63,664	1/2	50,582	1/2	37,497	1/2	24,414	1/2	11,633	1/2	657	1/2		1/2		1/2		1/2	
3/4	63,391	3/4	50,309	3/4	37,224	3/4	24,141	3/4	11,382	3/4	494	3/4		3/4		3/4		3/4	
5	63,119	5	50,037	5	36,952	5	23,869	5	11,133	5		5		5		5		5	
1/4	62,846	1/4	49,764	1/4	36,679	1/4	23,596	1/4	10,884	1/4		1/4		1/4		1/4		1/4	
1/2	62,574	1/2	49,492	1/2	36,406	1/2	23,324	1/2	10,635	1/2		1/2		1/2		1/2		1/2	
3/4	62,302	3/4	49,219	3/4	36,134	3/4	23,051	3/4	10,387	3/4		3/4		3/4		3/4		3/4	
6	62,029	6	48,946	6	35,861	6	22,779	6	10,141	6		6		6		6		6	
1/4	61,757	1/4	48,674	1/4	35,589	1/4	22,506	1/4	9,895	1/4		1/4		1/4		1/4		1/4	
1/2	61,484	1/2	48,401	1/2	35,316	1/2	22,234	1/2	9,649	1/2		1/2		1/2		1/2		1/2	
3/4	61,212	3/4	48,129	3/4	35,043	3/4	21,961	3/4	9,404	3/4		3/4		3/4		3/4		3/4	
7	60,940	7	47,856	7	34,771	7	21,689	7	9,161	7		7		7		7		7	
1/4	60,667	1/4	47,583	1/4	34,498	1/4	21,416	1/4	8,918	1/4		1/4		1/4		1/4		1/4	
1/2	60,395	1/2	47,311	1/2	34,225	1/2	21,144	1/2	8,676	1/2		1/2		1/2		1/2		1/2	
3/4	60,122	3/4	47,038	3/4	33,953	3/4	20,871	3/4	8,433	3/4		3/4		3/4		3/4		3/4	
8	59,850	8	46,766	8	33,680	8	20,598	8	8,194	8		8		8		8		8	
1/4	59,578	1/4	46,493	1/4	33,408	1/4	20,326	1/4	7,954	1/4		1/4		1/4		1/4		1/4	
1/2	59,305	1/2	46,220	1/2	33,135	1/2	20,053	1/2	7,714	1/2		1/2		1/2		1/2		1/2	
3/4	59,033	3/4	45,948	3/4	32,862	3/4	19,781	3/4	7,475	3/4		3/4		3/4		3/4		3/4	
9	58,760	9	45,675	9	32,590	9	19,509	9	7,238	9		9		9		9		9	
1/4	58,488	1/4	45,402	1/4	32,317	1/4	19,236	1/4	7,002	1/4		1/4		1/4		1/4		1/4	
1/2	58,215	1/2	45,130	1/2	32,045	1/2	18,964	1/2	6,765	1/2		1/2		1/2		1/2		1/2	
3/4	57,943	3/4	44,857	3/4	31,772	3/4	18,692	3/4	6,529	3/4		3/4		3/4		3/4		3/4	
10	57,670	10	44,585	10	31,499	10	18,422	10	6,296	10		10		10		10		10	
1/4	57,397	1/4	44,312	1/4	31,227	1/4	18,151	1/4	6,062	1/4		1/4		1/4		1/4		1/4	
1/2	57,125	1/2	44,039	1/2	30,954	1/2	17,881	1/2	5,829	1/2		1/2		1/2		1/2		1/2	
3/4	56,852	3/4	43,767	3/4	30,682	3/4	17,611	3/4	5,595	3/4		3/4		3/4		3/4		3/4	
11	56,579	11	43,494	11	30,409	11	17,343	11	5,365	11		11		11		11		11	
1/4	56,307	1/4	43,222	1/4	30,136	1/4	17,076	1/4	5,135	1/4		1/4		1/4		1/4		1/4	
1/2	56,034	1/2	42,949	1/2	29,864	1/2	16,809	1/2	4,904	1/2		1/2		1/2		1/2		1/2	
3/4	55,762	3/4	42,676	3/4	29,591	3/4	16,542	3/4	4,674	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	706	0	15,454	0	30,568	0	45,680	0	60,795	0	75,910	0	91,026	0	106,141	0	121,256	0	136,371
1/4	942	1/4	15,769	1/4	30,883	1/4	45,995	1/4	61,110	1/4	76,225	1/4	91,341	1/4	106,456	1/4	121,571	1/4	136,686
1/2	1,178	1/2	16,084	1/2	31,197	1/2	46,310	1/2	61,425	1/2	76,540	1/2	91,655	1/2	106,771	1/2	121,886	1/2	137,001
3/4	1,414	3/4	16,398	3/4	31,512	3/4	46,625	3/4	61,740	3/4	76,855	3/4	91,970	3/4	107,086	3/4	122,201	3/4	137,316
1	1,651	1	16,713	1	31,827	1	46,940	1	62,055	1	77,170	1	92,285	1	107,400	1	122,516	1	137,631
1/4	1,952	1/4	17,028	1/4	32,142	1/4	47,255	1/4	62,370	1/4	77,485	1/4	92,600	1/4	107,715	1/4	122,831	1/4	137,946
1/2	2,254	1/2	17,343	1/2	32,457	1/2	47,569	1/2	62,685	1/2	77,800	1/2	92,915	1/2	108,030	1/2	123,145	1/2	138,261
3/4	2,556	3/4	17,658	3/4	32,771	3/4	47,884	3/4	63,000	3/4	78,115	3/4	93,230	3/4	108,345	3/4	123,460	3/4	138,576
2	2,858	2	17,973	2	33,086	2	48,199	2	63,314	2	78,430	2	93,545	2	108,660	2	123,775	2	138,890
1/4	3,173	1/4	18,288	1/4	33,401	1/4	48,514	1/4	63,629	1/4	78,745	1/4	93,860	1/4	108,975	1/4	124,090	1/4	139,205
1/2	3,488	1/2	18,603	1/2	33,716	1/2	48,829	1/2	63,944	1/2	79,059	1/2	94,175	1/2	109,290	1/2	124,405	1/2	139,520
3/4	3,802	3/4	18,918	3/4	34,031	3/4	49,144	3/4	64,259	3/4	79,374	3/4	94,490	3/4	109,605	3/4	124,720	3/4	139,835
3	4,117	3	19,233	3	34,345	3	49,459	3	64,574	3	79,689	3	94,804	3	109,920	3	125,035	3	140,150
1/4	4,432	1/4	19,547	1/4	34,660	1/4	49,774	1/4	64,889	1/4	80,004	1/4	95,119	1/4	110,235	1/4	125,350	1/4	140,465
1/2	4,747	1/2	19,862	1/2	34,975	1/2	50,089	1/2	65,204	1/2	80,319	1/2	95,434	1/2	110,549	1/2	125,665	1/2	140,780
3/4	5,062	3/4	20,177	3/4	35,290	3/4	50,404	3/4	65,519	3/4	80,634	3/4	95,749	3/4	110,864	3/4	125,980	3/4	141,095
4	5,377	4	20,492	4	35,605	4	50,718	4	65,834	4	80,949	4	96,064	4	111,179	4	126,294	4	141,410
1/4	5,692	1/4	20,807	1/4	35,919	1/4	51,033	1/4	66,149	1/4	81,264	1/4	96,379	1/4	111,494	1/4	126,609	1/4	141,725
1/2	6,007	1/2	21,122	1/2	36,234	1/2	51,348	1/2	66,463	1/2	81,579	1/2	96,694	1/2	111,809	1/2	126,924	1/2	142,039
3/4	6,322	3/4	21,437	3/4	36,549	3/4	51,663	3/4	66,778	3/4	81,894	3/4	97,009	3/4	112,124	3/4	127,239	3/4	142,354
5	6,637	5	21,752	5	36,864	5	51,978	5	67,093	5	82,208	5	97,324	5	112,439	5	127,554	5	142,669
1/4	6,951	1/4	22,067	1/4	37,179	1/4	52,293	1/4	67,408	1/4	82,523	1/4	97,639	1/4	112,754	1/4	127,869	1/4	142,984
1/2	7,266	1/2	22,382	1/2	37,494	1/2	52,608	1/2	67,723	1/2	82,838	1/2	97,953	1/2	113,069	1/2	128,184	1/2	143,299
3/4	7,581	3/4	22,696	3/4	37,808	3/4	52,923	3/4	68,038	3/4	83,153	3/4	98,268	3/4	113,384	3/4	128,499	3/4	143,614
6	7,896	6	23,011	6	38,123	6	53,238	6	68,353	6	83,468	6	98,583	6	113,698	6	128,814	6	143,929
1/4	8,211	1/4	23,326	1/4	38,438	1/4	53,553	1/4	68,668	1/4	83,783	1/4	98,898	1/4	114,013	1/4	129,129	1/4	144,244
1/2	8,526	1/2	23,641	1/2	38,753	1/2	53,867	1/2	68,983	1/2	84,098	1/2	99,213	1/2	114,328	1/2	129,443	1/2	144,559
3/4	8,841	3/4	23,956	3/4	39,068	3/4	54,182	3/4	69,298	3/4	84,413	3/4	99,528	3/4	114,643	3/4	129,758	3/4	144,874
7	9,156	7	24,271	7	39,383	7	54,497	7	69,612	7	84,728	7	99,843	7	114,958	7	130,073	7	145,188
1/4	9,471	1/4	24,586	1/4	39,698	1/4	54,812	1/4	69,927	1/4	85,043	1/4	100,158	1/4	115,273	1/4	130,388	1/4	145,503
1/2	9,786	1/2	24,901	1/2	40,013	1/2	55,127	1/2	70,242	1/2	85,357	1/2	100,473	1/2	115,588	1/2	130,703	1/2	145,818
3/4	10,100	3/4	25,216	3/4	40,327	3/4	55,442	3/4	70,557	3/4	85,672	3/4	100,788	3/4	115,903	3/4	131,018	3/4	146,133
8	10,415	8	25,531	8	40,642	8	55,757	8	70,872	8	85,987	8	101,102	8	116,218	8	131,333	8	146,448
1/4	10,730	1/4	25,845	1/4	40,957	1/4	56,072	1/4	71,187	1/4	86,302	1/4	101,417	1/4	116,533	1/4	131,648	1/4	146,763
1/2	11,045	1/2	26,160	1/2	41,272	1/2	56,387	1/2	71,502	1/2	86,617	1/2	101,732	1/2	116,847	1/2	131,963	1/2	147,078
3/4	11,360	3/4	26,475	3/4	41,587	3/4	56,702	3/4	71,817	3/4	86,932	3/4	102,047	3/4	117,162	3/4	132,278	3/4	147,393
9	11,675	9	26,790	9	41,902	9	57,016	9	72,132	9	87,247	9	102,362	9	117,477	9	132,592	9	147,708
1/4	11,990	1/4	27,105	1/4	42,217	1/4	57,331	1/4	72,447	1/4	87,562	1/4	102,677	1/4	117,792	1/4	132,907	1/4	148,023
1/2	12,305	1/2	27,420	1/2	42,531	1/2	57,646	1/2	72,761	1/2	87,877	1/2	102,992	1/2	118,107	1/2	133,222	1/2	148,337
3/4	12,620	3/4	27,735	3/4	42,846	3/4	57,961	3/4	73,076	3/4	88,192	3/4	103,307	3/4	118,422	3/4	133,537	3/4	148,652
10	12,935	10	28,050	10	43,161	10	58,276	10	73,391	10	88,506	10	103,622	10	118,737	10	133,852	10	148,967
1/4	13,249	1/4	28,364	1/4	43,476	1/4	58,591	1/4	73,706	1/4	88,821	1/4	103,937	1/4	119,052	1/4	134,167	1/4	149,282
1/2	13,564	1/2	28,679	1/2	43,791	1/2	58,906	1/2	74,021	1/2	89,136	1/2	104,251	1/2	119,367	1/2	134,482	1/2	149,597
3/4	13,879	3/4	28,994	3/4	44,106	3/4	59,221	3/4	74,336	3/4	89,451	3/4	104,566	3/4	119,682	3/4	134,797	3/4	149,912
11	14,194	11	29,309	11	44,421	11	59,536	11	74,651	11	89,766	11	104,881	11	119,996	11	135,112	11	150,227
1/4	14,509	1/4	29,624	1/4	44,736	1/4	59,851	1/4	74,966	1/4	90,081	1/4	105,196	1/4	120,311	1/4	135,427	1/4	150,542
1/2	14,824	1/2	29,938	1/2	45,050	1/2	60,165	1/2	75,281	1/2	90,396	1/2	105,511	1/2	120,626	1/2	135,741	1/2	150,857
3/4	15,139	3/4	30,253	3/4	45,365	3/4	60,480	3/4	75,596	3/4	90,711	3/4	105,826	3/4	120,941	3/4	136,056	3/4	151,172

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-5 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,486	0	166,602	0	181,717	0	196,832	0	211,853	0		0		0		0		0	
1/4	151,801	1/4	166,917	1/4	182,032	1/4	197,146	1/4	212,166	1/4		1/4		1/4		1/4		1/4	
1/2	152,116	1/2	167,231	1/2	182,347	1/2	197,460	1/2	212,478	1/2		1/2		1/2		1/2		1/2	
3/4	152,431	3/4	167,546	3/4	182,662	3/4	197,774	3/4	212,791	3/4		3/4		3/4		3/4		3/4	
1	152,746	1	167,861	1	182,976	1	198,088	1	213,104	1		1		1		1		1	
1/4	153,061	1/4	168,176	1/4	183,291	1/4	198,401	1/4	213,417	1/4		1/4		1/4		1/4		1/4	
1/2	153,376	1/2	168,491	1/2	183,606	1/2	198,713	1/2	213,730	1/2		1/2		1/2		1/2		1/2	
3/4	153,691	3/4	168,806	3/4	183,921	3/4	199,026	3/4	214,043	3/4		3/4		3/4		3/4		3/4	
2	154,006	2	169,121	2	184,236	2	199,339	2	214,355	2		2		2		2		2	
1/4	154,321	1/4	169,436	1/4	184,551	1/4	199,652	1/4	214,667	1/4		1/4		1/4		1/4		1/4	
1/2	154,635	1/2	169,751	1/2	184,866	1/2	199,965	1/2	214,978	1/2		1/2		1/2		1/2		1/2	
3/4	154,950	3/4	170,066	3/4	185,181	3/4	200,278	3/4	215,290	3/4		3/4		3/4		3/4		3/4	
3	155,265	3	170,380	3	185,496	3	200,590	3	215,601	3		3		3		3		3	
1/4	155,580	1/4	170,695	1/4	185,811	1/4	200,903	1/4	215,912	1/4		1/4		1/4		1/4		1/4	
1/2	155,895	1/2	171,010	1/2	186,125	1/2	201,216	1/2	216,224	1/2		1/2		1/2		1/2		1/2	
3/4	156,210	3/4	171,325	3/4	186,440	3/4	201,529	3/4	216,535	3/4		3/4		3/4		3/4		3/4	
4	156,525	4	171,640	4	186,755	4	201,842	4	216,846	4		4		4		4		4	
1/4	156,840	1/4	171,955	1/4	187,070	1/4	202,155	1/4	217,157	1/4		1/4		1/4		1/4		1/4	
1/2	157,155	1/2	172,270	1/2	187,385	1/2	202,468	1/2	217,468	1/2		1/2		1/2		1/2		1/2	
3/4	157,470	3/4	172,585	3/4	187,700	3/4	202,780	3/4	217,779	3/4		3/4		3/4		3/4		3/4	
5	157,784	5	172,900	5	188,015	5	203,093	5	218,090	5		5		5		5		5	
1/4	158,099	1/4	173,215	1/4	188,330	1/4	203,406	1/4	218,401	1/4		1/4		1/4		1/4		1/4	
1/2	158,414	1/2	173,529	1/2	188,645	1/2	203,719	1/2	218,712	1/2		1/2		1/2		1/2		1/2	
3/4	158,729	3/4	173,844	3/4	188,960	3/4	204,032	3/4	219,023	3/4		3/4		3/4		3/4		3/4	
6	159,044	6	174,159	6	189,274	6	204,345	6	219,334	6		6		6		6		6	
1/4	159,359	1/4	174,474	1/4	189,589	1/4	204,657	1/4	219,645	1/4		1/4		1/4		1/4		1/4	
1/2	159,674	1/2	174,789	1/2	189,904	1/2	204,970	1/2	219,956	1/2		1/2		1/2		1/2		1/2	
3/4	159,989	3/4	175,104	3/4	190,219	3/4	205,283	3/4	220,267	3/4		3/4		3/4		3/4		3/4	
7	160,304	7	175,419	7	190,534	7	205,596	7	220,578	7		7		7		7		7	
1/4	160,619	1/4	175,734	1/4	190,849	1/4	205,909	1/4	220,870	1/4		1/4		1/4		1/4		1/4	
1/2	160,933	1/2	176,049	1/2	191,164	1/2	206,222	1/2	221,161	1/2		1/2		1/2		1/2		1/2	
3/4	161,248	3/4	176,364	3/4	191,479	3/4	206,534	3/4	221,452	3/4		3/4		3/4		3/4		3/4	
8	161,563	8	176,678	8	191,794	8	206,847	8	221,744	8		8		8		8		8	
1/4	161,878	1/4	176,993	1/4	192,109	1/4	207,160	1/4	221,989	1/4		1/4		1/4		1/4		1/4	
1/2	162,193	1/2	177,308	1/2	192,423	1/2	207,473	1/2	222,235	1/2		1/2		1/2		1/2		1/2	
3/4	162,508	3/4	177,623	3/4	192,738	3/4	207,786	3/4	222,480	3/4		3/4		3/4		3/4		3/4	
9	162,823	9	177,938	9	193,053	9	208,099	9	222,726	9		9		9		9		9	
1/4	163,138	1/4	178,253	1/4	193,368	1/4	208,411	1/4	222,919	1/4		1/4		1/4		1/4		1/4	
1/2	163,453	1/2	178,568	1/2	193,683	1/2	208,724	1/2	223,112	1/2		1/2		1/2		1/2		1/2	
3/4	163,768	3/4	178,883	3/4	193,998	3/4	209,037	3/4		3/4		3/4		3/4		3/4		3/4	
10	164,082	10	179,198	10	194,313	10	209,350	10		10		10		10		10		10	
1/4	164,397	1/4	179,513	1/4	194,628	1/4	209,663	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,712	1/2	179,827	1/2	194,943	1/2	209,976	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,027	3/4	180,142	3/4	195,258	3/4	210,289	3/4		3/4		3/4		3/4		3/4		3/4	
11	165,342	11	180,457	11	195,572	11	210,601	11		11		11		11		11		11	
1/4	165,657	1/4	180,772	1/4	195,887	1/4	210,914	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,972	1/2	181,087	1/2	196,202	1/2	211,227	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,287	3/4	181,402	3/4	196,517	3/4	211,540	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL 330"
HULL NO. 01-2408**

**2 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5 3/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	218,554	0	203,550	0	188,465	0	173,340	0	158,214	0	143,088	0	127,962	0	112,836	0	97,711
1/4		1/4	218,243	1/4	203,237	1/4	188,150	1/4	173,024	1/4	157,899	1/4	142,773	1/4	127,647	1/4	112,521	1/4	97,396
1/2		1/2	217,932	1/2	202,924	1/2	187,835	1/2	172,709	1/2	157,584	1/2	142,458	1/2	127,332	1/2	112,206	1/2	97,080
3/4		3/4	217,620	3/4	202,610	3/4	187,520	3/4	172,394	3/4	157,268	3/4	142,143	3/4	127,017	3/4	111,891	3/4	96,765
1		1	217,309	1	202,297	1	187,205	1	172,079	1	156,953	1	141,828	1	126,702	1	111,576	1	96,450
1/4		1/4	216,998	1/4	201,984	1/4	186,890	1/4	171,764	1/4	156,638	1/4	141,512	1/4	126,387	1/4	111,261	1/4	96,135
1/2		1/2	216,686	1/2	201,671	1/2	186,575	1/2	171,449	1/2	156,323	1/2	141,197	1/2	126,072	1/2	110,946	1/2	95,820
3/4		3/4	216,375	3/4	201,358	3/4	186,259	3/4	171,134	3/4	156,008	3/4	140,882	3/4	125,756	3/4	110,631	3/4	95,505
2		2	216,064	2	201,045	2	185,944	2	170,819	2	155,693	2	140,567	2	125,441	2	110,316	2	95,190
1/4		1/4	215,753	1/4	200,732	1/4	185,629	1/4	170,503	1/4	155,378	1/4	140,252	1/4	125,126	1/4	110,000	1/4	94,875
1/2		1/2	215,441	1/2	200,419	1/2	185,314	1/2	170,188	1/2	155,063	1/2	139,937	1/2	124,811	1/2	109,685	1/2	94,560
3/4		3/4	215,129	3/4	200,106	3/4	184,999	3/4	169,873	3/4	154,747	3/4	139,622	3/4	124,496	3/4	109,370	3/4	94,244
3		3	214,818	3	199,793	3	184,684	3	169,558	3	154,432	3	139,307	3	124,181	3	109,055	3	93,929
1/4		1/4	214,506	1/4	199,480	1/4	184,369	1/4	169,243	1/4	154,117	1/4	138,991	1/4	123,866	1/4	108,740	1/4	93,614
1/2		1/2	214,193	1/2	199,167	1/2	184,054	1/2	168,928	1/2	153,802	1/2	138,676	1/2	123,551	1/2	108,425	1/2	93,299
3/4		3/4	213,880	3/4	198,854	3/4	183,738	3/4	168,613	3/4	153,487	3/4	138,361	3/4	123,235	3/4	108,110	3/4	92,984
4		4	213,567	4	198,541	4	183,423	4	168,298	4	153,172	4	138,046	4	122,920	4	107,795	4	92,669
1/4		1/4	213,255	1/4	198,228	1/4	183,108	1/4	167,982	1/4	152,857	1/4	137,731	1/4	122,605	1/4	107,479	1/4	92,354
1/2		1/2	212,941	1/2	197,914	1/2	182,793	1/2	167,667	1/2	152,542	1/2	137,416	1/2	122,290	1/2	107,164	1/2	92,039
3/4		3/4	212,628	3/4	197,601	3/4	182,478	3/4	167,352	3/4	152,226	3/4	137,101	3/4	121,975	3/4	106,849	3/4	91,723
5		5	212,315	5	197,287	5	182,163	5	167,037	5	151,911	5	136,786	5	121,660	5	106,534	5	91,408
1/4		1/4	212,002	1/4	196,974	1/4	181,848	1/4	166,722	1/4	151,596	1/4	136,470	1/4	121,345	1/4	106,219	1/4	91,093
1/2		1/2	211,689	1/2	196,658	1/2	181,533	1/2	166,407	1/2	151,281	1/2	136,155	1/2	121,030	1/2	105,904	1/2	90,778
3/4		3/4	211,376	3/4	196,343	3/4	181,218	3/4	166,092	3/4	150,966	3/4	135,840	3/4	120,714	3/4	105,589	3/4	90,463
6		6	211,063	6	196,028	6	180,902	6	165,777	6	150,651	6	135,525	6	120,399	6	105,274	6	90,148
1/4		1/4	210,750	1/4	195,713	1/4	180,587	1/4	165,462	1/4	150,336	1/4	135,210	1/4	120,084	1/4	104,958	1/4	89,833
1/2		1/2	210,437	1/2	195,398	1/2	180,272	1/2	165,146	1/2	150,021	1/2	134,895	1/2	119,769	1/2	104,643	1/2	89,518
3/4		3/4	210,124	3/4	195,083	3/4	179,957	3/4	164,831	3/4	149,706	3/4	134,580	3/4	119,454	3/4	104,328	3/4	89,202
7		7	209,811	7	194,768	7	179,642	7	164,516	7	149,390	7	134,265	7	119,139	7	104,013	7	88,887
1/4		1/4	209,498	1/4	194,453	1/4	179,327	1/4	164,201	1/4	149,075	1/4	133,950	1/4	118,824	1/4	103,698	1/4	88,572
1/2		1/2	209,185	1/2	194,137	1/2	179,012	1/2	163,886	1/2	148,760	1/2	133,634	1/2	118,509	1/2	103,383	1/2	88,257
3/4	223,209	3/4	208,872	3/4	193,822	3/4	178,697	3/4	163,571	3/4	148,445	3/4	133,319	3/4	118,194	3/4	103,068	3/4	87,942
8	223,016	8	208,559	8	193,507	8	178,381	8	163,256	8	148,130	8	133,004	8	117,878	8	102,753	8	87,627
1/4	222,823	1/4	208,246	1/4	193,192	1/4	178,066	1/4	162,941	1/4	147,815	1/4	132,689	1/4	117,563	1/4	102,438	1/4	87,312
1/2	222,584	1/2	207,932	1/2	192,877	1/2	177,751	1/2	162,625	1/2	147,500	1/2	132,374	1/2	117,248	1/2	102,122	1/2	86,997
3/4	222,345	3/4	207,619	3/4	192,562	3/4	177,436	3/4	162,310	3/4	147,185	3/4	132,059	3/4	116,933	3/4	101,807	3/4	86,682
9	222,106	9	207,306	9	192,247	9	177,121	9	161,995	9	146,869	9	131,744	9	116,618	9	101,492	9	86,366
1/4	221,867	1/4	206,993	1/4	191,932	1/4	176,806	1/4	161,680	1/4	146,554	1/4	131,429	1/4	116,303	1/4	101,177	1/4	86,051
1/2	221,581	1/2	206,680	1/2	191,616	1/2	176,491	1/2	161,365	1/2	146,239	1/2	131,113	1/2	115,988	1/2	100,862	1/2	85,736
3/4	221,295	3/4	206,367	3/4	191,301	3/4	176,176	3/4	161,050	3/4	145,924	3/4	130,798	3/4	115,673	3/4	100,547	3/4	85,421
10	221,009	10	206,054	10	190,986	10	175,860	10	160,735	10	145,609	10	130,483	10	115,357	10	100,232	10	85,107
1/4	220,723	1/4	205,741	1/4	190,671	1/4	175,545	1/4	160,420	1/4	145,294	1/4	130,168	1/4	115,042	1/4	99,917	1/4	84,792
1/2	220,414	1/2	205,428	1/2	190,356	1/2	175,230	1/2	160,104	1/2	144,979	1/2	129,853	1/2	114,727	1/2	99,601	1/2	84,477
3/4	220,106	3/4	205,115	3/4	190,041	3/4	174,915	3/4	159,789	3/4	144,664	3/4	129,538	3/4	114,412	3/4	99,286	3/4	84,163
11	219,797	11	204,802	11	189,726	11	174,600	11	159,474	11	144,348	11	129,223	11	114,097	11	98,971	11	83,849
1/4	219,488	1/4	204,489	1/4	189,411	1/4	174,285	1/4	159,159	1/4	144,033	1/4	128,908	1/4	113,782	1/4	98,656	1/4	83,535
1/2	219,177	1/2	204,176	1/2	189,096	1/2	173,970	1/2	158,844	1/2	143,718	1/2	128,592	1/2	113,467	1/2	98,341	1/2	83,221
3/4	218,865	3/4	203,863	3/4	188,780	3/4	173,655	3/4	158,529	3/4	143,403	3/4	128,277	3/4	113,152	3/4	98,026	3/4	82,907

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5 3/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	82,593	0	67,512	0	52,432	0	37,356	0	22,240	0	7,114	0		0		0		0	
1/4	82,278	1/4	67,198	1/4	52,118	1/4	37,041	1/4	21,924	1/4	6,799	1/4		1/4		1/4		1/4	
1/2	81,964	1/2	66,884	1/2	51,804	1/2	36,727	1/2	21,609	1/2	6,484	1/2		1/2		1/2		1/2	
3/4	81,650	3/4	66,570	3/4	51,490	3/4	36,413	3/4	21,294	3/4	6,168	3/4		3/4		3/4		3/4	
1	81,336	1	66,256	1	51,176	1	36,099	1	20,979	1	5,853	1		1		1		1	
1/4	81,022	1/4	65,942	1/4	50,861	1/4	35,785	1/4	20,664	1/4	5,538	1/4		1/4		1/4		1/4	
1/2	80,708	1/2	65,627	1/2	50,547	1/2	35,470	1/2	20,349	1/2	5,223	1/2		1/2		1/2		1/2	
3/4	80,393	3/4	65,313	3/4	50,233	3/4	35,156	3/4	20,034	3/4	4,908	3/4		3/4		3/4		3/4	
2	80,079	2	64,999	2	49,919	2	34,841	2	19,719	2	4,593	2		2		2		2	
1/4	79,765	1/4	64,685	1/4	49,605	1/4	34,526	1/4	19,403	1/4	4,278	1/4		1/4		1/4		1/4	
1/2	79,451	1/2	64,371	1/2	49,291	1/2	34,211	1/2	19,088	1/2	3,963	1/2		1/2		1/2		1/2	
3/4	79,137	3/4	64,057	3/4	48,977	3/4	33,896	3/4	18,773	3/4	3,647	3/4		3/4		3/4		3/4	
3	78,823	3	63,742	3	48,662	3	33,582	3	18,458	3	3,332	3		3		3		3	
1/4	78,508	1/4	63,428	1/4	48,348	1/4	33,267	1/4	18,143	1/4	3,017	1/4		1/4		1/4		1/4	
1/2	78,194	1/2	63,114	1/2	48,034	1/2	32,952	1/2	17,828	1/2	2,714	1/2		1/2		1/2		1/2	
3/4	77,880	3/4	62,800	3/4	47,720	3/4	32,637	3/4	17,513	3/4	2,410	3/4		3/4		3/4		3/4	
4	77,566	4	62,486	4	47,406	4	32,322	4	17,198	4	2,106	4		4		4		4	
1/4	77,252	1/4	62,172	1/4	47,092	1/4	32,007	1/4	16,883	1/4	1,803	1/4		1/4		1/4		1/4	
1/2	76,938	1/2	61,857	1/2	46,778	1/2	31,691	1/2	16,567	1/2	1,558	1/2		1/2		1/2		1/2	
3/4	76,623	3/4	61,543	3/4	46,464	3/4	31,376	3/4	16,252	3/4	1,314	3/4		3/4		3/4		3/4	
5	76,309	5	61,229	5	46,150	5	31,061	5	15,937	5	1,069	5		5		5		5	
1/4	75,995	1/4	60,915	1/4	45,836	1/4	30,746	1/4	15,622	1/4	825	1/4		1/4		1/4		1/4	
1/2	75,681	1/2	60,601	1/2	45,522	1/2	30,431	1/2	15,307	1/2	706	1/2		1/2		1/2		1/2	
3/4	75,367	3/4	60,287	3/4	45,208	3/4	30,116	3/4	14,992	3/4		3/4		3/4		3/4		3/4	
6	75,053	6	59,972	6	44,893	6	29,801	6	14,677	6		6		6		6		6	
1/4	74,738	1/4	59,658	1/4	44,579	1/4	29,486	1/4	14,362	1/4		1/4		1/4		1/4		1/4	
1/2	74,424	1/2	59,344	1/2	44,265	1/2	29,171	1/2	14,046	1/2		1/2		1/2		1/2		1/2	
3/4	74,110	3/4	59,030	3/4	43,951	3/4	28,856	3/4	13,731	3/4		3/4		3/4		3/4		3/4	
7	73,796	7	58,716	7	43,637	7	28,541	7	13,416	7		7		7		7		7	
1/4	73,482	1/4	58,402	1/4	43,323	1/4	28,226	1/4	13,101	1/4		1/4		1/4		1/4		1/4	
1/2	73,167	1/2	58,087	1/2	43,009	1/2	27,911	1/2	12,786	1/2		1/2		1/2		1/2		1/2	
3/4	72,853	3/4	57,773	3/4	42,695	3/4	27,596	3/4	12,471	3/4		3/4		3/4		3/4		3/4	
8	72,539	8	57,459	8	42,381	8	27,281	8	12,156	8		8		8		8		8	
1/4	72,225	1/4	57,145	1/4	42,067	1/4	26,966	1/4	11,841	1/4		1/4		1/4		1/4		1/4	
1/2	71,911	1/2	56,831	1/2	41,753	1/2	26,651	1/2	11,525	1/2		1/2		1/2		1/2		1/2	
3/4	71,597	3/4	56,516	3/4	41,439	3/4	26,336	3/4	11,210	3/4		3/4		3/4		3/4		3/4	
9	71,282	9	56,202	9	41,125	9	26,021	9	10,895	9		9		9		9		9	
1/4	70,968	1/4	55,888	1/4	40,810	1/4	25,706	1/4	10,580	1/4		1/4		1/4		1/4		1/4	
1/2	70,654	1/2	55,574	1/2	40,496	1/2	25,391	1/2	10,265	1/2		1/2		1/2		1/2		1/2	
3/4	70,340	3/4	55,260	3/4	40,182	3/4	25,076	3/4	9,950	3/4		3/4		3/4		3/4		3/4	
10	70,026	10	54,946	10	39,868	10	24,761	10	9,635	10		10		10		10		10	
1/4	69,712	1/4	54,631	1/4	39,554	1/4	24,445	1/4	9,320	1/4		1/4		1/4		1/4		1/4	
1/2	69,397	1/2	54,317	1/2	39,240	1/2	24,130	1/2	9,005	1/2		1/2		1/2		1/2		1/2	
3/4	69,083	3/4	54,003	3/4	38,926	3/4	23,815	3/4	8,689	3/4		3/4		3/4		3/4		3/4	
11	68,769	11	53,689	11	38,612	11	23,500	11	8,374	11		11		11		11		11	
1/4	68,455	1/4	53,375	1/4	38,298	1/4	23,185	1/4	8,059	1/4		1/4		1/4		1/4		1/4	
1/2	68,141	1/2	53,061	1/2	37,984	1/2	22,870	1/2	7,744	1/2		1/2		1/2		1/2		1/2	
3/4	67,827	3/4	52,746	3/4	37,670	3/4	22,555	3/4	7,429	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL- 330"
HULL NO. 01-2408**

**3 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	199,368	0	188,324	0	177,213	0	166,072	0	154,931	0	142,271	0	127,166	0	112,048	0	96,922
1/4		1/4	199,139	1/4	188,093	1/4	176,981	1/4	165,840	1/4	154,699	1/4	141,957	1/4	126,852	1/4	111,733	1/4	96,607
1/2		1/2	198,910	1/2	187,863	1/2	176,748	1/2	165,608	1/2	154,467	1/2	141,642	1/2	126,537	1/2	111,418	1/2	96,291
3/4		3/4	198,681	3/4	187,632	3/4	176,516	3/4	165,376	3/4	154,235	3/4	141,328	3/4	126,222	3/4	111,103	3/4	95,976
1		1	198,452	1	187,402	1	176,284	1	165,143	1	154,003	1	141,013	1	125,907	1	110,787	1	95,661
1/4		1/4	198,223	1/4	187,172	1/4	176,052	1/4	164,911	1/4	153,771	1/4	140,699	1/4	125,592	1/4	110,472	1/4	95,346
1/2		1/2	197,995	1/2	186,941	1/2	175,820	1/2	164,679	1/2	153,538	1/2	140,384	1/2	125,278	1/2	110,157	1/2	95,031
3/4		3/4	197,765	3/4	186,711	3/4	175,588	3/4	164,447	3/4	153,306	3/4	140,070	3/4	124,963	3/4	109,842	3/4	94,716
2		2	197,536	2	186,481	2	175,356	2	164,215	2	153,074	2	139,755	2	124,648	2	109,527	2	94,401
1/4		1/4	197,307	1/4	186,250	1/4	175,124	1/4	163,983	1/4	152,842	1/4	139,441	1/4	124,333	1/4	109,212	1/4	94,086
1/2		1/2	197,078	1/2	186,020	1/2	174,892	1/2	163,751	1/2	152,610	1/2	139,126	1/2	124,018	1/2	108,897	1/2	93,770
3/4		3/4	196,847	3/4	185,789	3/4	174,660	3/4	163,519	3/4	152,378	3/4	138,812	3/4	123,704	3/4	108,581	3/4	93,455
3		3	196,617	3	185,559	3	174,427	3	163,287	3	152,146	3	138,497	3	123,389	3	108,266	3	93,140
1/4		1/4	196,387	1/4	185,329	1/4	174,195	1/4	163,055	1/4	151,914	1/4	138,183	1/4	123,074	1/4	107,951	1/4	92,825
1/2		1/2	196,156	1/2	185,098	1/2	173,963	1/2	162,822	1/2	151,682	1/2	137,868	1/2	122,759	1/2	107,636	1/2	92,510
3/4		3/4	195,926	3/4	184,867	3/4	173,731	3/4	162,590	3/4	151,450	3/4	137,554	3/4	122,444	3/4	107,321	3/4	92,195
4		4	195,696	4	184,637	4	173,499	4	162,358	4	151,217	4	137,239	4	122,130	4	107,006	4	91,880
1/4		1/4	195,465	1/4	184,406	1/4	173,267	1/4	162,126	1/4	150,985	1/4	136,925	1/4	121,815	1/4	106,691	1/4	91,564
1/2		1/2	195,235	1/2	184,175	1/2	173,035	1/2	161,894	1/2	150,753	1/2	136,610	1/2	121,500	1/2	106,376	1/2	91,249
3/4		3/4	195,005	3/4	183,943	3/4	172,803	3/4	161,662	3/4	150,519	3/4	136,295	3/4	121,185	3/4	106,060	3/4	90,934
5		5	194,774	5	183,711	5	172,571	5	161,430	5	150,285	5	135,981	5	120,870	5	105,745	5	90,619
1/4		1/4	194,544	1/4	183,479	1/4	172,339	1/4	161,198	1/4	150,051	1/4	135,666	1/4	120,556	1/4	105,430	1/4	90,304
1/2		1/2	194,313	1/2	183,247	1/2	172,106	1/2	160,966	1/2	149,816	1/2	135,351	1/2	120,241	1/2	105,115	1/2	89,989
3/4		3/4	194,083	3/4	183,015	3/4	171,874	3/4	160,734	3/4	149,571	3/4	135,036	3/4	119,926	3/4	104,800	3/4	89,674
6		6	193,853	6	182,783	6	171,642	6	160,501	6	149,325	6	134,722	6	119,611	6	104,485	6	89,359
1/4		1/4	193,622	1/4	182,551	1/4	171,410	1/4	160,269	1/4	149,080	1/4	134,407	1/4	119,296	1/4	104,170	1/4	89,043
1/2		1/2	193,392	1/2	182,319	1/2	171,178	1/2	160,037	1/2	148,835	1/2	134,092	1/2	118,981	1/2	103,855	1/2	88,728
3/4		3/4	193,162	3/4	182,087	3/4	170,946	3/4	159,805	3/4	148,569	3/4	133,777	3/4	118,666	3/4	103,539	3/4	88,413
7		7	192,931	7	181,855	7	170,714	7	159,573	7	148,304	7	133,462	7	118,351	7	103,224	7	88,098
1/4		1/4	192,701	1/4	181,623	1/4	170,482	1/4	159,341	1/4	148,039	1/4	133,148	1/4	118,036	1/4	102,909	1/4	87,783
1/2		1/2	192,470	1/2	181,390	1/2	170,250	1/2	159,109	1/2	147,774	1/2	132,833	1/2	117,720	1/2	102,594	1/2	87,468
7/8	202,942	3/4	192,240	3/4	181,158	3/4	170,018	3/4	158,877	3/4	147,488	3/4	132,518	3/4	117,405	3/4	102,279	3/4	87,153
8	202,851	8	192,010	8	180,926	8	169,785	8	158,645	8	147,202	8	132,203	8	117,090	8	101,964	8	86,838
1/4	202,671	1/4	191,779	1/4	180,694	1/4	169,553	1/4	158,413	1/4	146,916	1/4	131,888	1/4	116,775	1/4	101,649	1/4	86,522
1/2	202,490	1/2	191,549	1/2	180,462	1/2	169,321	1/2	158,180	1/2	146,630	1/2	131,574	1/2	116,460	1/2	101,334	1/2	86,207
3/4	202,280	3/4	191,318	3/4	180,230	3/4	169,089	3/4	157,948	3/4	146,326	3/4	131,259	3/4	116,145	3/4	101,018	3/4	85,892
9	202,070	9	191,088	9	179,998	9	168,857	9	157,716	9	146,021	9	130,944	9	115,829	9	100,703	9	85,577
1/4	201,860	1/4	190,858	1/4	179,766	1/4	168,625	1/4	157,484	1/4	145,717	1/4	130,629	1/4	115,514	1/4	100,388	1/4	85,262
1/2	201,650	1/2	190,627	1/2	179,534	1/2	168,393	1/2	157,252	1/2	145,412	1/2	130,314	1/2	115,199	1/2	100,073	1/2	84,947
3/4	201,423	3/4	190,397	3/4	179,302	3/4	168,161	3/4	157,020	3/4	145,099	3/4	130,000	3/4	114,884	3/4	99,758	3/4	84,632
10	201,195	10	190,167	10	179,069	10	167,929	10	156,788	10	144,785	10	129,685	10	114,569	10	99,443	10	84,316
1/4	200,968	1/4	189,936	1/4	178,837	1/4	167,697	1/4	156,556	1/4	144,472	1/4	129,370	1/4	114,254	1/4	99,128	1/4	84,001
1/2	200,741	1/2	189,706	1/2	178,605	1/2	167,464	1/2	156,324	1/2	144,158	1/2	129,055	1/2	113,939	1/2	98,812	1/2	83,686
3/4	200,512	3/4	189,475	3/4	178,373	3/4	167,232	3/4	156,092	3/4	143,843	3/4	128,740	3/4	113,624	3/4	98,497	3/4	83,371
11	200,284	11	189,245	11	178,141	11	167,000	11	155,859	11	143,529	11	128,426	11	113,308	11	98,182	11	83,056
1/4	200,055	1/4	189,015	1/4	177,909	1/4	166,768	1/4	155,627	1/4	143,215	1/4	128,111	1/4	112,993	1/4	97,867	1/4	82,741
1/2	199,826	1/2	188,784	1/2	177,677	1/2	166,536	1/2	155,395	1/2	142,900	1/2	127,796	1/2	112,678	1/2	97,552	1/2	82,426
3/4	199,597	3/4	188,554	3/4	177,445	3/4	166,304	3/4	155,163	3/4	142,586	3/4	127,481	3/4	112,363	3/4	97,237	3/4	82,111

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL- 330"
HULL NO. 01-2408**

**3 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	81,795	0	66,669	0	51,543	0	36,418	0	21,295	0	6,169	0		0		0		0	
1/4	81,480	1/4	66,354	1/4	51,228	1/4	36,103	1/4	20,980	1/4	5,854	1/4		1/4		1/4		1/4	
1/2	81,165	1/2	66,039	1/2	50,913	1/2	35,788	1/2	20,665	1/2	5,538	1/2		1/2		1/2		1/2	
3/4	80,850	3/4	65,724	3/4	50,598	3/4	35,473	3/4	20,349	3/4	5,223	3/4		3/4		3/4		3/4	
1	80,535	1	65,409	1	50,282	1	35,158	1	20,034	1	4,908	1		1		1		1	
1/4	80,220	1/4	65,094	1/4	49,967	1/4	34,843	1/4	19,719	1/4	4,593	1/4		1/4		1/4		1/4	
1/2	79,905	1/2	64,778	1/2	49,652	1/2	34,528	1/2	19,404	1/2	4,278	1/2		1/2		1/2		1/2	
3/4	79,590	3/4	64,463	3/4	49,337	3/4	34,213	3/4	19,089	3/4	3,963	3/4		3/4		3/4		3/4	
2	79,274	2	64,148	2	49,022	2	33,898	2	18,774	2	3,648	2		2		2		2	
1/4	78,959	1/4	63,833	1/4	48,707	1/4	33,583	1/4	18,459	1/4	3,332	1/4		1/4		1/4		1/4	
1/2	78,644	1/2	63,518	1/2	48,392	1/2	33,268	1/2	18,144	1/2	3,017	1/2		1/2		1/2		1/2	
3/4	78,329	3/4	63,203	3/4	48,077	3/4	32,953	3/4	17,828	3/4	2,714	3/4		3/4		3/4		3/4	
3	78,014	3	62,888	3	47,761	3	32,638	3	17,513	3	2,410	3		3		3		3	
1/4	77,699	1/4	62,573	1/4	47,446	1/4	32,323	1/4	17,198	1/4	2,106	1/4		1/4		1/4		1/4	
1/2	77,384	1/2	62,257	1/2	47,131	1/2	32,008	1/2	16,883	1/2	1,803	1/2		1/2		1/2		1/2	
3/4	77,068	3/4	61,942	3/4	46,816	3/4	31,693	3/4	16,568	3/4	1,558	3/4		3/4		3/4		3/4	
4	76,753	4	61,627	4	46,501	4	31,378	4	16,253	4	1,314	4		4		4		4	
1/4	76,438	1/4	61,312	1/4	46,186	1/4	31,063	1/4	15,938	1/4	1,069	1/4		1/4		1/4		1/4	
1/2	76,123	1/2	60,997	1/2	45,871	1/2	30,748	1/2	15,623	1/2	825	1/2		1/2		1/2		1/2	
3/4	75,808	3/4	60,682	3/4	45,556	3/4	30,432	3/4	15,307	3/4	706	3/4		3/4		3/4		3/4	
5	75,493	5	60,367	5	45,241	5	30,117	5	14,992	5		5		5		5		5	
1/4	75,178	1/4	60,051	1/4	44,926	1/4	29,802	1/4	14,677	1/4		1/4		1/4		1/4		1/4	
1/2	74,863	1/2	59,736	1/2	44,610	1/2	29,487	1/2	14,362	1/2		1/2		1/2		1/2		1/2	
3/4	74,547	3/4	59,421	3/4	44,295	3/4	29,172	3/4	14,047	3/4		3/4		3/4		3/4		3/4	
6	74,232	6	59,106	6	43,980	6	28,857	6	13,732	6		6		6		6		6	
1/4	73,917	1/4	58,791	1/4	43,665	1/4	28,542	1/4	13,417	1/4		1/4		1/4		1/4		1/4	
1/2	73,602	1/2	58,476	1/2	43,350	1/2	28,227	1/2	13,102	1/2		1/2		1/2		1/2		1/2	
3/4	73,287	3/4	58,161	3/4	43,035	3/4	27,912	3/4	12,786	3/4		3/4		3/4		3/4		3/4	
7	72,972	7	57,846	7	42,720	7	27,597	7	12,471	7		7		7		7		7	
1/4	72,657	1/4	57,530	1/4	42,405	1/4	27,282	1/4	12,156	1/4		1/4		1/4		1/4		1/4	
1/2	72,342	1/2	57,215	1/2	42,090	1/2	26,967	1/2	11,841	1/2		1/2		1/2		1/2		1/2	
3/4	72,026	3/4	56,900	3/4	41,775	3/4	26,652	3/4	11,526	3/4		3/4		3/4		3/4		3/4	
8	71,711	8	56,585	8	41,459	8	26,337	8	11,211	8		8		8		8		8	
1/4	71,396	1/4	56,270	1/4	41,144	1/4	26,022	1/4	10,896	1/4		1/4		1/4		1/4		1/4	
1/2	71,081	1/2	55,955	1/2	40,829	1/2	25,707	1/2	10,580	1/2		1/2		1/2		1/2		1/2	
3/4	70,766	3/4	55,640	3/4	40,514	3/4	25,392	3/4	10,265	3/4		3/4		3/4		3/4		3/4	
9	70,451	9	55,325	9	40,199	9	25,077	9	9,950	9		9		9		9		9	
1/4	70,136	1/4	55,009	1/4	39,884	1/4	24,761	1/4	9,635	1/4		1/4		1/4		1/4		1/4	
1/2	69,821	1/2	54,694	1/2	39,569	1/2	24,446	1/2	9,320	1/2		1/2		1/2		1/2		1/2	
3/4	69,505	3/4	54,379	3/4	39,254	3/4	24,131	3/4	9,005	3/4		3/4		3/4		3/4		3/4	
10	69,190	10	54,064	10	38,939	10	23,816	10	8,690	10		10		10		10		10	
1/4	68,875	1/4	53,749	1/4	38,624	1/4	23,501	1/4	8,375	1/4		1/4		1/4		1/4		1/4	
1/2	68,560	1/2	53,434	1/2	38,308	1/2	23,186	1/2	8,059	1/2		1/2		1/2		1/2		1/2	
3/4	68,245	3/4	53,119	3/4	37,993	3/4	22,871	3/4	7,744	3/4		3/4		3/4		3/4		3/4	
11	67,930	11	52,803	11	37,678	11	22,555	11	7,429	11		11		11		11		11	
1/4	67,615	1/4	52,488	1/4	37,363	1/4	22,240	1/4	7,114	1/4		1/4		1/4		1/4		1/4	
1/2	67,299	1/2	52,173	1/2	37,048	1/2	21,925	1/2	6,799	1/2		1/2		1/2		1/2		1/2	
3/4	66,984	3/4	51,858	3/4	36,733	3/4	21,610	3/4	6,484	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL- 330"
HULL NO. 01-2408**

**3 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	199,001	0	187,971	0	176,875	0	165,749	0	154,623	0	141,981	0	126,898	0	111,803	0	96,698
1/4		1/4	198,772	1/4	187,741	1/4	176,644	1/4	165,518	1/4	154,392	1/4	141,667	1/4	126,584	1/4	111,488	1/4	96,383
1/2		1/2	198,543	1/2	187,511	1/2	176,412	1/2	165,286	1/2	154,160	1/2	141,353	1/2	126,270	1/2	111,173	1/2	96,068
3/4		3/4	198,315	3/4	187,281	3/4	176,180	3/4	165,054	3/4	153,928	3/4	141,039	3/4	125,955	3/4	110,859	3/4	95,754
1		1	198,086	1	187,051	1	175,948	1	164,822	1	153,696	1	140,725	1	125,641	1	110,544	1	95,439
1/4		1/4	197,858	1/4	186,821	1/4	175,716	1/4	164,590	1/4	153,465	1/4	140,411	1/4	125,327	1/4	110,229	1/4	95,124
1/2		1/2	197,629	1/2	186,591	1/2	175,485	1/2	164,359	1/2	153,233	1/2	140,097	1/2	125,012	1/2	109,915	1/2	94,809
3/4		3/4	197,400	3/4	186,361	3/4	175,253	3/4	164,127	3/4	153,001	3/4	139,783	3/4	124,698	3/4	109,600	3/4	94,495
2		2	197,171	2	186,131	2	175,021	2	163,895	2	152,769	2	139,469	2	124,384	2	109,285	2	94,180
1/4		1/4	196,942	1/4	185,901	1/4	174,789	1/4	163,663	1/4	152,537	1/4	139,155	1/4	124,069	1/4	108,971	1/4	93,865
1/2		1/2	196,713	1/2	185,670	1/2	174,557	1/2	163,432	1/2	152,306	1/2	138,841	1/2	123,755	1/2	108,656	1/2	93,551
3/4		3/4	196,483	3/4	185,440	3/4	174,326	3/4	163,200	3/4	152,074	3/4	138,527	3/4	123,441	3/4	108,341	3/4	93,236
3		3	196,253	3	185,210	3	174,094	3	162,968	3	151,842	3	138,213	3	123,126	3	108,026	3	92,921
1/4		1/4	196,023	1/4	184,980	1/4	173,862	1/4	162,736	1/4	151,610	1/4	137,899	1/4	122,812	1/4	107,712	1/4	92,607
1/2		1/2	195,794	1/2	184,750	1/2	173,630	1/2	162,504	1/2	151,378	1/2	137,585	1/2	122,498	1/2	107,397	1/2	92,292
3/4		3/4	195,563	3/4	184,520	3/4	173,398	3/4	162,273	3/4	151,147	3/4	137,271	3/4	122,183	3/4	107,082	3/4	91,977
4		4	195,333	4	184,289	4	173,167	4	162,041	4	150,915	4	136,957	4	121,869	4	106,768	4	91,663
1/4		1/4	195,103	1/4	184,059	1/4	172,935	1/4	161,809	1/4	150,683	1/4	136,643	1/4	121,555	1/4	106,453	1/4	91,348
1/2		1/2	194,873	1/2	183,828	1/2	172,703	1/2	161,577	1/2	150,451	1/2	136,328	1/2	121,240	1/2	106,138	1/2	91,033
3/4		3/4	194,643	3/4	183,597	3/4	172,471	3/4	161,345	3/4	150,217	3/4	136,014	3/4	120,926	3/4	105,824	3/4	90,719
5		5	194,413	5	183,365	5	172,240	5	161,114	5	149,983	5	135,700	5	120,612	5	105,509	5	90,404
1/4		1/4	194,183	1/4	183,134	1/4	172,008	1/4	160,882	1/4	149,750	1/4	135,386	1/4	120,297	1/4	105,194	1/4	90,089
1/2		1/2	193,953	1/2	182,902	1/2	171,776	1/2	160,650	1/2	149,516	1/2	135,071	1/2	119,983	1/2	104,880	1/2	89,774
3/4		3/4	193,723	3/4	182,670	3/4	171,544	3/4	160,418	3/4	149,271	3/4	134,757	3/4	119,669	3/4	104,565	3/4	89,460
6		6	193,493	6	182,438	6	171,312	6	160,186	6	149,025	6	134,443	6	119,354	6	104,250	6	89,145
1/4		1/4	193,263	1/4	182,207	1/4	171,081	1/4	159,955	1/4	148,780	1/4	134,128	1/4	119,040	1/4	103,935	1/4	88,830
1/2		1/2	193,033	1/2	181,975	1/2	170,849	1/2	159,723	1/2	148,535	1/2	133,814	1/2	118,725	1/2	103,621	1/2	88,516
3/4		3/4	192,803	3/4	181,743	3/4	170,617	3/4	159,491	3/4	148,270	3/4	133,500	3/4	118,411	3/4	103,306	3/4	88,201
7		7	192,573	7	181,511	7	170,385	7	159,259	7	148,006	7	133,185	7	118,096	7	102,991	7	87,886
3/8	202,892	1/4	192,342	1/4	181,279	1/4	170,153	1/4	159,028	1/4	147,741	1/4	132,871	1/4	117,782	1/4	102,677	1/4	87,572
1/2	202,821	1/2	192,112	1/2	181,048	1/2	169,922	1/2	158,796	1/2	147,476	1/2	132,557	1/2	117,467	1/2	102,362	1/2	87,257
3/4	202,645	3/4	191,882	3/4	180,816	3/4	169,690	3/4	158,564	3/4	147,191	3/4	132,242	3/4	117,152	3/4	102,047	3/4	86,942
8	202,470	8	191,652	8	180,584	8	169,458	8	158,332	8	146,905	8	131,928	8	116,838	8	101,733	8	86,628
1/4	202,294	1/4	191,422	1/4	180,352	1/4	169,226	1/4	158,100	1/4	146,619	1/4	131,614	1/4	116,523	1/4	101,418	1/4	86,313
1/2	202,119	1/2	191,192	1/2	180,120	1/2	168,994	1/2	157,869	1/2	146,334	1/2	131,299	1/2	116,208	1/2	101,103	1/2	85,998
3/4	201,909	3/4	190,962	3/4	179,889	3/4	168,763	3/4	157,637	3/4	146,030	3/4	130,985	3/4	115,894	3/4	100,789	3/4	85,684
9	201,699	9	190,732	9	179,657	9	168,531	9	157,405	9	145,726	9	130,671	9	115,579	9	100,474	9	85,369
1/4	201,489	1/4	190,502	1/4	179,425	1/4	168,299	1/4	157,173	1/4	145,422	1/4	130,356	1/4	115,264	1/4	100,159	1/4	85,055
1/2	201,279	1/2	190,272	1/2	179,193	1/2	168,067	1/2	156,941	1/2	145,118	1/2	130,042	1/2	114,950	1/2	99,845	1/2	84,740
3/4	201,052	3/4	190,042	3/4	178,961	3/4	167,836	3/4	156,710	3/4	144,805	3/4	129,728	3/4	114,635	3/4	99,530	3/4	84,426
10	200,826	10	189,812	10	178,730	10	167,604	10	156,478	10	144,492	10	129,413	10	114,320	10	99,215	10	84,112
1/4	200,599	1/4	189,582	1/4	178,498	1/4	167,372	1/4	156,246	1/4	144,179	1/4	129,099	1/4	114,006	1/4	98,900	1/4	83,797
1/2	200,372	1/2	189,352	1/2	178,266	1/2	167,140	1/2	156,014	1/2	143,866	1/2	128,785	1/2	113,691	1/2	98,586	1/2	83,483
3/4	200,144	3/4	189,121	3/4	178,034	3/4	166,908	3/4	155,782	3/4	143,552	3/4	128,470	3/4	113,376	3/4	98,271	3/4	83,168
11	199,915	11	188,891	11	177,802	11	166,677	11	155,551	11	143,238	11	128,156	11	113,061	11	97,956	11	82,854
1/4	199,686	1/4	188,661	1/4	177,571	1/4	166,445	1/4	155,319	1/4	142,924	1/4	127,841	1/4	112,747	1/4	97,642	1/4	82,539
1/2	199,458	1/2	188,431	1/2	177,339	1/2	166,213	1/2	155,087	1/2	142,610	1/2	127,527	1/2	112,432	1/2	97,327	1/2	82,225
3/4	199,229	3/4	188,201	3/4	177,107	3/4	165,981	3/4	154,855	3/4	142,296	3/4	127,213	3/4	112,117	3/4	97,012	3/4	81,910

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL- 330"
HULL NO. 01-2408**

**3 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	81,596	0	66,498	0	51,437	0	36,365	0	21,266	0	6,160	0		0		0		0	
1/4	81,281	1/4	66,184	1/4	51,123	1/4	36,051	1/4	20,951	1/4	5,846	1/4		1/4		1/4		1/4	
1/2	80,967	1/2	65,869	1/2	50,809	1/2	35,737	1/2	20,637	1/2	5,531	1/2		1/2		1/2		1/2	
3/4	80,652	3/4	65,555	3/4	50,495	3/4	35,423	3/4	20,322	3/4	5,216	3/4		3/4		3/4		3/4	
1	80,338	1	65,241	1	50,181	1	35,109	1	20,007	1	4,902	1		1		1		1	
1/4	80,023	1/4	64,926	1/4	49,867	1/4	34,794	1/4	19,693	1/4	4,587	1/4		1/4		1/4		1/4	
1/2	79,709	1/2	64,612	1/2	49,553	1/2	34,480	1/2	19,378	1/2	4,272	1/2		1/2		1/2		1/2	
3/4	79,394	3/4	64,298	3/4	49,239	3/4	34,166	3/4	19,063	3/4	3,957	3/4		3/4		3/4		3/4	
2	79,080	2	63,985	2	48,925	2	33,851	2	18,748	2	3,643	2		2		2		2	
1/4	78,765	1/4	63,671	1/4	48,611	1/4	33,537	1/4	18,434	1/4	3,328	1/4		1/4		1/4		1/4	
1/2	78,451	1/2	63,357	1/2	48,297	1/2	33,222	1/2	18,119	1/2	3,013	1/2		1/2		1/2		1/2	
3/4	78,136	3/4	63,044	3/4	47,983	3/4	32,907	3/4	17,804	3/4	2,710	3/4		3/4		3/4		3/4	
3	77,822	3	62,730	3	47,668	3	32,593	3	17,490	3	2,407	3		3		3		3	
1/4	77,507	1/4	62,416	1/4	47,354	1/4	32,278	1/4	17,175	1/4	2,104	1/4		1/4		1/4		1/4	
1/2	77,193	1/2	62,103	1/2	47,040	1/2	31,964	1/2	16,860	1/2	1,800	1/2		1/2		1/2		1/2	
3/4	76,878	3/4	61,789	3/4	46,727	3/4	31,649	3/4	16,546	3/4	1,556	3/4		3/4		3/4		3/4	
4	76,564	4	61,475	4	46,413	4	31,334	4	16,231	4	1,312	4		4		4		4	
1/4	76,250	1/4	61,162	1/4	46,099	1/4	31,020	1/4	15,916	1/4	1,068	1/4		1/4		1/4		1/4	
1/2	75,935	1/2	60,848	1/2	45,785	1/2	30,705	1/2	15,602	1/2	823	1/2		1/2		1/2		1/2	
3/4	75,621	3/4	60,534	3/4	45,471	3/4	30,391	3/4	15,287	3/4	705	3/4		3/4		3/4		3/4	
5	75,306	5	60,221	5	45,157	5	30,076	5	14,972	5		5		5		5		5	
1/4	74,992	1/4	59,907	1/4	44,843	1/4	29,762	1/4	14,658	1/4		1/4		1/4		1/4		1/4	
1/2	74,677	1/2	59,593	1/2	44,529	1/2	29,447	1/2	14,343	1/2		1/2		1/2		1/2		1/2	
3/4	74,363	3/4	59,280	3/4	44,215	3/4	29,132	3/4	14,028	3/4		3/4		3/4		3/4		3/4	
6	74,048	6	58,966	6	43,901	6	28,818	6	13,713	6		6		6		6		6	
1/4	73,734	1/4	58,652	1/4	43,587	1/4	28,503	1/4	13,399	1/4		1/4		1/4		1/4		1/4	
1/2	73,419	1/2	58,339	1/2	43,273	1/2	28,189	1/2	13,084	1/2		1/2		1/2		1/2		1/2	
3/4	73,105	3/4	58,025	3/4	42,959	3/4	27,874	3/4	12,769	3/4		3/4		3/4		3/4		3/4	
7	72,790	7	57,711	7	42,645	7	27,559	7	12,455	7		7		7		7		7	
1/4	72,476	1/4	57,398	1/4	42,331	1/4	27,245	1/4	12,140	1/4		1/4		1/4		1/4		1/4	
1/2	72,161	1/2	57,084	1/2	42,017	1/2	26,930	1/2	11,825	1/2		1/2		1/2		1/2		1/2	
3/4	71,847	3/4	56,770	3/4	41,703	3/4	26,616	3/4	11,511	3/4		3/4		3/4		3/4		3/4	
8	71,532	8	56,456	8	41,389	8	26,301	8	11,196	8		8		8		8		8	
1/4	71,218	1/4	56,143	1/4	41,075	1/4	25,986	1/4	10,881	1/4		1/4		1/4		1/4		1/4	
1/2	70,903	1/2	55,829	1/2	40,761	1/2	25,672	1/2	10,566	1/2		1/2		1/2		1/2		1/2	
3/4	70,589	3/4	55,515	3/4	40,447	3/4	25,357	3/4	10,252	3/4		3/4		3/4		3/4		3/4	
9	70,274	9	55,202	9	40,133	9	25,042	9	9,937	9		9		9		9		9	
1/4	69,959	1/4	54,888	1/4	39,819	1/4	24,728	1/4	9,622	1/4		1/4		1/4		1/4		1/4	
1/2	69,645	1/2	54,574	1/2	39,505	1/2	24,413	1/2	9,308	1/2		1/2		1/2		1/2		1/2	
3/4	69,330	3/4	54,261	3/4	39,191	3/4	24,098	3/4	8,993	3/4		3/4		3/4		3/4		3/4	
10	69,015	10	53,947	10	38,877	10	23,784	10	8,678	10		10		10		10		10	
1/4	68,701	1/4	53,633	1/4	38,563	1/4	23,469	1/4	8,363	1/4		1/4		1/4		1/4		1/4	
1/2	68,386	1/2	53,320	1/2	38,249	1/2	23,154	1/2	8,049	1/2		1/2		1/2		1/2		1/2	
3/4	68,071	3/4	53,006	3/4	37,935	3/4	22,839	3/4	7,734	3/4		3/4		3/4		3/4		3/4	
11	67,757	11	52,692	11	37,621	11	22,525	11	7,419	11		11		11		11		11	
1/4	67,442	1/4	52,379	1/4	37,307	1/4	22,210	1/4	7,105	1/4		1/4		1/4		1/4		1/4	
1/2	67,127	1/2	52,065	1/2	36,993	1/2	21,895	1/2	6,790	1/2		1/2		1/2		1/2		1/2	
3/4	66,813	3/4	51,751	3/4	36,679	3/4	21,581	3/4	6,475	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

