

**BARGE "GBL 330"
HULL NO. 01-2408**

**1 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	185,892	0	172,914	0	159,856	0	146,763	0	133,671	0	120,578	0	107,486	0	94,393	0	81,300
1/4		1/4	185,623	1/4	172,643	1/4	159,583	1/4	146,490	1/4	133,398	1/4	120,305	1/4	107,213	1/4	94,120	1/4	81,027
1/2		1/2	185,354	1/2	172,372	1/2	159,310	1/2	146,218	1/2	133,125	1/2	120,033	1/2	106,940	1/2	93,848	1/2	80,755
3/4		3/4	185,085	3/4	172,102	3/4	159,037	3/4	145,945	3/4	132,852	3/4	119,760	3/4	106,667	3/4	93,575	3/4	80,482
1		1	184,816	1	171,831	1	158,764	1	145,672	1	132,580	1	119,487	1	106,395	1	93,302	1	80,209
1/4		1/4	184,548	1/4	171,560	1/4	158,492	1/4	145,399	1/4	132,307	1/4	119,214	1/4	106,122	1/4	93,029	1/4	79,936
1/2		1/2	184,278	1/2	171,290	1/2	158,219	1/2	145,126	1/2	132,034	1/2	118,942	1/2	105,849	1/2	92,757	1/2	79,663
3/4		3/4	184,009	3/4	171,019	3/4	157,946	3/4	144,854	3/4	131,761	3/4	118,669	3/4	105,576	3/4	92,484	3/4	79,391
2		2	183,740	2	170,748	2	157,673	2	144,581	2	131,488	2	118,396	2	105,304	2	92,211	2	79,118
1/4		1/4	183,470	1/4	170,478	1/4	157,401	1/4	144,308	1/4	131,216	1/4	118,123	1/4	105,031	1/4	91,938	1/4	78,845
1/2		1/2	183,200	1/2	170,207	1/2	157,128	1/2	144,035	1/2	130,943	1/2	117,850	1/2	104,758	1/2	91,666	1/2	78,572
3/4		3/4	182,929	3/4	169,936	3/4	156,855	3/4	143,763	3/4	130,670	3/4	117,578	3/4	104,485	3/4	91,393	3/4	78,300
3		3	182,659	3	169,666	3	156,582	3	143,490	3	130,397	3	117,305	3	104,212	3	91,120	3	78,027
1/4		1/4	182,388	1/4	169,395	1/4	156,310	1/4	143,217	1/4	130,125	1/4	117,032	1/4	103,940	1/4	90,847	1/4	77,754
1/2		1/2	182,117	1/2	169,124	1/2	156,037	1/2	142,944	1/2	129,852	1/2	116,759	1/2	103,667	1/2	90,574	1/2	77,481
3/4		3/4	181,847	3/4	168,853	3/4	155,764	3/4	142,672	3/4	129,579	3/4	116,487	3/4	103,394	3/4	90,302	3/4	77,208
4		4	181,576	4	168,581	4	155,491	4	142,399	4	129,306	4	116,214	4	103,121	4	90,029	4	76,936
1/4		1/4	181,305	1/4	168,310	1/4	155,219	1/4	142,126	1/4	129,034	1/4	115,941	1/4	102,849	1/4	89,756	1/4	76,663
1/2		1/2	181,035	1/2	168,038	1/2	154,946	1/2	141,853	1/2	128,761	1/2	115,668	1/2	102,576	1/2	89,483	1/2	76,390
3/4		3/4	180,764	3/4	167,765	3/4	154,673	3/4	141,581	3/4	128,488	3/4	115,396	3/4	102,303	3/4	89,211	3/4	76,117
5		5	180,493	5	167,493	5	154,400	5	141,308	5	128,215	5	115,123	5	102,030	5	88,938	5	75,845
1/4		1/4	180,222	1/4	167,220	1/4	154,128	1/4	141,035	1/4	127,943	1/4	114,850	1/4	101,758	1/4	88,665	1/4	75,572
1/2		1/2	179,952	1/2	166,947	1/2	153,855	1/2	140,762	1/2	127,670	1/2	114,577	1/2	101,485	1/2	88,392	1/2	75,299
3/4		3/4	179,681	3/4	166,675	3/4	153,582	3/4	140,490	3/4	127,397	3/4	114,305	3/4	101,212	3/4	88,120	3/4	75,026
6		6	179,410	6	166,402	6	153,309	6	140,217	6	127,124	6	114,032	6	100,939	6	87,847	6	74,753
1/4		1/4	179,140	1/4	166,129	1/4	153,037	1/4	139,944	1/4	126,852	1/4	113,759	1/4	100,667	1/4	87,574	1/4	74,481
1/2		1/2	178,869	1/2	165,856	1/2	152,764	1/2	139,671	1/2	126,579	1/2	113,486	1/2	100,394	1/2	87,301	1/2	74,208
3/4		3/4	178,598	3/4	165,583	3/4	152,491	3/4	139,399	3/4	126,306	3/4	113,214	3/4	100,121	3/4	87,029	3/4	73,935
7		7	178,328	7	165,311	7	152,218	7	139,126	7	126,033	7	112,941	7	99,848	7	86,756	7	73,662
3/8	190,571	1/4	178,057	1/4	165,038	1/4	151,945	1/4	138,853	1/4	125,761	1/4	112,668	1/4	99,576	1/4	86,483	1/4	73,390
1/2	190,465	1/2	177,786	1/2	164,765	1/2	151,673	1/2	138,580	1/2	125,488	1/2	112,395	1/2	99,303	1/2	86,210	1/2	73,117
3/4	190,253	3/4	177,516	3/4	164,492	3/4	151,400	3/4	138,307	3/4	125,215	3/4	112,123	3/4	99,030	3/4	85,937	3/4	72,844
8	190,041	8	177,245	8	164,220	8	151,127	8	138,035	8	124,942	8	111,850	8	98,757	8	85,665	8	72,571
1/4	189,829	1/4	176,974	1/4	163,947	1/4	150,854	1/4	137,762	1/4	124,669	1/4	111,577	1/4	98,485	1/4	85,392	1/4	72,298
1/2	189,582	1/2	176,704	1/2	163,674	1/2	150,582	1/2	137,489	1/2	124,397	1/2	111,304	1/2	98,212	1/2	85,119	1/2	72,026
3/4	189,335	3/4	176,433	3/4	163,401	3/4	150,309	3/4	137,216	3/4	124,124	3/4	111,031	3/4	97,939	3/4	84,846	3/4	71,753
9	189,088	9	176,162	9	163,129	9	150,036	9	136,944	9	123,851	9	110,759	9	97,666	9	84,573	9	71,480
1/4	188,842	1/4	175,891	1/4	162,856	1/4	149,763	1/4	136,671	1/4	123,578	1/4	110,486	1/4	97,393	1/4	84,301	1/4	71,207
1/2	188,575	1/2	175,621	1/2	162,583	1/2	149,491	1/2	136,398	1/2	123,306	1/2	110,213	1/2	97,121	1/2	84,028	1/2	70,935
3/4	188,308	3/4	175,350	3/4	162,310	3/4	149,218	3/4	136,125	3/4	123,033	3/4	109,940	3/4	96,848	3/4	83,755	3/4	70,662
10	188,041	10	175,079	10	162,038	10	148,945	10	135,853	10	122,760	10	109,668	10	96,575	10	83,482	10	70,389
1/4	187,774	1/4	174,809	1/4	161,765	1/4	148,672	1/4	135,580	1/4	122,487	1/4	109,395	1/4	96,302	1/4	83,210	1/4	70,116
1/2	187,506	1/2	174,538	1/2	161,492	1/2	148,400	1/2	135,307	1/2	122,215	1/2	109,122	1/2	96,030	1/2	82,937	1/2	69,843
3/4	187,237	3/4	174,267	3/4	161,219	3/4	148,127	3/4	135,034	3/4	121,942	3/4	108,849	3/4	95,757	3/4	82,664	3/4	69,571
11	186,968	11	173,997	11	160,947	11	147,854	11	134,762	11	121,669	11	108,577	11	95,484	11	82,391	11	69,298
1/4	186,699	1/4	173,726	1/4	160,674	1/4	147,581	1/4	134,489	1/4	121,396	1/4	108,304	1/4	95,211	1/4	82,118	1/4	69,025
1/2	186,430	1/2	173,455	1/2	160,401	1/2	147,309	1/2	134,216	1/2	121,124	1/2	108,031	1/2	94,939	1/2	81,846	1/2	68,752
3/4	186,161	3/4	173,185	3/4	160,128	3/4	147,036	3/4	133,943	3/4	120,851	3/4	107,758	3/4	94,666	3/4	81,573	3/4	68,480

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	68,207	0	55,114	0	42,021	0	28,928	0	15,892	0	4,109	0		0		0		0	
1/4	67,934	1/4	54,842	1/4	41,748	1/4	28,655	1/4	15,627	1/4	3,881	1/4		1/4		1/4		1/4	
1/2	67,661	1/2	54,569	1/2	41,475	1/2	28,382	1/2	15,365	1/2	3,656	1/2		1/2		1/2		1/2	
3/4	67,389	3/4	54,296	3/4	41,203	3/4	28,110	3/4	15,104	3/4	3,431	3/4		3/4		3/4		3/4	
1	67,116	1	54,023	1	40,930	1	27,837	1	14,842	1	3,207	1		1		1		1	
1/4	66,843	1/4	53,751	1/4	40,657	1/4	27,564	1/4	14,580	1/4	2,982	1/4		1/4		1/4		1/4	
1/2	66,570	1/2	53,478	1/2	40,384	1/2	27,292	1/2	14,322	1/2	2,760	1/2		1/2		1/2		1/2	
3/4	66,298	3/4	53,205	3/4	40,112	3/4	27,019	3/4	14,063	3/4	2,539	3/4		3/4		3/4		3/4	
2	66,025	2	52,932	2	39,839	2	26,746	2	13,805	2	2,317	2		2		2		2	
1/4	65,752	1/4	52,659	1/4	39,566	1/4	26,474	1/4	13,546	1/4	2,095	1/4		1/4		1/4		1/4	
1/2	65,479	1/2	52,387	1/2	39,293	1/2	26,201	1/2	13,291	1/2	1,885	1/2		1/2		1/2		1/2	
3/4	65,207	3/4	52,114	3/4	39,020	3/4	25,928	3/4	13,035	3/4	1,674	3/4		3/4		3/4		3/4	
3	64,934	3	51,841	3	38,748	3	25,656	3	12,780	3	1,463	3		3		3		3	
1/4	64,661	1/4	51,568	1/4	38,475	1/4	25,383	1/4	12,524	1/4	1,252	1/4		1/4		1/4		1/4	
1/2	64,388	1/2	51,296	1/2	38,202	1/2	25,110	1/2	12,272	1/2	1,083	1/2		1/2		1/2		1/2	
3/4	64,116	3/4	51,023	3/4	37,929	3/4	24,838	3/4	12,020	3/4	914	3/4		3/4		3/4		3/4	
4	63,843	4	50,750	4	37,657	4	24,565	4	11,767	4	745	4		4		4		4	
1/4	63,570	1/4	50,477	1/4	37,384	1/4	24,292	1/4	11,515	1/4	576	1/4		1/4		1/4		1/4	
1/2	63,297	1/2	50,204	1/2	37,111	1/2	24,020	1/2	11,265	1/2	495	1/2		1/2		1/2		1/2	
3/4	63,025	3/4	49,932	3/4	36,838	3/4	23,747	3/4	11,016	3/4		3/4		3/4		3/4		3/4	
5	62,752	5	49,659	5	36,565	5	23,474	5	10,767	5		5		5		5		5	
1/4	62,479	1/4	49,386	1/4	36,293	1/4	23,202	1/4	10,517	1/4		1/4		1/4		1/4		1/4	
1/2	62,206	1/2	49,113	1/2	36,020	1/2	22,929	1/2	10,271	1/2		1/2		1/2		1/2		1/2	
3/4	61,934	3/4	48,841	3/4	35,747	3/4	22,656	3/4	10,025	3/4		3/4		3/4		3/4		3/4	
6	61,661	6	48,568	6	35,474	6	22,384	6	9,779	6		6		6		6		6	
1/4	61,388	1/4	48,295	1/4	35,202	1/4	22,111	1/4	9,532	1/4		1/4		1/4		1/4		1/4	
1/2	61,115	1/2	48,022	1/2	34,929	1/2	21,838	1/2	9,289	1/2		1/2		1/2		1/2		1/2	
3/4	60,843	3/4	47,749	3/4	34,656	3/4	21,566	3/4	9,046	3/4		3/4		3/4		3/4		3/4	
7	60,570	7	47,477	7	34,383	7	21,293	7	8,803	7		7		7		7		7	
1/4	60,297	1/4	47,204	1/4	34,110	1/4	21,020	1/4	8,560	1/4		1/4		1/4		1/4		1/4	
1/2	60,024	1/2	46,931	1/2	33,838	1/2	20,748	1/2	8,320	1/2		1/2		1/2		1/2		1/2	
3/4	59,752	3/4	46,658	3/4	33,565	3/4	20,475	3/4	8,080	3/4		3/4		3/4		3/4		3/4	
8	59,479	8	46,385	8	33,292	8	20,202	8	7,839	8		8		8		8		8	
1/4	59,206	1/4	46,113	1/4	33,019	1/4	19,929	1/4	7,599	1/4		1/4		1/4		1/4		1/4	
1/2	58,933	1/2	45,840	1/2	32,746	1/2	19,657	1/2	7,362	1/2		1/2		1/2		1/2		1/2	
3/4	58,661	3/4	45,567	3/4	32,474	3/4	19,385	3/4	7,125	3/4		3/4		3/4		3/4		3/4	
9	58,388	9	45,294	9	32,201	9	19,112	9	6,888	9		9		9		9		9	
1/4	58,115	1/4	45,022	1/4	31,928	1/4	18,840	1/4	6,651	1/4		1/4		1/4		1/4		1/4	
1/2	57,842	1/2	44,749	1/2	31,655	1/2	18,569	1/2	6,417	1/2		1/2		1/2		1/2		1/2	
3/4	57,569	3/4	44,476	3/4	31,383	3/4	18,298	3/4	6,183	3/4		3/4		3/4		3/4		3/4	
10	57,297	10	44,203	10	31,110	10	18,028	10	5,949	10		10		10		10		10	
1/4	57,024	1/4	43,930	1/4	30,837	1/4	17,757	1/4	5,716	1/4		1/4		1/4		1/4		1/4	
1/2	56,751	1/2	43,658	1/2	30,564	1/2	17,489	1/2	5,485	1/2		1/2		1/2		1/2		1/2	
3/4	56,478	3/4	43,385	3/4	30,292	3/4	17,221	3/4	5,254	3/4		3/4		3/4		3/4		3/4	
11	56,206	11	43,112	11	30,019	11	16,953	11	5,023	11		11		11		11		11	
1/4	55,933	1/4	42,839	1/4	29,746	1/4	16,686	1/4	4,792	1/4		1/4		1/4		1/4		1/4	
1/2	55,660	1/2	42,567	1/2	29,473	1/2	16,421	1/2	4,564	1/2		1/2		1/2		1/2		1/2	
3/4	55,387	3/4	42,294	3/4	29,201	3/4	16,156	3/4	4,336	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

BARGE "GBL 330"
HULL NO. 01-2408

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	186,172	0	173,204	0	160,157	0	147,073	0	133,989	0	120,904	0	107,820	0	94,736	0	81,651
1/4		1/4	185,903	1/4	172,934	1/4	159,885	1/4	146,800	1/4	133,716	1/4	120,632	1/4	107,547	1/4	94,463	1/4	81,378
1/2		1/2	185,634	1/2	172,663	1/2	159,612	1/2	146,528	1/2	133,443	1/2	120,359	1/2	107,275	1/2	94,190	1/2	81,106
3/4		3/4	185,365	3/4	172,393	3/4	159,339	3/4	146,255	3/4	133,171	3/4	120,086	3/4	107,002	3/4	93,918	3/4	80,833
1		1	185,097	1	172,122	1	159,067	1	145,983	1	132,898	1	119,814	1	106,730	1	93,645	1	80,560
1/4		1/4	184,828	1/4	171,852	1/4	158,794	1/4	145,710	1/4	132,626	1/4	119,541	1/4	106,457	1/4	93,373	1/4	80,288
1/2		1/2	184,559	1/2	171,581	1/2	158,522	1/2	145,437	1/2	132,353	1/2	119,269	1/2	106,184	1/2	93,100	1/2	80,015
3/4		3/4	184,291	3/4	171,311	3/4	158,249	3/4	145,165	3/4	132,080	3/4	118,996	3/4	105,912	3/4	92,827	3/4	79,743
2		2	184,021	2	171,040	2	157,976	2	144,892	2	131,808	2	118,724	2	105,639	2	92,555	2	79,470
1/4		1/4	183,752	1/4	170,770	1/4	157,704	1/4	144,620	1/4	131,535	1/4	118,451	1/4	105,367	1/4	92,282	1/4	79,197
1/2		1/2	183,483	1/2	170,499	1/2	157,431	1/2	144,347	1/2	131,263	1/2	118,178	1/2	105,094	1/2	92,010	1/2	78,925
3/4		3/4	183,214	3/4	170,229	3/4	157,159	3/4	144,074	3/4	130,990	3/4	117,906	3/4	104,821	3/4	91,737	3/4	78,652
3		3	182,943	3	169,958	3	156,886	3	143,802	3	130,717	3	117,633	3	104,549	3	91,465	3	78,379
1/4		1/4	182,672	1/4	169,688	1/4	156,614	1/4	143,529	1/4	130,445	1/4	117,361	1/4	104,276	1/4	91,192	1/4	78,107
1/2		1/2	182,402	1/2	169,417	1/2	156,341	1/2	143,257	1/2	130,172	1/2	117,088	1/2	104,004	1/2	90,919	1/2	77,834
3/4		3/4	182,131	3/4	169,146	3/4	156,068	3/4	142,984	3/4	129,900	3/4	116,815	3/4	103,731	3/4	90,647	3/4	77,562
4		4	181,861	4	168,875	4	155,796	4	142,711	4	129,627	4	116,543	4	103,458	4	90,374	4	77,289
1/4		1/4	181,590	1/4	168,604	1/4	155,523	1/4	142,439	1/4	129,355	1/4	116,270	1/4	103,186	1/4	90,102	1/4	77,016
1/2		1/2	181,320	1/2	168,333	1/2	155,251	1/2	142,166	1/2	129,082	1/2	115,998	1/2	102,913	1/2	89,829	1/2	76,744
3/4		3/4	181,049	3/4	168,062	3/4	154,978	3/4	141,894	3/4	128,809	3/4	115,725	3/4	102,641	3/4	89,556	3/4	76,471
5		5	180,779	5	167,790	5	154,705	5	141,621	5	128,537	5	115,452	5	102,368	5	89,284	5	76,199
1/4		1/4	180,508	1/4	167,517	1/4	154,433	1/4	141,348	1/4	128,264	1/4	115,180	1/4	102,096	1/4	89,011	1/4	75,926
1/2		1/2	180,238	1/2	167,245	1/2	154,160	1/2	141,076	1/2	127,992	1/2	114,907	1/2	101,823	1/2	88,739	1/2	75,653
3/4		3/4	179,967	3/4	166,972	3/4	153,888	3/4	140,803	3/4	127,719	3/4	114,635	3/4	101,550	3/4	88,466	3/4	75,381
6		6	179,697	6	166,699	6	153,615	6	140,531	6	127,446	6	114,362	6	101,278	6	88,193	6	75,108
1/4		1/4	179,426	1/4	166,427	1/4	153,342	1/4	140,258	1/4	127,174	1/4	114,089	1/4	101,005	1/4	87,921	1/4	74,836
1/2		1/2	179,156	1/2	166,154	1/2	153,070	1/2	139,986	1/2	126,901	1/2	113,817	1/2	100,733	1/2	87,648	1/2	74,563
3/4		3/4	178,885	3/4	165,882	3/4	152,797	3/4	139,713	3/4	126,629	3/4	113,544	3/4	100,460	3/4	87,376	3/4	74,290
7		7	178,615	7	165,609	7	152,525	7	139,440	7	126,356	7	113,272	7	100,187	7	87,103	7	74,018
1/4		1/4	178,344	1/4	165,336	1/4	152,252	1/4	139,168	1/4	126,083	1/4	112,999	1/4	99,915	1/4	86,830	1/4	73,745
5/8	190,528	1/2	178,074	1/2	165,064	1/2	151,979	1/2	138,895	1/2	125,811	1/2	112,727	1/2	99,642	1/2	86,558	1/2	73,473
3/4	190,445	3/4	177,803	3/4	164,791	3/4	151,707	3/4	138,623	3/4	125,538	3/4	112,454	3/4	99,370	3/4	86,285	3/4	73,200
8	190,233	8	177,533	8	164,519	8	151,434	8	138,350	8	125,266	8	112,181	8	99,097	8	86,013	8	72,927
1/4	190,021	1/4	177,262	1/4	164,246	1/4	151,162	1/4	138,077	1/4	124,993	1/4	111,909	1/4	98,824	1/4	85,740	1/4	72,655
1/2	189,809	1/2	176,992	1/2	163,973	1/2	150,889	1/2	137,805	1/2	124,720	1/2	111,636	1/2	98,552	1/2	85,467	1/2	72,382
3/4	189,597	3/4	176,721	3/4	163,701	3/4	150,617	3/4	137,532	3/4	124,448	3/4	111,364	3/4	98,279	3/4	85,195	3/4	72,109
9	189,346	9	176,451	9	163,428	9	150,344	9	137,260	9	124,175	9	111,091	9	98,007	9	84,922	9	71,837
1/4	189,094	1/4	176,180	1/4	163,156	1/4	150,071	1/4	136,987	1/4	123,903	1/4	110,818	1/4	97,734	1/4	84,650	1/4	71,564
1/2	188,842	1/2	175,909	1/2	162,883	1/2	149,799	1/2	136,714	1/2	123,630	1/2	110,546	1/2	97,461	1/2	84,377	1/2	71,292
3/4	188,590	3/4	175,639	3/4	162,611	3/4	149,526	3/4	136,442	3/4	123,358	3/4	110,273	3/4	97,189	3/4	84,104	3/4	71,019
10	188,322	10	175,368	10	162,338	10	149,254	10	136,169	10	123,085	10	110,001	10	96,916	10	83,832	10	70,747
1/4	188,053	1/4	175,098	1/4	162,065	1/4	148,981	1/4	135,897	1/4	122,812	1/4	109,728	1/4	96,644	1/4	83,559	1/4	70,474
1/2	187,784	1/2	174,827	1/2	161,793	1/2	148,708	1/2	135,624	1/2	122,540	1/2	109,455	1/2	96,371	1/2	83,286	1/2	70,202
3/4	187,515	3/4	174,557	3/4	161,520	3/4	148,436	3/4	135,352	3/4	122,267	3/4	109,183	3/4	96,099	3/4	83,014	3/4	69,929
11	187,247	11	174,286	11	161,248	11	148,163	11	135,079	11	121,995	11	108,910	11	95,826	11	82,741	11	69,657
1/4	186,978	1/4	174,016	1/4	160,975	1/4	147,891	1/4	134,806	1/4	121,722	1/4	108,638	1/4	95,553	1/4	82,469	1/4	69,384
1/2	186,709	1/2	173,745	1/2	160,702	1/2	147,618	1/2	134,534	1/2	121,449	1/2	108,365	1/2	95,281	1/2	82,196	1/2	69,112
3/4	186,440	3/4	173,475	3/4	160,430	3/4	147,345	3/4	134,261	3/4	121,177	3/4	108,093	3/4	95,008	3/4	81,923	3/4	68,840

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	68,567	0	55,489	0	42,404	0	29,319	0	16,278	0	4,447	0		0		0		0	
1/4	68,295	1/4	55,216	1/4	42,131	1/4	29,046	1/4	16,013	1/4	4,219	1/4		1/4		1/4		1/4	
1/2	68,022	1/2	54,944	1/2	41,859	1/2	28,774	1/2	15,749	1/2	3,992	1/2		1/2		1/2		1/2	
3/4	67,750	3/4	54,671	3/4	41,586	3/4	28,501	3/4	15,485	3/4	3,765	3/4		3/4		3/4		3/4	
1	67,477	1	54,399	1	41,313	1	28,229	1	15,224	1	3,541	1		1		1		1	
1/4	67,205	1/4	54,126	1/4	41,041	1/4	27,956	1/4	14,963	1/4	3,316	1/4		1/4		1/4		1/4	
1/2	66,933	1/2	53,853	1/2	40,768	1/2	27,684	1/2	14,702	1/2	3,092	1/2		1/2		1/2		1/2	
3/4	66,660	3/4	53,581	3/4	40,496	3/4	27,411	3/4	14,441	3/4	2,868	3/4		3/4		3/4		3/4	
2	66,388	2	53,308	2	40,223	2	27,139	2	14,183	2	2,647	2		2		2		2	
1/4	66,115	1/4	53,036	1/4	39,950	1/4	26,866	1/4	13,925	1/4	2,426	1/4		1/4		1/4		1/4	
1/2	65,843	1/2	52,763	1/2	39,678	1/2	26,594	1/2	13,667	1/2	2,205	1/2		1/2		1/2		1/2	
3/4	65,571	3/4	52,490	3/4	39,405	3/4	26,321	3/4	13,409	3/4	1,984	3/4		3/4		3/4		3/4	
3	65,298	3	52,218	3	39,132	3	26,049	3	13,154	3	1,774	3		3		3		3	
1/4	65,026	1/4	51,945	1/4	38,860	1/4	25,776	1/4	12,899	1/4	1,565	1/4		1/4		1/4		1/4	
1/2	64,753	1/2	51,673	1/2	38,587	1/2	25,504	1/2	12,644	1/2	1,356	1/2		1/2		1/2		1/2	
3/4	64,481	3/4	51,400	3/4	38,315	3/4	25,231	3/4	12,389	3/4	1,146	3/4		3/4		3/4		3/4	
4	64,209	4	51,127	4	38,042	4	24,959	4	12,137	4	983	4		4		4		4	
1/4	63,936	1/4	50,855	1/4	37,769	1/4	24,686	1/4	11,885	1/4	820	1/4		1/4		1/4		1/4	
1/2	63,664	1/2	50,582	1/2	37,497	1/2	24,414	1/2	11,633	1/2	657	1/2		1/2		1/2		1/2	
3/4	63,391	3/4	50,309	3/4	37,224	3/4	24,141	3/4	11,382	3/4	494	3/4		3/4		3/4		3/4	
5	63,119	5	50,037	5	36,952	5	23,869	5	11,133	5		5		5		5		5	
1/4	62,846	1/4	49,764	1/4	36,679	1/4	23,596	1/4	10,884	1/4		1/4		1/4		1/4		1/4	
1/2	62,574	1/2	49,492	1/2	36,406	1/2	23,324	1/2	10,635	1/2		1/2		1/2		1/2		1/2	
3/4	62,302	3/4	49,219	3/4	36,134	3/4	23,051	3/4	10,387	3/4		3/4		3/4		3/4		3/4	
6	62,029	6	48,946	6	35,861	6	22,779	6	10,141	6		6		6		6		6	
1/4	61,757	1/4	48,674	1/4	35,589	1/4	22,506	1/4	9,895	1/4		1/4		1/4		1/4		1/4	
1/2	61,484	1/2	48,401	1/2	35,316	1/2	22,234	1/2	9,649	1/2		1/2		1/2		1/2		1/2	
3/4	61,212	3/4	48,129	3/4	35,043	3/4	21,961	3/4	9,404	3/4		3/4		3/4		3/4		3/4	
7	60,940	7	47,856	7	34,771	7	21,689	7	9,161	7		7		7		7		7	
1/4	60,667	1/4	47,583	1/4	34,498	1/4	21,416	1/4	8,918	1/4		1/4		1/4		1/4		1/4	
1/2	60,395	1/2	47,311	1/2	34,225	1/2	21,144	1/2	8,676	1/2		1/2		1/2		1/2		1/2	
3/4	60,122	3/4	47,038	3/4	33,953	3/4	20,871	3/4	8,433	3/4		3/4		3/4		3/4		3/4	
8	59,850	8	46,766	8	33,680	8	20,598	8	8,194	8		8		8		8		8	
1/4	59,578	1/4	46,493	1/4	33,408	1/4	20,326	1/4	7,954	1/4		1/4		1/4		1/4		1/4	
1/2	59,305	1/2	46,220	1/2	33,135	1/2	20,053	1/2	7,714	1/2		1/2		1/2		1/2		1/2	
3/4	59,033	3/4	45,948	3/4	32,862	3/4	19,781	3/4	7,475	3/4		3/4		3/4		3/4		3/4	
9	58,760	9	45,675	9	32,590	9	19,509	9	7,238	9		9		9		9		9	
1/4	58,488	1/4	45,402	1/4	32,317	1/4	19,236	1/4	7,002	1/4		1/4		1/4		1/4		1/4	
1/2	58,215	1/2	45,130	1/2	32,045	1/2	18,964	1/2	6,765	1/2		1/2		1/2		1/2		1/2	
3/4	57,943	3/4	44,857	3/4	31,772	3/4	18,692	3/4	6,529	3/4		3/4		3/4		3/4		3/4	
10	57,670	10	44,585	10	31,499	10	18,422	10	6,296	10		10		10		10		10	
1/4	57,397	1/4	44,312	1/4	31,227	1/4	18,151	1/4	6,062	1/4		1/4		1/4		1/4		1/4	
1/2	57,125	1/2	44,039	1/2	30,954	1/2	17,881	1/2	5,829	1/2		1/2		1/2		1/2		1/2	
3/4	56,852	3/4	43,767	3/4	30,682	3/4	17,611	3/4	5,595	3/4		3/4		3/4		3/4		3/4	
11	56,579	11	43,494	11	30,409	11	17,343	11	5,365	11		11		11		11		11	
1/4	56,307	1/4	43,222	1/4	30,136	1/4	17,076	1/4	5,135	1/4		1/4		1/4		1/4		1/4	
1/2	56,034	1/2	42,949	1/2	29,864	1/2	16,809	1/2	4,904	1/2		1/2		1/2		1/2		1/2	
3/4	55,762	3/4	42,676	3/4	29,591	3/4	16,542	3/4	4,674	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 5 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	706	0	15,454	0	30,568	0	45,680	0	60,795	0	75,910	0	91,026	0	106,141	0	121,256	0	136,371
1/4	942	1/4	15,769	1/4	30,883	1/4	45,995	1/4	61,110	1/4	76,225	1/4	91,341	1/4	106,456	1/4	121,571	1/4	136,686
1/2	1,178	1/2	16,084	1/2	31,197	1/2	46,310	1/2	61,425	1/2	76,540	1/2	91,655	1/2	106,771	1/2	121,886	1/2	137,001
3/4	1,414	3/4	16,398	3/4	31,512	3/4	46,625	3/4	61,740	3/4	76,855	3/4	91,970	3/4	107,086	3/4	122,201	3/4	137,316
1	1,651	1	16,713	1	31,827	1	46,940	1	62,055	1	77,170	1	92,285	1	107,400	1	122,516	1	137,631
1/4	1,952	1/4	17,028	1/4	32,142	1/4	47,255	1/4	62,370	1/4	77,485	1/4	92,600	1/4	107,715	1/4	122,831	1/4	137,946
1/2	2,254	1/2	17,343	1/2	32,457	1/2	47,569	1/2	62,685	1/2	77,800	1/2	92,915	1/2	108,030	1/2	123,145	1/2	138,261
3/4	2,556	3/4	17,658	3/4	32,771	3/4	47,884	3/4	63,000	3/4	78,115	3/4	93,230	3/4	108,345	3/4	123,460	3/4	138,576
2	2,858	2	17,973	2	33,086	2	48,199	2	63,314	2	78,430	2	93,545	2	108,660	2	123,775	2	138,890
1/4	3,173	1/4	18,288	1/4	33,401	1/4	48,514	1/4	63,629	1/4	78,745	1/4	93,860	1/4	108,975	1/4	124,090	1/4	139,205
1/2	3,488	1/2	18,603	1/2	33,716	1/2	48,829	1/2	63,944	1/2	79,059	1/2	94,175	1/2	109,290	1/2	124,405	1/2	139,520
3/4	3,802	3/4	18,918	3/4	34,031	3/4	49,144	3/4	64,259	3/4	79,374	3/4	94,490	3/4	109,605	3/4	124,720	3/4	139,835
3	4,117	3	19,233	3	34,345	3	49,459	3	64,574	3	79,689	3	94,804	3	109,920	3	125,035	3	140,150
1/4	4,432	1/4	19,547	1/4	34,660	1/4	49,774	1/4	64,889	1/4	80,004	1/4	95,119	1/4	110,235	1/4	125,350	1/4	140,465
1/2	4,747	1/2	19,862	1/2	34,975	1/2	50,089	1/2	65,204	1/2	80,319	1/2	95,434	1/2	110,549	1/2	125,665	1/2	140,780
3/4	5,062	3/4	20,177	3/4	35,290	3/4	50,404	3/4	65,519	3/4	80,634	3/4	95,749	3/4	110,864	3/4	125,980	3/4	141,095
4	5,377	4	20,492	4	35,605	4	50,718	4	65,834	4	80,949	4	96,064	4	111,179	4	126,294	4	141,410
1/4	5,692	1/4	20,807	1/4	35,919	1/4	51,033	1/4	66,149	1/4	81,264	1/4	96,379	1/4	111,494	1/4	126,609	1/4	141,725
1/2	6,007	1/2	21,122	1/2	36,234	1/2	51,348	1/2	66,463	1/2	81,579	1/2	96,694	1/2	111,809	1/2	126,924	1/2	142,039
3/4	6,322	3/4	21,437	3/4	36,549	3/4	51,663	3/4	66,778	3/4	81,894	3/4	97,009	3/4	112,124	3/4	127,239	3/4	142,354
5	6,637	5	21,752	5	36,864	5	51,978	5	67,093	5	82,208	5	97,324	5	112,439	5	127,554	5	142,669
1/4	6,951	1/4	22,067	1/4	37,179	1/4	52,293	1/4	67,408	1/4	82,523	1/4	97,639	1/4	112,754	1/4	127,869	1/4	142,984
1/2	7,266	1/2	22,382	1/2	37,494	1/2	52,608	1/2	67,723	1/2	82,838	1/2	97,953	1/2	113,069	1/2	128,184	1/2	143,299
3/4	7,581	3/4	22,696	3/4	37,808	3/4	52,923	3/4	68,038	3/4	83,153	3/4	98,268	3/4	113,384	3/4	128,499	3/4	143,614
6	7,896	6	23,011	6	38,123	6	53,238	6	68,353	6	83,468	6	98,583	6	113,698	6	128,814	6	143,929
1/4	8,211	1/4	23,326	1/4	38,438	1/4	53,553	1/4	68,668	1/4	83,783	1/4	98,898	1/4	114,013	1/4	129,129	1/4	144,244
1/2	8,526	1/2	23,641	1/2	38,753	1/2	53,867	1/2	68,983	1/2	84,098	1/2	99,213	1/2	114,328	1/2	129,443	1/2	144,559
3/4	8,841	3/4	23,956	3/4	39,068	3/4	54,182	3/4	69,298	3/4	84,413	3/4	99,528	3/4	114,643	3/4	129,758	3/4	144,874
7	9,156	7	24,271	7	39,383	7	54,497	7	69,612	7	84,728	7	99,843	7	114,958	7	130,073	7	145,188
1/4	9,471	1/4	24,586	1/4	39,698	1/4	54,812	1/4	69,927	1/4	85,043	1/4	100,158	1/4	115,273	1/4	130,388	1/4	145,503
1/2	9,786	1/2	24,901	1/2	40,013	1/2	55,127	1/2	70,242	1/2	85,357	1/2	100,473	1/2	115,588	1/2	130,703	1/2	145,818
3/4	10,100	3/4	25,216	3/4	40,327	3/4	55,442	3/4	70,557	3/4	85,672	3/4	100,788	3/4	115,903	3/4	131,018	3/4	146,133
8	10,415	8	25,531	8	40,642	8	55,757	8	70,872	8	85,987	8	101,102	8	116,218	8	131,333	8	146,448
1/4	10,730	1/4	25,845	1/4	40,957	1/4	56,072	1/4	71,187	1/4	86,302	1/4	101,417	1/4	116,533	1/4	131,648	1/4	146,763
1/2	11,045	1/2	26,160	1/2	41,272	1/2	56,387	1/2	71,502	1/2	86,617	1/2	101,732	1/2	116,847	1/2	131,963	1/2	147,078
3/4	11,360	3/4	26,475	3/4	41,587	3/4	56,702	3/4	71,817	3/4	86,932	3/4	102,047	3/4	117,162	3/4	132,278	3/4	147,393
9	11,675	9	26,790	9	41,902	9	57,016	9	72,132	9	87,247	9	102,362	9	117,477	9	132,592	9	147,708
1/4	11,990	1/4	27,105	1/4	42,217	1/4	57,331	1/4	72,447	1/4	87,562	1/4	102,677	1/4	117,792	1/4	132,907	1/4	148,023
1/2	12,305	1/2	27,420	1/2	42,531	1/2	57,646	1/2	72,761	1/2	87,877	1/2	102,992	1/2	118,107	1/2	133,222	1/2	148,337
3/4	12,620	3/4	27,735	3/4	42,846	3/4	57,961	3/4	73,076	3/4	88,192	3/4	103,307	3/4	118,422	3/4	133,537	3/4	148,652
10	12,935	10	28,050	10	43,161	10	58,276	10	73,391	10	88,506	10	103,622	10	118,737	10	133,852	10	148,967
1/4	13,249	1/4	28,364	1/4	43,476	1/4	58,591	1/4	73,706	1/4	88,821	1/4	103,937	1/4	119,052	1/4	134,167	1/4	149,282
1/2	13,564	1/2	28,679	1/2	43,791	1/2	58,906	1/2	74,021	1/2	89,136	1/2	104,251	1/2	119,367	1/2	134,482	1/2	149,597
3/4	13,879	3/4	28,994	3/4	44,106	3/4	59,221	3/4	74,336	3/4	89,451	3/4	104,566	3/4	119,682	3/4	134,797	3/4	149,912
11	14,194	11	29,309	11	44,421	11	59,536	11	74,651	11	89,766	11	104,881	11	119,996	11	135,112	11	150,227
1/4	14,509	1/4	29,624	1/4	44,736	1/4	59,851	1/4	74,966	1/4	90,081	1/4	105,196	1/4	120,311	1/4	135,427	1/4	150,542
1/2	14,824	1/2	29,938	1/2	45,050	1/2	60,165	1/2	75,281	1/2	90,396	1/2	105,511	1/2	120,626	1/2	135,741	1/2	150,857
3/4	15,139	3/4	30,253	3/4	45,365	3/4	60,480	3/4	75,596	3/4	90,711	3/4	105,826	3/4	120,941	3/4	136,056	3/4	151,172

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-5 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,486	0	166,602	0	181,717	0	196,832	0	211,853	0		0		0		0		0	
1/4	151,801	1/4	166,917	1/4	182,032	1/4	197,146	1/4	212,166	1/4		1/4		1/4		1/4		1/4	
1/2	152,116	1/2	167,231	1/2	182,347	1/2	197,460	1/2	212,478	1/2		1/2		1/2		1/2		1/2	
3/4	152,431	3/4	167,546	3/4	182,662	3/4	197,774	3/4	212,791	3/4		3/4		3/4		3/4		3/4	
1	152,746	1	167,861	1	182,976	1	198,088	1	213,104	1		1		1		1		1	
1/4	153,061	1/4	168,176	1/4	183,291	1/4	198,401	1/4	213,417	1/4		1/4		1/4		1/4		1/4	
1/2	153,376	1/2	168,491	1/2	183,606	1/2	198,713	1/2	213,730	1/2		1/2		1/2		1/2		1/2	
3/4	153,691	3/4	168,806	3/4	183,921	3/4	199,026	3/4	214,043	3/4		3/4		3/4		3/4		3/4	
2	154,006	2	169,121	2	184,236	2	199,339	2	214,355	2		2		2		2		2	
1/4	154,321	1/4	169,436	1/4	184,551	1/4	199,652	1/4	214,667	1/4		1/4		1/4		1/4		1/4	
1/2	154,635	1/2	169,751	1/2	184,866	1/2	199,965	1/2	214,978	1/2		1/2		1/2		1/2		1/2	
3/4	154,950	3/4	170,066	3/4	185,181	3/4	200,278	3/4	215,290	3/4		3/4		3/4		3/4		3/4	
3	155,265	3	170,380	3	185,496	3	200,590	3	215,601	3		3		3		3		3	
1/4	155,580	1/4	170,695	1/4	185,811	1/4	200,903	1/4	215,912	1/4		1/4		1/4		1/4		1/4	
1/2	155,895	1/2	171,010	1/2	186,125	1/2	201,216	1/2	216,224	1/2		1/2		1/2		1/2		1/2	
3/4	156,210	3/4	171,325	3/4	186,440	3/4	201,529	3/4	216,535	3/4		3/4		3/4		3/4		3/4	
4	156,525	4	171,640	4	186,755	4	201,842	4	216,846	4		4		4		4		4	
1/4	156,840	1/4	171,955	1/4	187,070	1/4	202,155	1/4	217,157	1/4		1/4		1/4		1/4		1/4	
1/2	157,155	1/2	172,270	1/2	187,385	1/2	202,468	1/2	217,468	1/2		1/2		1/2		1/2		1/2	
3/4	157,470	3/4	172,585	3/4	187,700	3/4	202,780	3/4	217,779	3/4		3/4		3/4		3/4		3/4	
5	157,784	5	172,900	5	188,015	5	203,093	5	218,090	5		5		5		5		5	
1/4	158,099	1/4	173,215	1/4	188,330	1/4	203,406	1/4	218,401	1/4		1/4		1/4		1/4		1/4	
1/2	158,414	1/2	173,529	1/2	188,645	1/2	203,719	1/2	218,712	1/2		1/2		1/2		1/2		1/2	
3/4	158,729	3/4	173,844	3/4	188,960	3/4	204,032	3/4	219,023	3/4		3/4		3/4		3/4		3/4	
6	159,044	6	174,159	6	189,274	6	204,345	6	219,334	6		6		6		6		6	
1/4	159,359	1/4	174,474	1/4	189,589	1/4	204,657	1/4	219,645	1/4		1/4		1/4		1/4		1/4	
1/2	159,674	1/2	174,789	1/2	189,904	1/2	204,970	1/2	219,956	1/2		1/2		1/2		1/2		1/2	
3/4	159,989	3/4	175,104	3/4	190,219	3/4	205,283	3/4	220,267	3/4		3/4		3/4		3/4		3/4	
7	160,304	7	175,419	7	190,534	7	205,596	7	220,578	7		7		7		7		7	
1/4	160,619	1/4	175,734	1/4	190,849	1/4	205,909	1/4	220,870	1/4		1/4		1/4		1/4		1/4	
1/2	160,933	1/2	176,049	1/2	191,164	1/2	206,222	1/2	221,161	1/2		1/2		1/2		1/2		1/2	
3/4	161,248	3/4	176,364	3/4	191,479	3/4	206,534	3/4	221,452	3/4		3/4		3/4		3/4		3/4	
8	161,563	8	176,678	8	191,794	8	206,847	8	221,744	8		8		8		8		8	
1/4	161,878	1/4	176,993	1/4	192,109	1/4	207,160	1/4	221,989	1/4		1/4		1/4		1/4		1/4	
1/2	162,193	1/2	177,308	1/2	192,423	1/2	207,473	1/2	222,235	1/2		1/2		1/2		1/2		1/2	
3/4	162,508	3/4	177,623	3/4	192,738	3/4	207,786	3/4	222,480	3/4		3/4		3/4		3/4		3/4	
9	162,823	9	177,938	9	193,053	9	208,099	9	222,726	9		9		9		9		9	
1/4	163,138	1/4	178,253	1/4	193,368	1/4	208,411	1/4	222,919	1/4		1/4		1/4		1/4		1/4	
1/2	163,453	1/2	178,568	1/2	193,683	1/2	208,724	1/2	223,112	1/2		1/2		1/2		1/2		1/2	
3/4	163,768	3/4	178,883	3/4	193,998	3/4	209,037	3/4		3/4		3/4		3/4		3/4		3/4	
10	164,082	10	179,198	10	194,313	10	209,350	10		10		10		10		10		10	
1/4	164,397	1/4	179,513	1/4	194,628	1/4	209,663	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,712	1/2	179,827	1/2	194,943	1/2	209,976	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,027	3/4	180,142	3/4	195,258	3/4	210,289	3/4		3/4		3/4		3/4		3/4		3/4	
11	165,342	11	180,457	11	195,572	11	210,601	11		11		11		11		11		11	
1/4	165,657	1/4	180,772	1/4	195,887	1/4	210,914	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,972	1/2	181,087	1/2	196,202	1/2	211,227	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,287	3/4	181,402	3/4	196,517	3/4	211,540	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL 330"
HULL NO. 01-2408**

**2 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5 3/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	218,554	0	203,550	0	188,465	0	173,340	0	158,214	0	143,088	0	127,962	0	112,836	0	97,711
1/4		1/4	218,243	1/4	203,237	1/4	188,150	1/4	173,024	1/4	157,899	1/4	142,773	1/4	127,647	1/4	112,521	1/4	97,396
1/2		1/2	217,932	1/2	202,924	1/2	187,835	1/2	172,709	1/2	157,584	1/2	142,458	1/2	127,332	1/2	112,206	1/2	97,080
3/4		3/4	217,620	3/4	202,610	3/4	187,520	3/4	172,394	3/4	157,268	3/4	142,143	3/4	127,017	3/4	111,891	3/4	96,765
1		1	217,309	1	202,297	1	187,205	1	172,079	1	156,953	1	141,828	1	126,702	1	111,576	1	96,450
1/4		1/4	216,998	1/4	201,984	1/4	186,890	1/4	171,764	1/4	156,638	1/4	141,512	1/4	126,387	1/4	111,261	1/4	96,135
1/2		1/2	216,686	1/2	201,671	1/2	186,575	1/2	171,449	1/2	156,323	1/2	141,197	1/2	126,072	1/2	110,946	1/2	95,820
3/4		3/4	216,375	3/4	201,358	3/4	186,259	3/4	171,134	3/4	156,008	3/4	140,882	3/4	125,756	3/4	110,631	3/4	95,505
2		2	216,064	2	201,045	2	185,944	2	170,819	2	155,693	2	140,567	2	125,441	2	110,316	2	95,190
1/4		1/4	215,753	1/4	200,732	1/4	185,629	1/4	170,503	1/4	155,378	1/4	140,252	1/4	125,126	1/4	110,000	1/4	94,875
1/2		1/2	215,441	1/2	200,419	1/2	185,314	1/2	170,188	1/2	155,063	1/2	139,937	1/2	124,811	1/2	109,685	1/2	94,560
3/4		3/4	215,129	3/4	200,106	3/4	184,999	3/4	169,873	3/4	154,747	3/4	139,622	3/4	124,496	3/4	109,370	3/4	94,244
3		3	214,818	3	199,793	3	184,684	3	169,558	3	154,432	3	139,307	3	124,181	3	109,055	3	93,929
1/4		1/4	214,506	1/4	199,480	1/4	184,369	1/4	169,243	1/4	154,117	1/4	138,991	1/4	123,866	1/4	108,740	1/4	93,614
1/2		1/2	214,193	1/2	199,167	1/2	184,054	1/2	168,928	1/2	153,802	1/2	138,676	1/2	123,551	1/2	108,425	1/2	93,299
3/4		3/4	213,880	3/4	198,854	3/4	183,738	3/4	168,613	3/4	153,487	3/4	138,361	3/4	123,235	3/4	108,110	3/4	92,984
4		4	213,567	4	198,541	4	183,423	4	168,298	4	153,172	4	138,046	4	122,920	4	107,795	4	92,669
1/4		1/4	213,255	1/4	198,228	1/4	183,108	1/4	167,982	1/4	152,857	1/4	137,731	1/4	122,605	1/4	107,479	1/4	92,354
1/2		1/2	212,941	1/2	197,914	1/2	182,793	1/2	167,667	1/2	152,542	1/2	137,416	1/2	122,290	1/2	107,164	1/2	92,039
3/4		3/4	212,628	3/4	197,601	3/4	182,478	3/4	167,352	3/4	152,226	3/4	137,101	3/4	121,975	3/4	106,849	3/4	91,723
5		5	212,315	5	197,287	5	182,163	5	167,037	5	151,911	5	136,786	5	121,660	5	106,534	5	91,408
1/4		1/4	212,002	1/4	196,974	1/4	181,848	1/4	166,722	1/4	151,596	1/4	136,470	1/4	121,345	1/4	106,219	1/4	91,093
1/2		1/2	211,689	1/2	196,658	1/2	181,533	1/2	166,407	1/2	151,281	1/2	136,155	1/2	121,030	1/2	105,904	1/2	90,778
3/4		3/4	211,376	3/4	196,343	3/4	181,218	3/4	166,092	3/4	150,966	3/4	135,840	3/4	120,714	3/4	105,589	3/4	90,463
6		6	211,063	6	196,028	6	180,902	6	165,777	6	150,651	6	135,525	6	120,399	6	105,274	6	90,148
1/4		1/4	210,750	1/4	195,713	1/4	180,587	1/4	165,462	1/4	150,336	1/4	135,210	1/4	120,084	1/4	104,958	1/4	89,833
1/2		1/2	210,437	1/2	195,398	1/2	180,272	1/2	165,146	1/2	150,021	1/2	134,895	1/2	119,769	1/2	104,643	1/2	89,518
3/4		3/4	210,124	3/4	195,083	3/4	179,957	3/4	164,831	3/4	149,706	3/4	134,580	3/4	119,454	3/4	104,328	3/4	89,202
7		7	209,811	7	194,768	7	179,642	7	164,516	7	149,390	7	134,265	7	119,139	7	104,013	7	88,887
1/4		1/4	209,498	1/4	194,453	1/4	179,327	1/4	164,201	1/4	149,075	1/4	133,950	1/4	118,824	1/4	103,698	1/4	88,572
1/2		1/2	209,185	1/2	194,137	1/2	179,012	1/2	163,886	1/2	148,760	1/2	133,634	1/2	118,509	1/2	103,383	1/2	88,257
3/4	223,209	3/4	208,872	3/4	193,822	3/4	178,697	3/4	163,571	3/4	148,445	3/4	133,319	3/4	118,194	3/4	103,068	3/4	87,942
8	223,016	8	208,559	8	193,507	8	178,381	8	163,256	8	148,130	8	133,004	8	117,878	8	102,753	8	87,627
1/4	222,823	1/4	208,246	1/4	193,192	1/4	178,066	1/4	162,941	1/4	147,815	1/4	132,689	1/4	117,563	1/4	102,438	1/4	87,312
1/2	222,584	1/2	207,932	1/2	192,877	1/2	177,751	1/2	162,625	1/2	147,500	1/2	132,374	1/2	117,248	1/2	102,122	1/2	86,997
3/4	222,345	3/4	207,619	3/4	192,562	3/4	177,436	3/4	162,310	3/4	147,185	3/4	132,059	3/4	116,933	3/4	101,807	3/4	86,682
9	222,106	9	207,306	9	192,247	9	177,121	9	161,995	9	146,869	9	131,744	9	116,618	9	101,492	9	86,366
1/4	221,867	1/4	206,993	1/4	191,932	1/4	176,806	1/4	161,680	1/4	146,554	1/4	131,429	1/4	116,303	1/4	101,177	1/4	86,051
1/2	221,581	1/2	206,680	1/2	191,616	1/2	176,491	1/2	161,365	1/2	146,239	1/2	131,113	1/2	115,988	1/2	100,862	1/2	85,736
3/4	221,295	3/4	206,367	3/4	191,301	3/4	176,176	3/4	161,050	3/4	145,924	3/4	130,798	3/4	115,673	3/4	100,547	3/4	85,421
10	221,009	10	206,054	10	190,986	10	175,860	10	160,735	10	145,609	10	130,483	10	115,357	10	100,232	10	85,107
1/4	220,723	1/4	205,741	1/4	190,671	1/4	175,545	1/4	160,420	1/4	145,294	1/4	130,168	1/4	115,042	1/4	99,917	1/4	84,792
1/2	220,414	1/2	205,428	1/2	190,356	1/2	175,230	1/2	160,104	1/2	144,979	1/2	129,853	1/2	114,727	1/2	99,601	1/2	84,477
3/4	220,106	3/4	205,115	3/4	190,041	3/4	174,915	3/4	159,789	3/4	144,664	3/4	129,538	3/4	114,412	3/4	99,286	3/4	84,163
11	219,797	11	204,802	11	189,726	11	174,600	11	159,474	11	144,348	11	129,223	11	114,097	11	98,971	11	83,849
1/4	219,488	1/4	204,489	1/4	189,411	1/4	174,285	1/4	159,159	1/4	144,033	1/4	128,908	1/4	113,782	1/4	98,656	1/4	83,535
1/2	219,177	1/2	204,176	1/2	189,096	1/2	173,970	1/2	158,844	1/2	143,718	1/2	128,592	1/2	113,467	1/2	98,341	1/2	83,221
3/4	218,865	3/4	203,863	3/4	188,780	3/4	173,655	3/4	158,529	3/4	143,403	3/4	128,277	3/4	113,152	3/4	98,026	3/4	82,907

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

BARGE "GBL 330"
HULL NO. 01-2408

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5 3/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	82,593	0	67,512	0	52,432	0	37,356	0	22,240	0	7,114	0		0		0		0	
1/4	82,278	1/4	67,198	1/4	52,118	1/4	37,041	1/4	21,924	1/4	6,799	1/4		1/4		1/4		1/4	
1/2	81,964	1/2	66,884	1/2	51,804	1/2	36,727	1/2	21,609	1/2	6,484	1/2		1/2		1/2		1/2	
3/4	81,650	3/4	66,570	3/4	51,490	3/4	36,413	3/4	21,294	3/4	6,168	3/4		3/4		3/4		3/4	
1	81,336	1	66,256	1	51,176	1	36,099	1	20,979	1	5,853	1		1		1		1	
1/4	81,022	1/4	65,942	1/4	50,861	1/4	35,785	1/4	20,664	1/4	5,538	1/4		1/4		1/4		1/4	
1/2	80,708	1/2	65,627	1/2	50,547	1/2	35,470	1/2	20,349	1/2	5,223	1/2		1/2		1/2		1/2	
3/4	80,393	3/4	65,313	3/4	50,233	3/4	35,156	3/4	20,034	3/4	4,908	3/4		3/4		3/4		3/4	
2	80,079	2	64,999	2	49,919	2	34,841	2	19,719	2	4,593	2		2		2		2	
1/4	79,765	1/4	64,685	1/4	49,605	1/4	34,526	1/4	19,403	1/4	4,278	1/4		1/4		1/4		1/4	
1/2	79,451	1/2	64,371	1/2	49,291	1/2	34,211	1/2	19,088	1/2	3,963	1/2		1/2		1/2		1/2	
3/4	79,137	3/4	64,057	3/4	48,977	3/4	33,896	3/4	18,773	3/4	3,647	3/4		3/4		3/4		3/4	
3	78,823	3	63,742	3	48,662	3	33,582	3	18,458	3	3,332	3		3		3		3	
1/4	78,508	1/4	63,428	1/4	48,348	1/4	33,267	1/4	18,143	1/4	3,017	1/4		1/4		1/4		1/4	
1/2	78,194	1/2	63,114	1/2	48,034	1/2	32,952	1/2	17,828	1/2	2,714	1/2		1/2		1/2		1/2	
3/4	77,880	3/4	62,800	3/4	47,720	3/4	32,637	3/4	17,513	3/4	2,410	3/4		3/4		3/4		3/4	
4	77,566	4	62,486	4	47,406	4	32,322	4	17,198	4	2,106	4		4		4		4	
1/4	77,252	1/4	62,172	1/4	47,092	1/4	32,007	1/4	16,883	1/4	1,803	1/4		1/4		1/4		1/4	
1/2	76,938	1/2	61,857	1/2	46,778	1/2	31,691	1/2	16,567	1/2	1,558	1/2		1/2		1/2		1/2	
3/4	76,623	3/4	61,543	3/4	46,464	3/4	31,376	3/4	16,252	3/4	1,314	3/4		3/4		3/4		3/4	
5	76,309	5	61,229	5	46,150	5	31,061	5	15,937	5	1,069	5		5		5		5	
1/4	75,995	1/4	60,915	1/4	45,836	1/4	30,746	1/4	15,622	1/4	825	1/4		1/4		1/4		1/4	
1/2	75,681	1/2	60,601	1/2	45,522	1/2	30,431	1/2	15,307	1/2	706	1/2		1/2		1/2		1/2	
3/4	75,367	3/4	60,287	3/4	45,208	3/4	30,116	3/4	14,992	3/4		3/4		3/4		3/4		3/4	
6	75,053	6	59,972	6	44,893	6	29,801	6	14,677	6		6		6		6		6	
1/4	74,738	1/4	59,658	1/4	44,579	1/4	29,486	1/4	14,362	1/4		1/4		1/4		1/4		1/4	
1/2	74,424	1/2	59,344	1/2	44,265	1/2	29,171	1/2	14,046	1/2		1/2		1/2		1/2		1/2	
3/4	74,110	3/4	59,030	3/4	43,951	3/4	28,856	3/4	13,731	3/4		3/4		3/4		3/4		3/4	
7	73,796	7	58,716	7	43,637	7	28,541	7	13,416	7		7		7		7		7	
1/4	73,482	1/4	58,402	1/4	43,323	1/4	28,226	1/4	13,101	1/4		1/4		1/4		1/4		1/4	
1/2	73,167	1/2	58,087	1/2	43,009	1/2	27,911	1/2	12,786	1/2		1/2		1/2		1/2		1/2	
3/4	72,853	3/4	57,773	3/4	42,695	3/4	27,596	3/4	12,471	3/4		3/4		3/4		3/4		3/4	
8	72,539	8	57,459	8	42,381	8	27,281	8	12,156	8		8		8		8		8	
1/4	72,225	1/4	57,145	1/4	42,067	1/4	26,966	1/4	11,841	1/4		1/4		1/4		1/4		1/4	
1/2	71,911	1/2	56,831	1/2	41,753	1/2	26,651	1/2	11,525	1/2		1/2		1/2		1/2		1/2	
3/4	71,597	3/4	56,516	3/4	41,439	3/4	26,336	3/4	11,210	3/4		3/4		3/4		3/4		3/4	
9	71,282	9	56,202	9	41,125	9	26,021	9	10,895	9		9		9		9		9	
1/4	70,968	1/4	55,888	1/4	40,810	1/4	25,706	1/4	10,580	1/4		1/4		1/4		1/4		1/4	
1/2	70,654	1/2	55,574	1/2	40,496	1/2	25,391	1/2	10,265	1/2		1/2		1/2		1/2		1/2	
3/4	70,340	3/4	55,260	3/4	40,182	3/4	25,076	3/4	9,950	3/4		3/4		3/4		3/4		3/4	
10	70,026	10	54,946	10	39,868	10	24,761	10	9,635	10		10		10		10		10	
1/4	69,712	1/4	54,631	1/4	39,554	1/4	24,445	1/4	9,320	1/4		1/4		1/4		1/4		1/4	
1/2	69,397	1/2	54,317	1/2	39,240	1/2	24,130	1/2	9,005	1/2		1/2		1/2		1/2		1/2	
3/4	69,083	3/4	54,003	3/4	38,926	3/4	23,815	3/4	8,689	3/4		3/4		3/4		3/4		3/4	
11	68,769	11	53,689	11	38,612	11	23,500	11	8,374	11		11		11		11		11	
1/4	68,455	1/4	53,375	1/4	38,298	1/4	23,185	1/4	8,059	1/4		1/4		1/4		1/4		1/4	
1/2	68,141	1/2	53,061	1/2	37,984	1/2	22,870	1/2	7,744	1/2		1/2		1/2		1/2		1/2	
3/4	67,827	3/4	52,746	3/4	37,670	3/4	22,555	3/4	7,429	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL- 330"
HULL NO. 01-2408**

**3 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	199,368	0	188,324	0	177,213	0	166,072	0	154,931	0	142,271	0	127,166	0	112,048	0	96,922
1/4		1/4	199,139	1/4	188,093	1/4	176,981	1/4	165,840	1/4	154,699	1/4	141,957	1/4	126,852	1/4	111,733	1/4	96,607
1/2		1/2	198,910	1/2	187,863	1/2	176,748	1/2	165,608	1/2	154,467	1/2	141,642	1/2	126,537	1/2	111,418	1/2	96,291
3/4		3/4	198,681	3/4	187,632	3/4	176,516	3/4	165,376	3/4	154,235	3/4	141,328	3/4	126,222	3/4	111,103	3/4	95,976
1		1	198,452	1	187,402	1	176,284	1	165,143	1	154,003	1	141,013	1	125,907	1	110,787	1	95,661
1/4		1/4	198,223	1/4	187,172	1/4	176,052	1/4	164,911	1/4	153,771	1/4	140,699	1/4	125,592	1/4	110,472	1/4	95,346
1/2		1/2	197,995	1/2	186,941	1/2	175,820	1/2	164,679	1/2	153,538	1/2	140,384	1/2	125,278	1/2	110,157	1/2	95,031
3/4		3/4	197,765	3/4	186,711	3/4	175,588	3/4	164,447	3/4	153,306	3/4	140,070	3/4	124,963	3/4	109,842	3/4	94,716
2		2	197,536	2	186,481	2	175,356	2	164,215	2	153,074	2	139,755	2	124,648	2	109,527	2	94,401
1/4		1/4	197,307	1/4	186,250	1/4	175,124	1/4	163,983	1/4	152,842	1/4	139,441	1/4	124,333	1/4	109,212	1/4	94,086
1/2		1/2	197,078	1/2	186,020	1/2	174,892	1/2	163,751	1/2	152,610	1/2	139,126	1/2	124,018	1/2	108,897	1/2	93,770
3/4		3/4	196,847	3/4	185,789	3/4	174,660	3/4	163,519	3/4	152,378	3/4	138,812	3/4	123,704	3/4	108,581	3/4	93,455
3		3	196,617	3	185,559	3	174,427	3	163,287	3	152,146	3	138,497	3	123,389	3	108,266	3	93,140
1/4		1/4	196,387	1/4	185,329	1/4	174,195	1/4	163,055	1/4	151,914	1/4	138,183	1/4	123,074	1/4	107,951	1/4	92,825
1/2		1/2	196,156	1/2	185,098	1/2	173,963	1/2	162,822	1/2	151,682	1/2	137,868	1/2	122,759	1/2	107,636	1/2	92,510
3/4		3/4	195,926	3/4	184,867	3/4	173,731	3/4	162,590	3/4	151,450	3/4	137,554	3/4	122,444	3/4	107,321	3/4	92,195
4		4	195,696	4	184,637	4	173,499	4	162,358	4	151,217	4	137,239	4	122,130	4	107,006	4	91,880
1/4		1/4	195,465	1/4	184,406	1/4	173,267	1/4	162,126	1/4	150,985	1/4	136,925	1/4	121,815	1/4	106,691	1/4	91,564
1/2		1/2	195,235	1/2	184,175	1/2	173,035	1/2	161,894	1/2	150,753	1/2	136,610	1/2	121,500	1/2	106,376	1/2	91,249
3/4		3/4	195,005	3/4	183,943	3/4	172,803	3/4	161,662	3/4	150,519	3/4	136,295	3/4	121,185	3/4	106,060	3/4	90,934
5		5	194,774	5	183,711	5	172,571	5	161,430	5	150,285	5	135,981	5	120,870	5	105,745	5	90,619
1/4		1/4	194,544	1/4	183,479	1/4	172,339	1/4	161,198	1/4	150,051	1/4	135,666	1/4	120,556	1/4	105,430	1/4	90,304
1/2		1/2	194,313	1/2	183,247	1/2	172,106	1/2	160,966	1/2	149,816	1/2	135,351	1/2	120,241	1/2	105,115	1/2	89,989
3/4		3/4	194,083	3/4	183,015	3/4	171,874	3/4	160,734	3/4	149,571	3/4	135,036	3/4	119,926	3/4	104,800	3/4	89,674
6		6	193,853	6	182,783	6	171,642	6	160,501	6	149,325	6	134,722	6	119,611	6	104,485	6	89,359
1/4		1/4	193,622	1/4	182,551	1/4	171,410	1/4	160,269	1/4	149,080	1/4	134,407	1/4	119,296	1/4	104,170	1/4	89,043
1/2		1/2	193,392	1/2	182,319	1/2	171,178	1/2	160,037	1/2	148,835	1/2	134,092	1/2	118,981	1/2	103,855	1/2	88,728
3/4		3/4	193,162	3/4	182,087	3/4	170,946	3/4	159,805	3/4	148,569	3/4	133,777	3/4	118,666	3/4	103,539	3/4	88,413
7		7	192,931	7	181,855	7	170,714	7	159,573	7	148,304	7	133,462	7	118,351	7	103,224	7	88,098
1/4		1/4	192,701	1/4	181,623	1/4	170,482	1/4	159,341	1/4	148,039	1/4	133,148	1/4	118,036	1/4	102,909	1/4	87,783
1/2		1/2	192,470	1/2	181,390	1/2	170,250	1/2	159,109	1/2	147,774	1/2	132,833	1/2	117,720	1/2	102,594	1/2	87,468
7/8	202,942	3/4	192,240	3/4	181,158	3/4	170,018	3/4	158,877	3/4	147,488	3/4	132,518	3/4	117,405	3/4	102,279	3/4	87,153
8	202,851	8	192,010	8	180,926	8	169,785	8	158,645	8	147,202	8	132,203	8	117,090	8	101,964	8	86,838
1/4	202,671	1/4	191,779	1/4	180,694	1/4	169,553	1/4	158,413	1/4	146,916	1/4	131,888	1/4	116,775	1/4	101,649	1/4	86,522
1/2	202,490	1/2	191,549	1/2	180,462	1/2	169,321	1/2	158,180	1/2	146,630	1/2	131,574	1/2	116,460	1/2	101,334	1/2	86,207
3/4	202,280	3/4	191,318	3/4	180,230	3/4	169,089	3/4	157,948	3/4	146,326	3/4	131,259	3/4	116,145	3/4	101,018	3/4	85,892
9	202,070	9	191,088	9	179,998	9	168,857	9	157,716	9	146,021	9	130,944	9	115,829	9	100,703	9	85,577
1/4	201,860	1/4	190,858	1/4	179,766	1/4	168,625	1/4	157,484	1/4	145,717	1/4	130,629	1/4	115,514	1/4	100,388	1/4	85,262
1/2	201,650	1/2	190,627	1/2	179,534	1/2	168,393	1/2	157,252	1/2	145,412	1/2	130,314	1/2	115,199	1/2	100,073	1/2	84,947
3/4	201,423	3/4	190,397	3/4	179,302	3/4	168,161	3/4	157,020	3/4	145,099	3/4	130,000	3/4	114,884	3/4	99,758	3/4	84,632
10	201,195	10	190,167	10	179,069	10	167,929	10	156,788	10	144,785	10	129,685	10	114,569	10	99,443	10	84,316
1/4	200,968	1/4	189,936	1/4	178,837	1/4	167,697	1/4	156,556	1/4	144,472	1/4	129,370	1/4	114,254	1/4	99,128	1/4	84,001
1/2	200,741	1/2	189,706	1/2	178,605	1/2	167,464	1/2	156,324	1/2	144,158	1/2	129,055	1/2	113,939	1/2	98,812	1/2	83,686
3/4	200,512	3/4	189,475	3/4	178,373	3/4	167,232	3/4	156,092	3/4	143,843	3/4	128,740	3/4	113,624	3/4	98,497	3/4	83,371
11	200,284	11	189,245	11	178,141	11	167,000	11	155,859	11	143,529	11	128,426	11	113,308	11	98,182	11	83,056
1/4	200,055	1/4	189,015	1/4	177,909	1/4	166,768	1/4	155,627	1/4	143,215	1/4	128,111	1/4	112,993	1/4	97,867	1/4	82,741
1/2	199,826	1/2	188,784	1/2	177,677	1/2	166,536	1/2	155,395	1/2	142,900	1/2	127,796	1/2	112,678	1/2	97,552	1/2	82,426
3/4	199,597	3/4	188,554	3/4	177,445	3/4	166,304	3/4	155,163	3/4	142,586	3/4	127,481	3/4	112,363	3/4	97,237	3/4	82,111

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL- 330"
HULL NO. 01-2408**

**3 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	81,795	0	66,669	0	51,543	0	36,418	0	21,295	0	6,169	0		0		0		0	
1/4	81,480	1/4	66,354	1/4	51,228	1/4	36,103	1/4	20,980	1/4	5,854	1/4		1/4		1/4		1/4	
1/2	81,165	1/2	66,039	1/2	50,913	1/2	35,788	1/2	20,665	1/2	5,538	1/2		1/2		1/2		1/2	
3/4	80,850	3/4	65,724	3/4	50,598	3/4	35,473	3/4	20,349	3/4	5,223	3/4		3/4		3/4		3/4	
1	80,535	1	65,409	1	50,282	1	35,158	1	20,034	1	4,908	1		1		1		1	
1/4	80,220	1/4	65,094	1/4	49,967	1/4	34,843	1/4	19,719	1/4	4,593	1/4		1/4		1/4		1/4	
1/2	79,905	1/2	64,778	1/2	49,652	1/2	34,528	1/2	19,404	1/2	4,278	1/2		1/2		1/2		1/2	
3/4	79,590	3/4	64,463	3/4	49,337	3/4	34,213	3/4	19,089	3/4	3,963	3/4		3/4		3/4		3/4	
2	79,274	2	64,148	2	49,022	2	33,898	2	18,774	2	3,648	2		2		2		2	
1/4	78,959	1/4	63,833	1/4	48,707	1/4	33,583	1/4	18,459	1/4	3,332	1/4		1/4		1/4		1/4	
1/2	78,644	1/2	63,518	1/2	48,392	1/2	33,268	1/2	18,144	1/2	3,017	1/2		1/2		1/2		1/2	
3/4	78,329	3/4	63,203	3/4	48,077	3/4	32,953	3/4	17,828	3/4	2,714	3/4		3/4		3/4		3/4	
3	78,014	3	62,888	3	47,761	3	32,638	3	17,513	3	2,410	3		3		3		3	
1/4	77,699	1/4	62,573	1/4	47,446	1/4	32,323	1/4	17,198	1/4	2,106	1/4		1/4		1/4		1/4	
1/2	77,384	1/2	62,257	1/2	47,131	1/2	32,008	1/2	16,883	1/2	1,803	1/2		1/2		1/2		1/2	
3/4	77,068	3/4	61,942	3/4	46,816	3/4	31,693	3/4	16,568	3/4	1,558	3/4		3/4		3/4		3/4	
4	76,753	4	61,627	4	46,501	4	31,378	4	16,253	4	1,314	4		4		4		4	
1/4	76,438	1/4	61,312	1/4	46,186	1/4	31,063	1/4	15,938	1/4	1,069	1/4		1/4		1/4		1/4	
1/2	76,123	1/2	60,997	1/2	45,871	1/2	30,748	1/2	15,623	1/2	825	1/2		1/2		1/2		1/2	
3/4	75,808	3/4	60,682	3/4	45,556	3/4	30,432	3/4	15,307	3/4	706	3/4		3/4		3/4		3/4	
5	75,493	5	60,367	5	45,241	5	30,117	5	14,992	5		5		5		5		5	
1/4	75,178	1/4	60,051	1/4	44,926	1/4	29,802	1/4	14,677	1/4		1/4		1/4		1/4		1/4	
1/2	74,863	1/2	59,736	1/2	44,610	1/2	29,487	1/2	14,362	1/2		1/2		1/2		1/2		1/2	
3/4	74,547	3/4	59,421	3/4	44,295	3/4	29,172	3/4	14,047	3/4		3/4		3/4		3/4		3/4	
6	74,232	6	59,106	6	43,980	6	28,857	6	13,732	6		6		6		6		6	
1/4	73,917	1/4	58,791	1/4	43,665	1/4	28,542	1/4	13,417	1/4		1/4		1/4		1/4		1/4	
1/2	73,602	1/2	58,476	1/2	43,350	1/2	28,227	1/2	13,102	1/2		1/2		1/2		1/2		1/2	
3/4	73,287	3/4	58,161	3/4	43,035	3/4	27,912	3/4	12,786	3/4		3/4		3/4		3/4		3/4	
7	72,972	7	57,846	7	42,720	7	27,597	7	12,471	7		7		7		7		7	
1/4	72,657	1/4	57,530	1/4	42,405	1/4	27,282	1/4	12,156	1/4		1/4		1/4		1/4		1/4	
1/2	72,342	1/2	57,215	1/2	42,090	1/2	26,967	1/2	11,841	1/2		1/2		1/2		1/2		1/2	
3/4	72,026	3/4	56,900	3/4	41,775	3/4	26,652	3/4	11,526	3/4		3/4		3/4		3/4		3/4	
8	71,711	8	56,585	8	41,459	8	26,337	8	11,211	8		8		8		8		8	
1/4	71,396	1/4	56,270	1/4	41,144	1/4	26,022	1/4	10,896	1/4		1/4		1/4		1/4		1/4	
1/2	71,081	1/2	55,955	1/2	40,829	1/2	25,707	1/2	10,580	1/2		1/2		1/2		1/2		1/2	
3/4	70,766	3/4	55,640	3/4	40,514	3/4	25,392	3/4	10,265	3/4		3/4		3/4		3/4		3/4	
9	70,451	9	55,325	9	40,199	9	25,077	9	9,950	9		9		9		9		9	
1/4	70,136	1/4	55,009	1/4	39,884	1/4	24,761	1/4	9,635	1/4		1/4		1/4		1/4		1/4	
1/2	69,821	1/2	54,694	1/2	39,569	1/2	24,446	1/2	9,320	1/2		1/2		1/2		1/2		1/2	
3/4	69,505	3/4	54,379	3/4	39,254	3/4	24,131	3/4	9,005	3/4		3/4		3/4		3/4		3/4	
10	69,190	10	54,064	10	38,939	10	23,816	10	8,690	10		10		10		10		10	
1/4	68,875	1/4	53,749	1/4	38,624	1/4	23,501	1/4	8,375	1/4		1/4		1/4		1/4		1/4	
1/2	68,560	1/2	53,434	1/2	38,308	1/2	23,186	1/2	8,059	1/2		1/2		1/2		1/2		1/2	
3/4	68,245	3/4	53,119	3/4	37,993	3/4	22,871	3/4	7,744	3/4		3/4		3/4		3/4		3/4	
11	67,930	11	52,803	11	37,678	11	22,555	11	7,429	11		11		11		11		11	
1/4	67,615	1/4	52,488	1/4	37,363	1/4	22,240	1/4	7,114	1/4		1/4		1/4		1/4		1/4	
1/2	67,299	1/2	52,173	1/2	37,048	1/2	21,925	1/2	6,799	1/2		1/2		1/2		1/2		1/2	
3/4	66,984	3/4	51,858	3/4	36,733	3/4	21,610	3/4	6,484	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL- 330"
HULL NO. 01-2408**

**3 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	199,001	0	187,971	0	176,875	0	165,749	0	154,623	0	141,981	0	126,898	0	111,803	0	96,698
1/4		1/4	198,772	1/4	187,741	1/4	176,644	1/4	165,518	1/4	154,392	1/4	141,667	1/4	126,584	1/4	111,488	1/4	96,383
1/2		1/2	198,543	1/2	187,511	1/2	176,412	1/2	165,286	1/2	154,160	1/2	141,353	1/2	126,270	1/2	111,173	1/2	96,068
3/4		3/4	198,315	3/4	187,281	3/4	176,180	3/4	165,054	3/4	153,928	3/4	141,039	3/4	125,955	3/4	110,859	3/4	95,754
1		1	198,086	1	187,051	1	175,948	1	164,822	1	153,696	1	140,725	1	125,641	1	110,544	1	95,439
1/4		1/4	197,858	1/4	186,821	1/4	175,716	1/4	164,590	1/4	153,465	1/4	140,411	1/4	125,327	1/4	110,229	1/4	95,124
1/2		1/2	197,629	1/2	186,591	1/2	175,485	1/2	164,359	1/2	153,233	1/2	140,097	1/2	125,012	1/2	109,915	1/2	94,809
3/4		3/4	197,400	3/4	186,361	3/4	175,253	3/4	164,127	3/4	153,001	3/4	139,783	3/4	124,698	3/4	109,600	3/4	94,495
2		2	197,171	2	186,131	2	175,021	2	163,895	2	152,769	2	139,469	2	124,384	2	109,285	2	94,180
1/4		1/4	196,942	1/4	185,901	1/4	174,789	1/4	163,663	1/4	152,537	1/4	139,155	1/4	124,069	1/4	108,971	1/4	93,865
1/2		1/2	196,713	1/2	185,670	1/2	174,557	1/2	163,432	1/2	152,306	1/2	138,841	1/2	123,755	1/2	108,656	1/2	93,551
3/4		3/4	196,483	3/4	185,440	3/4	174,326	3/4	163,200	3/4	152,074	3/4	138,527	3/4	123,441	3/4	108,341	3/4	93,236
3		3	196,253	3	185,210	3	174,094	3	162,968	3	151,842	3	138,213	3	123,126	3	108,026	3	92,921
1/4		1/4	196,023	1/4	184,980	1/4	173,862	1/4	162,736	1/4	151,610	1/4	137,899	1/4	122,812	1/4	107,712	1/4	92,607
1/2		1/2	195,794	1/2	184,750	1/2	173,630	1/2	162,504	1/2	151,378	1/2	137,585	1/2	122,498	1/2	107,397	1/2	92,292
3/4		3/4	195,563	3/4	184,520	3/4	173,398	3/4	162,273	3/4	151,147	3/4	137,271	3/4	122,183	3/4	107,082	3/4	91,977
4		4	195,333	4	184,289	4	173,167	4	162,041	4	150,915	4	136,957	4	121,869	4	106,768	4	91,663
1/4		1/4	195,103	1/4	184,059	1/4	172,935	1/4	161,809	1/4	150,683	1/4	136,643	1/4	121,555	1/4	106,453	1/4	91,348
1/2		1/2	194,873	1/2	183,828	1/2	172,703	1/2	161,577	1/2	150,451	1/2	136,328	1/2	121,240	1/2	106,138	1/2	91,033
3/4		3/4	194,643	3/4	183,597	3/4	172,471	3/4	161,345	3/4	150,217	3/4	136,014	3/4	120,926	3/4	105,824	3/4	90,719
5		5	194,413	5	183,365	5	172,240	5	161,114	5	149,983	5	135,700	5	120,612	5	105,509	5	90,404
1/4		1/4	194,183	1/4	183,134	1/4	172,008	1/4	160,882	1/4	149,750	1/4	135,386	1/4	120,297	1/4	105,194	1/4	90,089
1/2		1/2	193,953	1/2	182,902	1/2	171,776	1/2	160,650	1/2	149,516	1/2	135,071	1/2	119,983	1/2	104,880	1/2	89,774
3/4		3/4	193,723	3/4	182,670	3/4	171,544	3/4	160,418	3/4	149,271	3/4	134,757	3/4	119,669	3/4	104,565	3/4	89,460
6		6	193,493	6	182,438	6	171,312	6	160,186	6	149,025	6	134,443	6	119,354	6	104,250	6	89,145
1/4		1/4	193,263	1/4	182,207	1/4	171,081	1/4	159,955	1/4	148,780	1/4	134,128	1/4	119,040	1/4	103,935	1/4	88,830
1/2		1/2	193,033	1/2	181,975	1/2	170,849	1/2	159,723	1/2	148,535	1/2	133,814	1/2	118,725	1/2	103,621	1/2	88,516
3/4		3/4	192,803	3/4	181,743	3/4	170,617	3/4	159,491	3/4	148,270	3/4	133,500	3/4	118,411	3/4	103,306	3/4	88,201
7		7	192,573	7	181,511	7	170,385	7	159,259	7	148,006	7	133,185	7	118,096	7	102,991	7	87,886
3/8	202,892	1/4	192,342	1/4	181,279	1/4	170,153	1/4	159,028	1/4	147,741	1/4	132,871	1/4	117,782	1/4	102,677	1/4	87,572
1/2	202,821	1/2	192,112	1/2	181,048	1/2	169,922	1/2	158,796	1/2	147,476	1/2	132,557	1/2	117,467	1/2	102,362	1/2	87,257
3/4	202,645	3/4	191,882	3/4	180,816	3/4	169,690	3/4	158,564	3/4	147,191	3/4	132,242	3/4	117,152	3/4	102,047	3/4	86,942
8	202,470	8	191,652	8	180,584	8	169,458	8	158,332	8	146,905	8	131,928	8	116,838	8	101,733	8	86,628
1/4	202,294	1/4	191,422	1/4	180,352	1/4	169,226	1/4	158,100	1/4	146,619	1/4	131,614	1/4	116,523	1/4	101,418	1/4	86,313
1/2	202,119	1/2	191,192	1/2	180,120	1/2	168,994	1/2	157,869	1/2	146,334	1/2	131,299	1/2	116,208	1/2	101,103	1/2	85,998
3/4	201,909	3/4	190,962	3/4	179,889	3/4	168,763	3/4	157,637	3/4	146,030	3/4	130,985	3/4	115,894	3/4	100,789	3/4	85,684
9	201,699	9	190,732	9	179,657	9	168,531	9	157,405	9	145,726	9	130,671	9	115,579	9	100,474	9	85,369
1/4	201,489	1/4	190,502	1/4	179,425	1/4	168,299	1/4	157,173	1/4	145,422	1/4	130,356	1/4	115,264	1/4	100,159	1/4	85,055
1/2	201,279	1/2	190,272	1/2	179,193	1/2	168,067	1/2	156,941	1/2	145,118	1/2	130,042	1/2	114,950	1/2	99,845	1/2	84,740
3/4	201,052	3/4	190,042	3/4	178,961	3/4	167,836	3/4	156,710	3/4	144,805	3/4	129,728	3/4	114,635	3/4	99,530	3/4	84,426
10	200,826	10	189,812	10	178,730	10	167,604	10	156,478	10	144,492	10	129,413	10	114,320	10	99,215	10	84,112
1/4	200,599	1/4	189,582	1/4	178,498	1/4	167,372	1/4	156,246	1/4	144,179	1/4	129,099	1/4	114,006	1/4	98,900	1/4	83,797
1/2	200,372	1/2	189,352	1/2	178,266	1/2	167,140	1/2	156,014	1/2	143,866	1/2	128,785	1/2	113,691	1/2	98,586	1/2	83,483
3/4	200,144	3/4	189,121	3/4	178,034	3/4	166,908	3/4	155,782	3/4	143,552	3/4	128,470	3/4	113,376	3/4	98,271	3/4	83,168
11	199,915	11	188,891	11	177,802	11	166,677	11	155,551	11	143,238	11	128,156	11	113,061	11	97,956	11	82,854
1/4	199,686	1/4	188,661	1/4	177,571	1/4	166,445	1/4	155,319	1/4	142,924	1/4	127,841	1/4	112,747	1/4	97,642	1/4	82,539
1/2	199,458	1/2	188,431	1/2	177,339	1/2	166,213	1/2	155,087	1/2	142,610	1/2	127,527	1/2	112,432	1/2	97,327	1/2	82,225
3/4	199,229	3/4	188,201	3/4	177,107	3/4	165,981	3/4	154,855	3/4	142,296	3/4	127,213	3/4	112,117	3/4	97,012	3/4	81,910

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE POINT.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
 DATE COMPUTED: 10/11/01 BY: DAR
 DATE ISSUED: 10/12/01

ITS - CALEB BRETT

**BARGE "GBL- 330"
HULL NO. 01-2408**

**3 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	81,596	0	66,498	0	51,437	0	36,365	0	21,266	0	6,160	0		0		0		0	
1/4	81,281	1/4	66,184	1/4	51,123	1/4	36,051	1/4	20,951	1/4	5,846	1/4		1/4		1/4		1/4	
1/2	80,967	1/2	65,869	1/2	50,809	1/2	35,737	1/2	20,637	1/2	5,531	1/2		1/2		1/2		1/2	
3/4	80,652	3/4	65,555	3/4	50,495	3/4	35,423	3/4	20,322	3/4	5,216	3/4		3/4		3/4		3/4	
1	80,338	1	65,241	1	50,181	1	35,109	1	20,007	1	4,902	1		1		1		1	
1/4	80,023	1/4	64,926	1/4	49,867	1/4	34,794	1/4	19,693	1/4	4,587	1/4		1/4		1/4		1/4	
1/2	79,709	1/2	64,612	1/2	49,553	1/2	34,480	1/2	19,378	1/2	4,272	1/2		1/2		1/2		1/2	
3/4	79,394	3/4	64,298	3/4	49,239	3/4	34,166	3/4	19,063	3/4	3,957	3/4		3/4		3/4		3/4	
2	79,080	2	63,985	2	48,925	2	33,851	2	18,748	2	3,643	2		2		2		2	
1/4	78,765	1/4	63,671	1/4	48,611	1/4	33,537	1/4	18,434	1/4	3,328	1/4		1/4		1/4		1/4	
1/2	78,451	1/2	63,357	1/2	48,297	1/2	33,222	1/2	18,119	1/2	3,013	1/2		1/2		1/2		1/2	
3/4	78,136	3/4	63,044	3/4	47,983	3/4	32,907	3/4	17,804	3/4	2,710	3/4		3/4		3/4		3/4	
3	77,822	3	62,730	3	47,668	3	32,593	3	17,490	3	2,407	3		3		3		3	
1/4	77,507	1/4	62,416	1/4	47,354	1/4	32,278	1/4	17,175	1/4	2,104	1/4		1/4		1/4		1/4	
1/2	77,193	1/2	62,103	1/2	47,040	1/2	31,964	1/2	16,860	1/2	1,800	1/2		1/2		1/2		1/2	
3/4	76,878	3/4	61,789	3/4	46,727	3/4	31,649	3/4	16,546	3/4	1,556	3/4		3/4		3/4		3/4	
4	76,564	4	61,475	4	46,413	4	31,334	4	16,231	4	1,312	4		4		4		4	
1/4	76,250	1/4	61,162	1/4	46,099	1/4	31,020	1/4	15,916	1/4	1,068	1/4		1/4		1/4		1/4	
1/2	75,935	1/2	60,848	1/2	45,785	1/2	30,705	1/2	15,602	1/2	823	1/2		1/2		1/2		1/2	
3/4	75,621	3/4	60,534	3/4	45,471	3/4	30,391	3/4	15,287	3/4	705	3/4		3/4		3/4		3/4	
5	75,306	5	60,221	5	45,157	5	30,076	5	14,972	5		5		5		5		5	
1/4	74,992	1/4	59,907	1/4	44,843	1/4	29,762	1/4	14,658	1/4		1/4		1/4		1/4		1/4	
1/2	74,677	1/2	59,593	1/2	44,529	1/2	29,447	1/2	14,343	1/2		1/2		1/2		1/2		1/2	
3/4	74,363	3/4	59,280	3/4	44,215	3/4	29,132	3/4	14,028	3/4		3/4		3/4		3/4		3/4	
6	74,048	6	58,966	6	43,901	6	28,818	6	13,713	6		6		6		6		6	
1/4	73,734	1/4	58,652	1/4	43,587	1/4	28,503	1/4	13,399	1/4		1/4		1/4		1/4		1/4	
1/2	73,419	1/2	58,339	1/2	43,273	1/2	28,189	1/2	13,084	1/2		1/2		1/2		1/2		1/2	
3/4	73,105	3/4	58,025	3/4	42,959	3/4	27,874	3/4	12,769	3/4		3/4		3/4		3/4		3/4	
7	72,790	7	57,711	7	42,645	7	27,559	7	12,455	7		7		7		7		7	
1/4	72,476	1/4	57,398	1/4	42,331	1/4	27,245	1/4	12,140	1/4		1/4		1/4		1/4		1/4	
1/2	72,161	1/2	57,084	1/2	42,017	1/2	26,930	1/2	11,825	1/2		1/2		1/2		1/2		1/2	
3/4	71,847	3/4	56,770	3/4	41,703	3/4	26,616	3/4	11,511	3/4		3/4		3/4		3/4		3/4	
8	71,532	8	56,456	8	41,389	8	26,301	8	11,196	8		8		8		8		8	
1/4	71,218	1/4	56,143	1/4	41,075	1/4	25,986	1/4	10,881	1/4		1/4		1/4		1/4		1/4	
1/2	70,903	1/2	55,829	1/2	40,761	1/2	25,672	1/2	10,566	1/2		1/2		1/2		1/2		1/2	
3/4	70,589	3/4	55,515	3/4	40,447	3/4	25,357	3/4	10,252	3/4		3/4		3/4		3/4		3/4	
9	70,274	9	55,202	9	40,133	9	25,042	9	9,937	9		9		9		9		9	
1/4	69,959	1/4	54,888	1/4	39,819	1/4	24,728	1/4	9,622	1/4		1/4		1/4		1/4		1/4	
1/2	69,645	1/2	54,574	1/2	39,505	1/2	24,413	1/2	9,308	1/2		1/2		1/2		1/2		1/2	
3/4	69,330	3/4	54,261	3/4	39,191	3/4	24,098	3/4	8,993	3/4		3/4		3/4		3/4		3/4	
10	69,015	10	53,947	10	38,877	10	23,784	10	8,678	10		10		10		10		10	
1/4	68,701	1/4	53,633	1/4	38,563	1/4	23,469	1/4	8,363	1/4		1/4		1/4		1/4		1/4	
1/2	68,386	1/2	53,320	1/2	38,249	1/2	23,154	1/2	8,049	1/2		1/2		1/2		1/2		1/2	
3/4	68,071	3/4	53,006	3/4	37,935	3/4	22,839	3/4	7,734	3/4		3/4		3/4		3/4		3/4	
11	67,757	11	52,692	11	37,621	11	22,525	11	7,419	11		11		11		11		11	
1/4	67,442	1/4	52,379	1/4	37,307	1/4	22,210	1/4	7,105	1/4		1/4		1/4		1/4		1/4	
1/2	67,127	1/2	52,065	1/2	36,993	1/2	21,895	1/2	6,790	1/2		1/2		1/2		1/2		1/2	
3/4	66,813	3/4	51,751	3/4	36,679	3/4	21,581	3/4	6,475	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/20/01 BY: DAR-PC
DATE COMPUTED: 10/11/01 BY: DAR
DATE ISSUED: 10/12/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 7'- 6 1/2"

2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
0		0	4,546	0	3,545	0	2,544	0	1,543	0	542	0		0		0		0	
1/4		1/4	4,526	1/4	3,524	1/4	2,523	1/4	1,522	1/4	521	1/4		1/4		1/4		1/4	
1/2		1/2	4,505	1/2	3,504	1/2	2,503	1/2	1,502	1/2	501	1/2		1/2		1/2		1/2	
3/4		3/4	4,484	3/4	3,483	3/4	2,482	3/4	1,481	3/4	480	3/4		3/4		3/4		3/4	
1		1	4,463	1	3,462	1	2,461	1	1,460	1	459	1		1		1		1	
1/4		1/4	4,442	1/4	3,441	1/4	2,440	1/4	1,439	1/4	438	1/4		1/4		1/4		1/4	
1/2		1/2	4,421	1/2	3,420	1/2	2,419	1/2	1,418	1/2	417	1/2		1/2		1/2		1/2	
3/4		3/4	4,400	3/4	3,399	3/4	2,398	3/4	1,397	3/4	396	3/4		3/4		3/4		3/4	
2		2	4,380	2	3,379	2	2,377	2	1,376	2	375	2		2		2		2	
1/4		1/4	4,359	1/4	3,358	1/4	2,357	1/4	1,356	1/4	355	1/4		1/4		1/4		1/4	
1/2		1/2	4,338	1/2	3,337	1/2	2,336	1/2	1,335	1/2	334	1/2		1/2		1/2		1/2	
3/4		3/4	4,317	3/4	3,316	3/4	2,315	3/4	1,314	3/4	313	3/4		3/4		3/4		3/4	
3		3	4,296	3	3,295	3	2,294	3	1,293	3	292	3		3		3		3	
1/4		1/4	4,275	1/4	3,274	1/4	2,273	1/4	1,272	1/4	271	1/4		1/4		1/4		1/4	
1/2		1/2	4,254	1/2	3,253	1/2	2,252	1/2	1,251	1/2	250	1/2		1/2		1/2		1/2	
3/4		3/4	4,234	3/4	3,233	3/4	2,231	3/4	1,230	3/4	229	3/4		3/4		3/4		3/4	
4		4	4,213	4	3,212	4	2,211	4	1,210	4	209	4		4		4		4	
1/4		1/4	4,192	1/4	3,191	1/4	2,190	1/4	1,189	1/4	188	1/4		1/4		1/4		1/4	
1/2		1/2	4,171	1/2	3,170	1/2	2,169	1/2	1,168	1/2	167	1/2		1/2		1/2		1/2	
3/4		3/4	4,150	3/4	3,149	3/4	2,148	3/4	1,147	3/4	146	3/4		3/4		3/4		3/4	
5		5	4,129	5	3,128	5	2,127	5	1,126	5	125	5		5		5		5	
1/4		1/4	4,108	1/4	3,107	1/4	2,106	1/4	1,105	1/4	104	1/4		1/4		1/4		1/4	
1/2		1/2	4,088	1/2	3,087	1/2	2,086	1/2	1,084	1/2	83	1/2		1/2		1/2		1/2	
3/4		3/4	4,067	3/4	3,066	3/4	2,065	3/4	1,064	3/4	63	3/4		3/4		3/4		3/4	
6		6	4,046	6	3,045	6	2,044	6	1,043	6	42	6		6		6		6	
1/4		1/4	4,025	1/4	3,024	1/4	2,023	1/4	1,022	1/4	21	1/4		1/4		1/4		1/4	
1/2		1/2	4,004	1/2	3,003	1/2	2,002	1/2	1,001	1/2	0	1/2		1/2		1/2		1/2	
3/4		3/4	3,983	3/4	2,982	3/4	1,981	3/4	980	3/4		3/4		3/4		3/4		3/4	
7		7	3,962	7	2,961	7	1,960	7	959	7		7		7		7		7	
1/4		1/4	3,942	1/4	2,941	1/4	1,940	1/4	938	1/4		1/4		1/4		1/4		1/4	
1/2	4,922	1/2	3,921	1/2	2,920	1/2	1,919	1/2	918	1/2		1/2		1/2		1/2		1/2	
3/4	4,901	3/4	3,900	3/4	2,899	3/4	1,898	3/4	897	3/4		3/4		3/4		3/4		3/4	
8	4,880	8	3,879	8	2,878	8	1,877	8	876	8		8		8		8		8	
1/4	4,859	1/4	3,858	1/4	2,857	1/4	1,856	1/4	855	1/4		1/4		1/4		1/4		1/4	
1/2	4,838	1/2	3,837	1/2	2,836	1/2	1,835	1/2	834	1/2		1/2		1/2		1/2		1/2	
3/4	4,818	3/4	3,816	3/4	2,815	3/4	1,814	3/4	813	3/4		3/4		3/4		3/4		3/4	
9	4,797	9	3,796	9	2,795	9	1,794	9	792	9		9		9		9		9	
1/4	4,776	1/4	3,775	1/4	2,774	1/4	1,773	1/4	772	1/4		1/4		1/4		1/4		1/4	
1/2	4,755	1/2	3,754	1/2	2,753	1/2	1,752	1/2	751	1/2		1/2		1/2		1/2		1/2	
3/4	4,734	3/4	3,733	3/4	2,732	3/4	1,731	3/4	730	3/4		3/4		3/4		3/4		3/4	
10	4,713	10	3,712	10	2,711	10	1,710	10	709	10		10		10		10		10	
1/4	4,692	1/4	3,691	1/4	2,690	1/4	1,689	1/4	688	1/4		1/4		1/4		1/4		1/4	
1/2	4,672	1/2	3,670	1/2	2,669	1/2	1,668	1/2	667	1/2		1/2		1/2		1/2		1/2	
3/4	4,651	3/4	3,650	3/4	2,649	3/4	1,648	3/4	647	3/4		3/4		3/4		3/4		3/4	
11	4,630	11	3,629	11	2,628	11	1,627	11	626	11		11		11		11		11	
1/4	4,609	1/4	3,608	1/4	2,607	1/4	1,606	1/4	605	1/4		1/4		1/4		1/4		1/4	
1/2	4,588	1/2	3,587	1/2	2,586	1/2	1,585	1/2	584	1/2		1/2		1/2		1/2		1/2	
3/4	4,567	3/4	3,566	3/4	2,565	3/4	1,564	3/4	563	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

