

**BARGE "GBL 932B"
HULL NO. 03-2001**

**1 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/4"


IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,289.16	0	5,017.51	0	4,706.43	0	4,395.36	0	4,084.28	0	3,762.85	0	3,380.77	0	2,998.68	0	2,616.60
1/4		1/4	5,287.54	1/4	5,011.03	1/4	4,699.95	1/4	4,388.88	1/4	4,077.80	1/4	3,754.89	1/4	3,372.81	1/4	2,990.72	1/4	2,608.64
1/2		1/2	5,284.84	1/2	5,004.55	1/2	4,693.47	1/2	4,382.39	1/2	4,071.32	1/2	3,746.93	1/2	3,364.85	1/2	2,982.76	1/2	2,600.68
3/4		3/4	5,282.14	3/4	4,998.06	3/4	4,686.99	3/4	4,375.91	3/4	4,064.84	3/4	3,738.97	3/4	3,356.89	3/4	2,974.80	3/4	2,592.72
1		1	5,279.44	1	4,991.58	1	4,680.51	1	4,369.43	1	4,058.36	1	3,731.01	1	3,348.93	1	2,966.84	1	2,584.76
1/4		1/4	5,276.74	1/4	4,985.10	1/4	4,674.03	1/4	4,362.95	1/4	4,051.88	1/4	3,723.05	1/4	3,340.97	1/4	2,958.88	1/4	2,576.80
1/2		1/2	5,272.96	1/2	4,978.62	1/2	4,667.55	1/2	4,356.47	1/2	4,045.40	1/2	3,715.09	1/2	3,333.01	1/2	2,950.92	1/2	2,568.84
3/4		3/4	5,269.18	3/4	4,972.14	3/4	4,661.07	3/4	4,349.99	3/4	4,038.92	3/4	3,707.13	3/4	3,325.05	3/4	2,942.96	3/4	2,560.88
2		2	5,265.40	2	4,965.66	2	4,654.59	2	4,343.51	2	4,032.43	2	3,699.17	2	3,317.08	2	2,935.00	2	2,552.92
1/4		1/4	5,261.61	1/4	4,959.18	1/4	4,648.10	1/4	4,337.03	1/4	4,025.95	1/4	3,691.21	1/4	3,309.12	1/4	2,927.04	1/4	2,544.96
1/2		1/2	5,256.75	1/2	4,952.70	1/2	4,641.62	1/2	4,330.55	1/2	4,019.47	1/2	3,683.25	1/2	3,301.16	1/2	2,919.08	1/2	2,537.00
3/4		3/4	5,251.89	3/4	4,946.22	3/4	4,635.14	3/4	4,324.07	3/4	4,012.99	3/4	3,675.29	3/4	3,293.20	3/4	2,911.12	3/4	2,529.04
3		3	5,247.03	3	4,939.74	3	4,628.66	3	4,317.59	3	4,006.51	3	3,667.33	3	3,285.24	3	2,903.16	3	2,521.08
1/4		1/4	5,242.17	1/4	4,933.26	1/4	4,622.18	1/4	4,311.11	1/4	4,000.03	1/4	3,659.37	1/4	3,277.28	1/4	2,895.20	1/4	2,513.12
1/2		1/2	5,236.23	1/2	4,926.78	1/2	4,615.70	1/2	4,304.63	1/2	3,993.55	1/2	3,651.41	1/2	3,269.32	1/2	2,887.24	1/2	2,505.16
3/4		3/4	5,230.29	3/4	4,920.30	3/4	4,609.22	3/4	4,298.14	3/4	3,987.07	3/4	3,643.45	3/4	3,261.36	3/4	2,879.28	3/4	2,497.20
4		4	5,224.35	4	4,913.82	4	4,602.74	4	4,291.66	4	3,980.59	4	3,635.49	4	3,253.40	4	2,871.32	4	2,489.24
1/4		1/4	5,218.41	1/4	4,907.33	1/4	4,596.26	1/4	4,285.18	1/4	3,974.11	1/4	3,627.53	1/4	3,245.44	1/4	2,863.36	1/4	2,481.28
1/2		1/2	5,211.93	1/2	4,900.85	1/2	4,589.78	1/2	4,278.70	1/2	3,967.63	1/2	3,619.57	1/2	3,237.48	1/2	2,855.40	1/2	2,473.32
3/4		3/4	5,205.45	3/4	4,894.37	3/4	4,583.30	3/4	4,272.22	3/4	3,961.15	3/4	3,611.61	3/4	3,229.52	3/4	2,847.44	3/4	2,465.36
5		5	5,198.97	5	4,887.89	5	4,576.82	5	4,265.74	5	3,954.67	5	3,603.65	5	3,221.56	5	2,839.48	5	2,457.40
1/4		1/4	5,192.49	1/4	4,881.41	1/4	4,570.34	1/4	4,259.26	1/4	3,948.19	1/4	3,595.69	1/4	3,213.60	1/4	2,831.52	1/4	2,449.44
1/2		1/2	5,186.01	1/2	4,874.93	1/2	4,563.86	1/2	4,252.78	1/2	3,941.70	1/2	3,587.73	1/2	3,205.64	1/2	2,823.56	1/2	2,441.48
3/4		3/4	5,179.53	3/4	4,868.45	3/4	4,557.37	3/4	4,246.30	3/4	3,935.22	3/4	3,579.77	3/4	3,197.68	3/4	2,815.60	3/4	2,433.52
6		6	5,173.04	6	4,861.97	6	4,550.89	6	4,239.82	6	3,928.74	6	3,571.81	6	3,189.72	6	2,807.64	6	2,425.56
1/4		1/4	5,166.56	1/4	4,855.49	1/4	4,544.41	1/4	4,233.34	1/4	3,922.26	1/4	3,563.85	1/4	3,181.76	1/4	2,799.68	1/4	2,417.60
1/2		1/2	5,160.08	1/2	4,849.01	1/2	4,537.93	1/2	4,226.86	1/2	3,915.78	1/2	3,555.89	1/2	3,173.80	1/2	2,791.72	1/2	2,409.64
3/4		3/4	5,153.60	3/4	4,842.53	3/4	4,531.45	3/4	4,220.38	3/4	3,909.30	3/4	3,547.93	3/4	3,165.84	3/4	2,783.76	3/4	2,401.68
7		7	5,147.12	7	4,836.05	7	4,524.97	7	4,213.90	7	3,902.82	7	3,539.97	7	3,157.88	7	2,775.80	7	2,393.72
1/4		1/4	5,140.64	1/4	4,829.57	1/4	4,518.49	1/4	4,207.41	1/4	3,896.34	1/4	3,532.01	1/4	3,149.92	1/4	2,767.84	1/4	2,385.75
1/2		1/2	5,134.16	1/2	4,823.08	1/2	4,512.01	1/2	4,200.93	1/2	3,889.86	1/2	3,524.05	1/2	3,141.96	1/2	2,759.88	1/2	2,377.79
3/4		3/4	5,127.68	3/4	4,816.60	3/4	4,505.53	3/4	4,194.45	3/4	3,883.38	3/4	3,516.09	3/4	3,134.00	3/4	2,751.92	3/4	2,369.83
8		8	5,121.20	8	4,810.12	8	4,499.05	8	4,187.97	8	3,876.90	8	3,508.13	8	3,126.04	8	2,743.96	8	2,361.87
1/4		1/4	5,114.72	1/4	4,803.64	1/4	4,492.57	1/4	4,181.49	1/4	3,870.42	1/4	3,500.17	1/4	3,118.08	1/4	2,736.00	1/4	2,353.91
1/2		1/2	5,108.24	1/2	4,797.16	1/2	4,486.09	1/2	4,175.01	1/2	3,863.94	1/2	3,492.21	1/2	3,110.12	1/2	2,728.04	1/2	2,345.95
3/4		3/4	5,101.76	3/4	4,790.68	3/4	4,479.61	3/4	4,168.53	3/4	3,857.45	3/4	3,484.25	3/4	3,102.16	3/4	2,720.08	3/4	2,337.99
9		9	5,095.28	9	4,784.20	9	4,473.12	9	4,162.05	9	3,850.97	9	3,476.29	9	3,094.20	9	2,712.12	9	2,330.03
1/4		1/4	5,088.80	1/4	4,777.72	1/4	4,466.64	1/4	4,155.57	1/4	3,844.49	1/4	3,468.33	1/4	3,086.24	1/4	2,704.16	1/4	2,322.07
1/2		1/2	5,082.31	1/2	4,771.24	1/2	4,460.16	1/2	4,149.09	1/2	3,838.01	1/2	3,460.37	1/2	3,078.28	1/2	2,696.20	1/2	2,314.11
3/4		3/4	5,075.83	3/4	4,764.76	3/4	4,453.68	3/4	4,142.61	3/4	3,831.53	3/4	3,452.41	3/4	3,070.32	3/4	2,688.24	3/4	2,306.15
10		10	5,069.35	10	4,758.28	10	4,447.20	10	4,136.13	10	3,825.05	10	3,444.45	10	3,062.36	10	2,680.28	10	2,298.19
1/4		1/4	5,062.87	1/4	4,751.80	1/4	4,440.72	1/4	4,129.65	1/4	3,818.57	1/4	3,436.49	1/4	3,054.40	1/4	2,672.32	1/4	2,290.23
1/2		1/2	5,056.39	1/2	4,745.32	1/2	4,434.24	1/2	4,123.17	1/2	3,810.61	1/2	3,428.53	1/2	3,046.44	1/2	2,664.36	1/2	2,282.27
3/4		3/4	5,049.91	3/4	4,738.84	3/4	4,427.76	3/4	4,116.68	3/4	3,802.65	3/4	3,420.57	3/4	3,038.48	3/4	2,656.40	3/4	2,274.31
11		11	5,043.43	11	4,732.35	11	4,421.28	11	4,110.20	11	3,794.69	11	3,412.61	11	3,030.52	11	2,648.44	11	2,266.35
1/4	5,294.02	1/4	5,036.95	1/4	4,725.87	1/4	4,414.80	1/4	4,103.72	1/4	3,786.73	1/4	3,404.65	1/4	3,022.56	1/4	2,640.48	1/4	2,258.39
1/2	5,292.40	1/2	5,030.47	1/2	4,719.39	1/2	4,408.32	1/2	4,097.24	1/2	3,778.77	1/2	3,396.69	1/2	3,014.60	1/2	2,632.52	1/2	2,250.43
3/4	5,290.78	3/4	5,023.99	3/4	4,712.91	3/4	4,401.84	3/4	4,090.76	3/4	3,770.81	3/4	3,388.73	3/4	3,006.64	3/4	2,624.56	3/4	2,242.47

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 4" OFF CENTERLINE AND 51' 3" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/12/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT



BARGE "GBL 932B"
HULL NO. 03-2001

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,234.51	0	1,852.85	0	1,472.20	0	1,090.17	0	710.32	0	329.34	0		0		0		0	
1/4	2,226.55	1/4	1,844.93	1/4	1,464.24	1/4	1,082.21	1/4	702.45	1/4	321.40	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,218.59	1/2	1,837.01	1/2	1,456.29	1/2	1,074.25	1/2	694.52	1/2	313.46	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,210.63	3/4	1,829.08	3/4	1,448.33	3/4	1,066.29	3/4	686.58	3/4	305.52	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	2,202.67	1	1,821.16	1	1,440.37	1	1,058.33	1	678.64	1	297.58	1		1		1		1	
1/4	2,194.71	1/4	1,813.24	1/4	1,432.42	1/4	1,050.37	1/4	670.70	1/4	289.64	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,186.75	1/2	1,805.32	1/2	1,424.46	1/2	1,042.41	1/2	662.76	1/2	281.70	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,178.79	3/4	1,797.40	3/4	1,416.50	3/4	1,034.45	3/4	654.82	3/4	273.76	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2,170.83	2	1,789.48	2	1,408.54	2	1,026.49	2	646.88	2	265.83	2		2		2		2	
1/4	2,162.87	1/4	1,781.55	1/4	1,400.59	1/4	1,018.53	1/4	638.94	1/4	257.89	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,154.91	1/2	1,773.63	1/2	1,392.63	1/2	1,010.57	1/2	631.01	1/2	249.95	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,146.95	3/4	1,765.71	3/4	1,384.67	3/4	1,002.61	3/4	623.07	3/4	242.01	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	2,138.99	3	1,757.79	3	1,376.72	3	994.65	3	615.13	3	234.07	3		3		3		3	
1/4	2,131.03	1/4	1,749.87	1/4	1,368.76	1/4	986.69	1/4	607.19	1/4	226.13	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,123.07	1/2	1,741.94	1/2	1,360.80	1/2	978.73	1/2	599.25	1/2	218.19	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,115.11	3/4	1,734.02	3/4	1,352.84	3/4	970.77	3/4	591.31	3/4	210.26	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	2,107.15	4	1,726.10	4	1,344.88	4	962.81	4	583.37	4	202.32	4		4		4		4	
1/4	2,099.19	1/4	1,718.18	1/4	1,336.92	1/4	954.85	1/4	575.43	1/4	194.38	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,091.23	1/2	1,710.26	1/2	1,328.96	1/2	946.90	1/2	567.50	1/2	186.44	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,083.27	3/4	1,702.33	3/4	1,321.00	3/4	938.94	3/4	559.56	3/4	178.50	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	2,075.31	5	1,694.41	5	1,313.04	5	930.98	5	551.62	5	170.56	5		5		5		5	
1/4	2,067.35	1/4	1,686.49	1/4	1,305.08	1/4	923.02	1/4	543.68	1/4	162.62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,059.39	1/2	1,678.57	1/2	1,297.12	1/2	915.06	1/2	535.74	1/2	154.68	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,051.43	3/4	1,670.65	3/4	1,289.16	3/4	907.10	3/4	527.80	3/4	146.75	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	2,043.47	6	1,662.73	6	1,281.20	6	899.14	6	519.86	6	138.81	6		6		6		6	
1/4	2,035.51	1/4	1,654.80	1/4	1,273.24	1/4	891.18	1/4	511.93	1/4	130.87	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,027.55	1/2	1,646.88	1/2	1,265.28	1/2	883.31	1/2	503.99	1/2	122.93	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,019.59	3/4	1,638.96	3/4	1,257.32	3/4	875.45	3/4	496.05	3/4	114.99	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	2,011.63	7	1,631.04	7	1,249.36	7	867.59	7	488.11	7	107.05	7		7		7		7	
1/4	2,003.67	1/4	1,623.12	1/4	1,241.40	1/4	859.72	1/4	480.17	1/4	99.11	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,995.71	1/2	1,615.19	1/2	1,233.44	1/2	851.86	1/2	472.23	1/2	91.17	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,987.75	3/4	1,607.27	3/4	1,225.48	3/4	844.00	3/4	464.29	3/4	83.24	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	1,979.79	8	1,599.35	8	1,217.52	8	836.13	8	456.35	8	75.30	8		8		8		8	
1/4	1,971.83	1/4	1,591.42	1/4	1,209.56	1/4	828.27	1/4	448.42	1/4	67.36	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,963.87	1/2	1,583.50	1/2	1,201.61	1/2	820.41	1/2	440.48	1/2	60.42	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,955.91	3/4	1,575.58	3/4	1,193.65	3/4	812.54	3/4	432.54	3/4	53.47	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	1,947.95	9	1,567.65	9	1,185.69	9	804.68	9	424.60	9	46.53	9		9		9		9	
1/4	1,939.99	1/4	1,559.73	1/4	1,177.73	1/4	796.82	1/4	416.66	1/4	39.58	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,932.07	1/2	1,551.77	1/2	1,169.77	1/2	788.95	1/2	408.72	1/2	34.63	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,924.15	3/4	1,543.81	3/4	1,161.81	3/4	781.09	3/4	400.78	3/4	29.68	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	1,916.22	10	1,535.86	10	1,153.85	10	773.23	10	392.85	10	24.72	10		10		10		10	
1/4	1,908.30	1/4	1,527.90	1/4	1,145.89	1/4	765.36	1/4	384.91	1/4	19.77	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,900.38	1/2	1,519.94	1/2	1,137.93	1/2	757.50	1/2	376.97	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,892.46	3/4	1,511.99	3/4	1,129.97	3/4	749.63	3/4	369.03	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	1,884.54	11	1,504.03	11	1,122.01	11	741.77	11	361.09	11		11		11		11		11	
1/4	1,876.62	1/4	1,496.07	1/4	1,114.05	1/4	733.91	1/4	353.15	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,868.69	1/2	1,488.11	1/2	1,106.09	1/2	726.04	1/2	345.21	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,860.77	3/4	1,480.16	3/4	1,098.13	3/4	718.18	3/4	337.27	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
DATE COMPUTED: 2/13/04 BY: WHF
DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT



BARGE "GBL 932B"
HULL NO. 03-2001

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,289.16	0	5,017.51	0	4,706.43	0	4,395.36	0	4,084.28	0	3,762.85	0	3,380.77	0	2,998.68	0	2,616.60
1/4		1/4	5,287.54	1/4	5,011.03	1/4	4,699.95	1/4	4,388.88	1/4	4,077.80	1/4	3,754.89	1/4	3,372.81	1/4	2,990.72	1/4	2,608.64
1/2		1/2	5,284.84	1/2	5,004.55	1/2	4,693.47	1/2	4,382.39	1/2	4,071.32	1/2	3,746.93	1/2	3,364.85	1/2	2,982.76	1/2	2,600.68
3/4		3/4	5,282.14	3/4	4,998.06	3/4	4,686.99	3/4	4,375.91	3/4	4,064.84	3/4	3,738.97	3/4	3,356.89	3/4	2,974.80	3/4	2,592.72
1		1	5,279.44	1	4,991.58	1	4,680.51	1	4,369.43	1	4,058.36	1	3,731.01	1	3,348.93	1	2,966.84	1	2,584.76
1/4		1/4	5,276.74	1/4	4,985.10	1/4	4,674.03	1/4	4,362.95	1/4	4,051.88	1/4	3,723.05	1/4	3,340.97	1/4	2,958.88	1/4	2,576.80
1/2		1/2	5,272.96	1/2	4,978.62	1/2	4,667.55	1/2	4,356.47	1/2	4,045.40	1/2	3,715.09	1/2	3,333.01	1/2	2,950.92	1/2	2,568.84
3/4		3/4	5,269.18	3/4	4,972.14	3/4	4,661.07	3/4	4,349.99	3/4	4,038.92	3/4	3,707.13	3/4	3,325.05	3/4	2,942.96	3/4	2,560.88
2		2	5,265.40	2	4,965.66	2	4,654.59	2	4,343.51	2	4,032.43	2	3,699.17	2	3,317.08	2	2,935.00	2	2,552.92
1/4		1/4	5,261.61	1/4	4,959.18	1/4	4,648.10	1/4	4,337.03	1/4	4,025.95	1/4	3,691.21	1/4	3,309.12	1/4	2,927.04	1/4	2,544.96
1/2		1/2	5,256.75	1/2	4,952.70	1/2	4,641.62	1/2	4,330.55	1/2	4,019.47	1/2	3,683.25	1/2	3,301.16	1/2	2,919.08	1/2	2,537.00
3/4		3/4	5,251.89	3/4	4,946.22	3/4	4,635.14	3/4	4,324.07	3/4	4,012.99	3/4	3,675.29	3/4	3,293.20	3/4	2,911.12	3/4	2,529.04
3		3	5,247.03	3	4,939.74	3	4,628.66	3	4,317.59	3	4,006.51	3	3,667.33	3	3,285.24	3	2,903.16	3	2,521.08
1/4		1/4	5,242.17	1/4	4,933.26	1/4	4,622.18	1/4	4,311.11	1/4	4,000.03	1/4	3,659.37	1/4	3,277.28	1/4	2,895.20	1/4	2,513.12
1/2		1/2	5,236.23	1/2	4,926.78	1/2	4,615.70	1/2	4,304.63	1/2	3,993.55	1/2	3,651.41	1/2	3,269.32	1/2	2,887.24	1/2	2,505.16
3/4		3/4	5,230.29	3/4	4,920.30	3/4	4,609.22	3/4	4,298.14	3/4	3,987.07	3/4	3,643.45	3/4	3,261.36	3/4	2,879.28	3/4	2,497.20
4		4	5,224.35	4	4,913.82	4	4,602.74	4	4,291.66	4	3,980.59	4	3,635.49	4	3,253.40	4	2,871.32	4	2,489.24
1/4		1/4	5,218.41	1/4	4,907.33	1/4	4,596.26	1/4	4,285.18	1/4	3,974.11	1/4	3,627.53	1/4	3,245.44	1/4	2,863.36	1/4	2,481.28
1/2		1/2	5,211.93	1/2	4,900.85	1/2	4,589.78	1/2	4,278.70	1/2	3,967.63	1/2	3,619.57	1/2	3,237.48	1/2	2,855.40	1/2	2,473.32
3/4		3/4	5,205.45	3/4	4,894.37	3/4	4,583.30	3/4	4,272.22	3/4	3,961.15	3/4	3,611.61	3/4	3,229.52	3/4	2,847.44	3/4	2,465.36
5		5	5,198.97	5	4,887.89	5	4,576.82	5	4,265.74	5	3,954.67	5	3,603.65	5	3,221.56	5	2,839.48	5	2,457.40
1/4		1/4	5,192.49	1/4	4,881.41	1/4	4,570.34	1/4	4,259.26	1/4	3,948.19	1/4	3,595.69	1/4	3,213.60	1/4	2,831.52	1/4	2,449.44
1/2		1/2	5,186.01	1/2	4,874.93	1/2	4,563.86	1/2	4,252.78	1/2	3,941.70	1/2	3,587.73	1/2	3,205.64	1/2	2,823.56	1/2	2,441.48
3/4		3/4	5,179.53	3/4	4,868.45	3/4	4,557.37	3/4	4,246.30	3/4	3,935.22	3/4	3,579.77	3/4	3,197.68	3/4	2,815.60	3/4	2,433.52
6		6	5,173.04	6	4,861.97	6	4,550.89	6	4,239.82	6	3,928.74	6	3,571.81	6	3,189.72	6	2,807.64	6	2,425.56
1/4		1/4	5,166.56	1/4	4,855.49	1/4	4,544.41	1/4	4,233.34	1/4	3,922.26	1/4	3,563.85	1/4	3,181.76	1/4	2,799.68	1/4	2,417.60
1/2		1/2	5,160.08	1/2	4,849.01	1/2	4,537.93	1/2	4,226.86	1/2	3,915.78	1/2	3,555.89	1/2	3,173.80	1/2	2,791.72	1/2	2,409.64
3/4		3/4	5,153.60	3/4	4,842.53	3/4	4,531.45	3/4	4,220.38	3/4	3,909.30	3/4	3,547.93	3/4	3,165.84	3/4	2,783.76	3/4	2,401.68
7		7	5,147.12	7	4,836.05	7	4,524.97	7	4,213.90	7	3,902.82	7	3,539.97	7	3,157.88	7	2,775.80	7	2,393.72
1/4		1/4	5,140.64	1/4	4,829.57	1/4	4,518.49	1/4	4,207.41	1/4	3,896.34	1/4	3,532.01	1/4	3,149.92	1/4	2,767.84	1/4	2,385.75
1/2		1/2	5,134.16	1/2	4,823.08	1/2	4,512.01	1/2	4,200.93	1/2	3,889.86	1/2	3,524.05	1/2	3,141.96	1/2	2,759.88	1/2	2,377.79
3/4		3/4	5,127.68	3/4	4,816.60	3/4	4,505.53	3/4	4,194.45	3/4	3,883.38	3/4	3,516.09	3/4	3,134.00	3/4	2,751.92	3/4	2,369.83
8		8	5,121.20	8	4,810.12	8	4,499.05	8	4,187.97	8	3,876.90	8	3,508.13	8	3,126.04	8	2,743.96	8	2,361.87
1/4		1/4	5,114.72	1/4	4,803.64	1/4	4,492.57	1/4	4,181.49	1/4	3,870.42	1/4	3,500.17	1/4	3,118.08	1/4	2,736.00	1/4	2,353.91
1/2		1/2	5,108.24	1/2	4,797.16	1/2	4,486.09	1/2	4,175.01	1/2	3,863.94	1/2	3,492.21	1/2	3,110.12	1/2	2,728.04	1/2	2,345.95
3/4		3/4	5,101.76	3/4	4,790.68	3/4	4,479.61	3/4	4,168.53	3/4	3,857.45	3/4	3,484.25	3/4	3,102.16	3/4	2,720.08	3/4	2,337.99
9		9	5,095.28	9	4,784.20	9	4,473.12	9	4,162.05	9	3,850.97	9	3,476.29	9	3,094.20	9	2,712.12	9	2,330.03
1/4		1/4	5,088.80	1/4	4,777.72	1/4	4,466.64	1/4	4,155.57	1/4	3,844.49	1/4	3,468.33	1/4	3,086.24	1/4	2,704.16	1/4	2,322.07
1/2		1/2	5,082.31	1/2	4,771.24	1/2	4,460.16	1/2	4,149.09	1/2	3,838.01	1/2	3,460.37	1/2	3,078.28	1/2	2,696.20	1/2	2,314.11
3/4		3/4	5,075.83	3/4	4,764.76	3/4	4,453.68	3/4	4,142.61	3/4	3,831.53	3/4	3,452.41	3/4	3,070.32	3/4	2,688.24	3/4	2,306.15
10		10	5,069.35	10	4,758.28	10	4,447.20	10	4,136.13	10	3,825.05	10	3,444.45	10	3,062.36	10	2,680.28	10	2,298.19
1/4		1/4	5,062.87	1/4	4,751.80	1/4	4,440.72	1/4	4,129.65	1/4	3,818.57	1/4	3,436.49	1/4	3,054.40	1/4	2,672.32	1/4	2,290.23
1/2		1/2	5,056.39	1/2	4,745.32	1/2	4,434.24	1/2	4,123.17	1/2	3,810.61	1/2	3,428.53	1/2	3,046.44	1/2	2,664.36	1/2	2,282.27
3/4		3/4	5,049.91	3/4	4,738.84	3/4	4,427.76	3/4	4,116.68	3/4	3,802.65	3/4	3,420.57	3/4	3,038.48	3/4	2,656.40	3/4	2,274.31
11		11	5,043.43	11	4,732.35	11	4,421.28	11	4,110.20	11	3,794.69	11	3,412.61	11	3,030.52	11	2,648.44	11	2,266.35
1/4	5,294.02	1/4	5,036.95	1/4	4,725.87	1/4	4,414.80	1/4	4,103.72	1/4	3,786.73	1/4	3,404.65	1/4	3,022.56	1/4	2,640.48	1/4	2,258.39
1/2	5,292.40	1/2	5,030.47	1/2	4,719.39	1/2	4,408.32	1/2	4,097.24	1/2	3,778.77	1/2	3,396.69	1/2	3,014.60	1/2	2,632.52	1/2	2,250.43
3/4	5,290.78	3/4	5,023.99	3/4	4,712.91	3/4	4,401.84	3/4	4,090.76	3/4	3,770.81	3/4	3,388.73	3/4	3,006.64	3/4	2,624.56	3/4	2,242.47

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 3" OFF CENTERLINE AND 51' 3" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/12/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT



BARGE "GBL 932B"
HULL NO. 03-2001

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,234.51	0	1,852.85	0	1,472.20	0	1,090.17	0	710.32	0	329.34	0		0		0		0	
1/4	2,226.55	1/4	1,844.93	1/4	1,464.24	1/4	1,082.21	1/4	702.45	1/4	321.40	1/4		1/4		1/4		1/4	
1/2	2,218.59	1/2	1,837.01	1/2	1,456.29	1/2	1,074.25	1/2	694.52	1/2	313.46	1/2		1/2		1/2		1/2	
3/4	2,210.63	3/4	1,829.08	3/4	1,448.33	3/4	1,066.29	3/4	686.58	3/4	305.52	3/4		3/4		3/4		3/4	
1	2,202.67	1	1,821.16	1	1,440.37	1	1,058.33	1	678.64	1	297.58	1		1		1		1	
1/4	2,194.71	1/4	1,813.24	1/4	1,432.42	1/4	1,050.37	1/4	670.70	1/4	289.64	1/4		1/4		1/4		1/4	
1/2	2,186.75	1/2	1,805.32	1/2	1,424.46	1/2	1,042.41	1/2	662.76	1/2	281.70	1/2		1/2		1/2		1/2	
3/4	2,178.79	3/4	1,797.40	3/4	1,416.50	3/4	1,034.45	3/4	654.82	3/4	273.76	3/4		3/4		3/4		3/4	
2	2,170.83	2	1,789.48	2	1,408.54	2	1,026.49	2	646.88	2	265.83	2		2		2		2	
1/4	2,162.87	1/4	1,781.55	1/4	1,400.59	1/4	1,018.53	1/4	638.94	1/4	257.89	1/4		1/4		1/4		1/4	
1/2	2,154.91	1/2	1,773.63	1/2	1,392.63	1/2	1,010.57	1/2	631.01	1/2	249.95	1/2		1/2		1/2		1/2	
3/4	2,146.95	3/4	1,765.71	3/4	1,384.67	3/4	1,002.61	3/4	623.07	3/4	242.01	3/4		3/4		3/4		3/4	
3	2,138.99	3	1,757.79	3	1,376.72	3	994.65	3	615.13	3	234.07	3		3		3		3	
1/4	2,131.03	1/4	1,749.87	1/4	1,368.76	1/4	986.69	1/4	607.19	1/4	226.13	1/4		1/4		1/4		1/4	
1/2	2,123.07	1/2	1,741.94	1/2	1,360.80	1/2	978.73	1/2	599.25	1/2	218.19	1/2		1/2		1/2		1/2	
3/4	2,115.11	3/4	1,734.02	3/4	1,352.84	3/4	970.77	3/4	591.31	3/4	210.26	3/4		3/4		3/4		3/4	
4	2,107.15	4	1,726.10	4	1,344.88	4	962.81	4	583.37	4	202.32	4		4		4		4	
1/4	2,099.19	1/4	1,718.18	1/4	1,336.92	1/4	954.85	1/4	575.43	1/4	194.38	1/4		1/4		1/4		1/4	
1/2	2,091.23	1/2	1,710.26	1/2	1,328.96	1/2	946.90	1/2	567.50	1/2	186.44	1/2		1/2		1/2		1/2	
3/4	2,083.27	3/4	1,702.33	3/4	1,321.00	3/4	938.94	3/4	559.56	3/4	178.50	3/4		3/4		3/4		3/4	
5	2,075.31	5	1,694.41	5	1,313.04	5	930.98	5	551.62	5	170.56	5		5		5		5	
1/4	2,067.35	1/4	1,686.49	1/4	1,305.08	1/4	923.02	1/4	543.68	1/4	162.62	1/4		1/4		1/4		1/4	
1/2	2,059.39	1/2	1,678.57	1/2	1,297.12	1/2	915.06	1/2	535.74	1/2	154.68	1/2		1/2		1/2		1/2	
3/4	2,051.43	3/4	1,670.65	3/4	1,289.16	3/4	907.10	3/4	527.80	3/4	146.75	3/4		3/4		3/4		3/4	
6	2,043.47	6	1,662.73	6	1,281.20	6	899.14	6	519.86	6	138.81	6		6		6		6	
1/4	2,035.51	1/4	1,654.80	1/4	1,273.24	1/4	891.18	1/4	511.93	1/4	130.87	1/4		1/4		1/4		1/4	
1/2	2,027.55	1/2	1,646.88	1/2	1,265.28	1/2	883.31	1/2	503.99	1/2	122.93	1/2		1/2		1/2		1/2	
3/4	2,019.59	3/4	1,638.96	3/4	1,257.32	3/4	875.45	3/4	496.05	3/4	114.99	3/4		3/4		3/4		3/4	
7	2,011.63	7	1,631.04	7	1,249.36	7	867.59	7	488.11	7	107.05	7		7		7		7	
1/4	2,003.67	1/4	1,623.12	1/4	1,241.40	1/4	859.72	1/4	480.17	1/4	99.11	1/4		1/4		1/4		1/4	
1/2	1,995.71	1/2	1,615.19	1/2	1,233.44	1/2	851.86	1/2	472.23	1/2	91.17	1/2		1/2		1/2		1/2	
3/4	1,987.75	3/4	1,607.27	3/4	1,225.48	3/4	844.00	3/4	464.29	3/4	83.24	3/4		3/4		3/4		3/4	
8	1,979.79	8	1,599.35	8	1,217.52	8	836.13	8	456.35	8	75.30	8		8		8		8	
1/4	1,971.83	1/4	1,591.42	1/4	1,209.56	1/4	828.27	1/4	448.42	1/4	67.36	1/4		1/4		1/4		1/4	
1/2	1,963.87	1/2	1,583.50	1/2	1,201.61	1/2	820.41	1/2	440.48	1/2	60.42	1/2		1/2		1/2		1/2	
3/4	1,955.91	3/4	1,575.58	3/4	1,193.65	3/4	812.54	3/4	432.54	3/4	53.47	3/4		3/4		3/4		3/4	
9	1,947.95	9	1,567.65	9	1,185.69	9	804.68	9	424.60	9	46.53	9		9		9		9	
1/4	1,939.99	1/4	1,559.73	1/4	1,177.73	1/4	796.82	1/4	416.66	1/4	39.58	1/4		1/4		1/4		1/4	
1/2	1,932.07	1/2	1,551.77	1/2	1,169.77	1/2	788.95	1/2	408.72	1/2	34.63	1/2		1/2		1/2		1/2	
3/4	1,924.15	3/4	1,543.81	3/4	1,161.81	3/4	781.09	3/4	400.78	3/4	29.68	3/4		3/4		3/4		3/4	
10	1,916.22	10	1,535.86	10	1,153.85	10	773.23	10	392.85	10	24.72	10		10		10		10	
1/4	1,908.30	1/4	1,527.90	1/4	1,145.89	1/4	765.36	1/4	384.91	1/4	19.77	1/4		1/4		1/4		1/4	
1/2	1,900.38	1/2	1,519.94	1/2	1,137.93	1/2	757.50	1/2	376.97	1/2		1/2		1/2		1/2		1/2	
3/4	1,892.46	3/4	1,511.99	3/4	1,129.97	3/4	749.63	3/4	369.03	3/4		3/4		3/4		3/4		3/4	
11	1,884.54	11	1,504.03	11	1,122.01	11	741.77	11	361.09	11		11		11		11		11	
1/4	1,876.62	1/4	1,496.07	1/4	1,114.05	1/4	733.91	1/4	353.15	1/4		1/4		1/4		1/4		1/4	
1/2	1,868.69	1/2	1,488.11	1/2	1,106.09	1/2	726.04	1/2	345.21	1/2		1/2		1/2		1/2		1/2	
3/4	1,860.77	3/4	1,480.16	3/4	1,098.13	3/4	718.18	3/4	337.27	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/13/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT


BARGE "GBL 932B"
HULL NO. 03-2001

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,297.58	0	4,988.38	0	4,629.13	0	4,269.89	0	3,910.64	0	3,551.40	0	3,192.15	0	2,832.90	0	2,473.66
1/4		1/4	5,295.10	1/4	4,980.89	1/4	4,621.65	1/4	4,262.40	1/4	3,903.16	1/4	3,543.91	1/4	3,184.67	1/4	2,825.42	1/4	2,466.18
1/2		1/2	5,292.62	1/2	4,973.41	1/2	4,614.16	1/2	4,254.92	1/2	3,895.67	1/2	3,536.43	1/2	3,177.18	1/2	2,817.94	1/2	2,458.69
3/4		3/4	5,290.14	3/4	4,965.92	3/4	4,606.68	3/4	4,247.43	3/4	3,888.19	3/4	3,528.94	3/4	3,169.70	3/4	2,810.45	3/4	2,451.21
1		1	5,287.66	1	4,958.44	1	4,599.19	1	4,239.95	1	3,880.70	1	3,521.46	1	3,162.21	1	2,802.97	1	2,443.72
1/4		1/4	5,283.93	1/4	4,950.95	1/4	4,591.71	1/4	4,232.46	1/4	3,873.22	1/4	3,513.97	1/4	3,154.73	1/4	2,795.48	1/4	2,436.24
1/2		1/2	5,280.20	1/2	4,943.47	1/2	4,584.22	1/2	4,224.98	1/2	3,865.73	1/2	3,506.49	1/2	3,147.24	1/2	2,788.00	1/2	2,428.75
3/4		3/4	5,276.47	3/4	4,935.99	3/4	4,576.74	3/4	4,217.50	3/4	3,858.25	3/4	3,499.01	3/4	3,139.76	3/4	2,780.51	3/4	2,421.27
2		2	5,272.73	2	4,928.50	2	4,569.26	2	4,210.01	2	3,850.77	2	3,491.52	2	3,132.28	2	2,773.03	2	2,413.79
1/4		1/4	5,267.75	1/4	4,921.02	1/4	4,561.77	1/4	4,202.53	1/4	3,843.28	1/4	3,484.04	1/4	3,124.79	1/4	2,765.55	1/4	2,406.30
1/2		1/2	5,262.77	1/2	4,913.53	1/2	4,554.29	1/2	4,195.04	1/2	3,835.80	1/2	3,476.55	1/2	3,117.31	1/2	2,758.06	1/2	2,398.82
3/4		3/4	5,257.79	3/4	4,906.05	3/4	4,546.80	3/4	4,187.56	3/4	3,828.31	3/4	3,469.07	3/4	3,109.82	3/4	2,750.58	3/4	2,391.33
3		3	5,252.81	3	4,898.56	3	4,539.32	3	4,180.07	3	3,820.83	3	3,461.58	3	3,102.34	3	2,743.09	3	2,383.85
1/4		1/4	5,246.57	1/4	4,891.08	1/4	4,531.83	1/4	4,172.59	1/4	3,813.34	1/4	3,454.10	1/4	3,094.85	1/4	2,735.61	1/4	2,376.36
1/2		1/2	5,240.34	1/2	4,883.60	1/2	4,524.35	1/2	4,165.11	1/2	3,805.86	1/2	3,446.62	1/2	3,087.37	1/2	2,728.12	1/2	2,368.88
3/4		3/4	5,234.11	3/4	4,876.11	3/4	4,516.87	3/4	4,157.62	3/4	3,798.38	3/4	3,439.13	3/4	3,079.89	3/4	2,720.64	3/4	2,361.40
4		4	5,227.87	4	4,868.63	4	4,509.38	4	4,150.14	4	3,790.89	4	3,431.65	4	3,072.40	4	2,713.16	4	2,353.91
1/4		1/4	5,220.39	1/4	4,861.14	1/4	4,501.90	1/4	4,142.65	1/4	3,783.41	1/4	3,424.16	1/4	3,064.92	1/4	2,705.67	1/4	2,346.43
1/2		1/2	5,212.90	1/2	4,853.66	1/2	4,494.41	1/2	4,135.17	1/2	3,775.92	1/2	3,416.68	1/2	3,057.43	1/2	2,698.19	1/2	2,338.94
3/4		3/4	5,205.42	3/4	4,846.17	3/4	4,486.93	3/4	4,127.68	3/4	3,768.44	3/4	3,409.19	3/4	3,049.95	3/4	2,690.70	3/4	2,331.46
5		5	5,197.94	5	4,838.69	5	4,479.44	5	4,120.20	5	3,760.95	5	3,401.71	5	3,042.46	5	2,683.22	5	2,323.97
1/4		1/4	5,190.45	1/4	4,831.21	1/4	4,471.96	1/4	4,112.72	1/4	3,753.47	1/4	3,394.23	1/4	3,034.98	1/4	2,675.74	1/4	2,316.49
1/2		1/2	5,182.97	1/2	4,823.72	1/2	4,464.48	1/2	4,105.23	1/2	3,745.99	1/2	3,386.74	1/2	3,027.50	1/2	2,668.25	1/2	2,309.01
3/4		3/4	5,175.48	3/4	4,816.24	3/4	4,456.99	3/4	4,097.75	3/4	3,738.50	3/4	3,379.26	3/4	3,020.01	3/4	2,660.77	3/4	2,301.52
6		6	5,168.00	6	4,808.75	6	4,449.51	6	4,090.26	6	3,731.02	6	3,371.77	6	3,012.53	6	2,653.28	6	2,294.04
1/4		1/4	5,160.51	1/4	4,801.27	1/4	4,442.02	1/4	4,082.78	1/4	3,723.53	1/4	3,364.29	1/4	3,005.04	1/4	2,645.80	1/4	2,286.55
1/2		1/2	5,153.03	1/2	4,793.78	1/2	4,434.54	1/2	4,075.29	1/2	3,716.05	1/2	3,356.80	1/2	2,997.56	1/2	2,638.31	1/2	2,279.07
3/4		3/4	5,145.55	3/4	4,786.30	3/4	4,427.06	3/4	4,067.81	3/4	3,708.56	3/4	3,349.32	3/4	2,990.07	3/4	2,630.83	3/4	2,271.58
7		7	5,138.06	7	4,778.82	7	4,419.57	7	4,060.33	7	3,701.08	7	3,341.84	7	2,982.59	7	2,623.35	7	2,264.10
1/4		1/4	5,130.58	1/4	4,771.33	1/4	4,412.09	1/4	4,052.84	1/4	3,693.60	1/4	3,334.35	1/4	2,975.11	1/4	2,615.86	1/4	2,256.62
1/2		1/2	5,123.09	1/2	4,763.85	1/2	4,404.60	1/2	4,045.36	1/2	3,686.11	1/2	3,326.87	1/2	2,967.62	1/2	2,608.38	1/2	2,249.13
3/4		3/4	5,115.61	3/4	4,756.36	3/4	4,397.12	3/4	4,037.87	3/4	3,678.63	3/4	3,319.38	3/4	2,960.14	3/4	2,600.89	3/4	2,241.65
8		8	5,108.12	8	4,748.88	8	4,389.63	8	4,030.39	8	3,671.14	8	3,311.90	8	2,952.65	8	2,593.41	8	2,234.16
1/4		1/4	5,100.64	1/4	4,741.39	1/4	4,382.15	1/4	4,022.90	1/4	3,663.66	1/4	3,304.41	1/4	2,945.17	1/4	2,585.92	1/4	2,226.68
1/2		1/2	5,093.16	1/2	4,733.91	1/2	4,374.67	1/2	4,015.42	1/2	3,656.17	1/2	3,296.93	1/2	2,937.68	1/2	2,578.44	1/2	2,219.19
3/4		3/4	5,085.67	3/4	4,726.43	3/4	4,367.18	3/4	4,007.94	3/4	3,648.69	3/4	3,289.45	3/4	2,930.20	3/4	2,570.96	3/4	2,211.71
9		9	5,078.19	9	4,718.94	9	4,359.70	9	4,000.45	9	3,641.21	9	3,281.96	9	2,922.72	9	2,563.47	9	2,204.23
1/4		1/4	5,070.70	1/4	4,711.46	1/4	4,352.21	1/4	3,992.97	1/4	3,633.72	1/4	3,274.48	1/4	2,915.23	1/4	2,555.99	1/4	2,196.74
1/2		1/2	5,063.22	1/2	4,703.97	1/2	4,344.73	1/2	3,985.48	1/2	3,626.24	1/2	3,266.99	1/2	2,907.75	1/2	2,548.50	1/2	2,189.26
3/4		3/4	5,055.73	3/4	4,696.49	3/4	4,337.24	3/4	3,978.00	3/4	3,618.75	3/4	3,259.51	3/4	2,900.26	3/4	2,541.02	3/4	2,181.77
10		10	5,048.25	10	4,689.00	10	4,329.76	10	3,970.51	10	3,611.27	10	3,252.02	10	2,892.78	10	2,533.53	10	2,174.29
1/4		1/4	5,040.77	1/4	4,681.52	1/4	4,322.28	1/4	3,963.03	1/4	3,603.78	1/4	3,244.54	1/4	2,885.29	1/4	2,526.05	1/4	2,166.80
1/2		1/2	5,033.28	1/2	4,674.04	1/2	4,314.79	1/2	3,955.55	1/2	3,596.30	1/2	3,237.06	1/2	2,877.81	1/2	2,518.57	1/2	2,159.32
3/4		3/4	5,025.80	3/4	4,666.55	3/4	4,307.31	3/4	3,948.06	3/4	3,588.82	3/4	3,229.57	3/4	2,870.33	3/4	2,511.08	3/4	2,151.84
11	5,302.50	11	5,018.31	11	4,659.07	11	4,299.82	11	3,940.58	11	3,581.33	11	3,222.09	11	2,862.84	11	2,503.60	11	2,144.35
1/4	5,301.27	1/4	5,010.83	1/4	4,651.58	1/4	4,292.34	1/4	3,933.09	1/4	3,573.85	1/4	3,214.60	1/4	2,855.36	1/4	2,496.11	1/4	2,136.87
1/2	5,300.04	1/2	5,003.34	1/2	4,644.10	1/2	4,284.85	1/2	3,925.61	1/2	3,566.36	1/2	3,207.12	1/2	2,847.87	1/2	2,488.63	1/2	2,129.38
3/4	5,298.81	3/4	4,995.86	3/4	4,636.61	3/4	4,277.37	3/4	3,918.12	3/4	3,558.88	3/4	3,199.63	3/4	2,840.39	3/4	2,481.14	3/4	2,121.90

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 4" OFF CENTERLINE AND 45' 3" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/12/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT



BARGE "GBL 932B"
HULL NO. 03-2001

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,114.41	0	1,755.17	0	1,395.92	0	1,036.68	0	677.43	0	318.19	0		0		0		0	
1/4	2,106.93	1/4	1,747.69	1/4	1,388.44	1/4	1,029.19	1/4	669.95	1/4	310.70	1/4		1/4		1/4		1/4	
1/2	2,099.45	1/2	1,740.20	1/2	1,380.96	1/2	1,021.71	1/2	662.47	1/2	303.22	1/2		1/2		1/2		1/2	
3/4	2,091.96	3/4	1,732.72	3/4	1,373.47	3/4	1,014.23	3/4	654.98	3/4	295.74	3/4		3/4		3/4		3/4	
1	2,084.48	1	1,725.23	1	1,365.99	1	1,006.74	1	647.50	1	288.25	1		1		1		1	
1/4	2,076.99	1/4	1,717.75	1/4	1,358.50	1/4	999.26	1/4	640.01	1/4	280.77	1/4		1/4		1/4		1/4	
1/2	2,069.51	1/2	1,710.26	1/2	1,351.02	1/2	991.77	1/2	632.53	1/2	273.28	1/2		1/2		1/2		1/2	
3/4	2,062.02	3/4	1,702.78	3/4	1,343.53	3/4	984.29	3/4	625.04	3/4	265.80	3/4		3/4		3/4		3/4	
2	2,054.54	2	1,695.30	2	1,336.05	2	976.80	2	617.56	2	258.31	2		2		2		2	
1/4	2,047.06	1/4	1,687.81	1/4	1,328.57	1/4	969.32	1/4	610.08	1/4	250.83	1/4		1/4		1/4		1/4	
1/2	2,039.57	1/2	1,680.33	1/2	1,321.08	1/2	961.84	1/2	602.59	1/2	243.35	1/2		1/2		1/2		1/2	
3/4	2,032.09	3/4	1,672.84	3/4	1,313.60	3/4	954.35	3/4	595.11	3/4	235.86	3/4		3/4		3/4		3/4	
3	2,024.60	3	1,665.36	3	1,306.11	3	946.87	3	587.62	3	228.38	3		3		3		3	
1/4	2,017.12	1/4	1,657.87	1/4	1,298.63	1/4	939.38	1/4	580.14	1/4	220.89	1/4		1/4		1/4		1/4	
1/2	2,009.63	1/2	1,650.39	1/2	1,291.14	1/2	931.90	1/2	572.65	1/2	213.41	1/2		1/2		1/2		1/2	
3/4	2,002.15	3/4	1,642.91	3/4	1,283.66	3/4	924.42	3/4	565.17	3/4	205.92	3/4		3/4		3/4		3/4	
4	1,994.67	4	1,635.42	4	1,276.18	4	916.93	4	557.69	4	198.44	4		4		4		4	
1/4	1,987.18	1/4	1,627.94	1/4	1,268.69	1/4	909.45	1/4	550.20	1/4	190.96	1/4		1/4		1/4		1/4	
1/2	1,979.70	1/2	1,620.45	1/2	1,261.21	1/2	901.96	1/2	542.72	1/2	183.47	1/2		1/2		1/2		1/2	
3/4	1,972.21	3/4	1,612.97	3/4	1,253.72	3/4	894.48	3/4	535.23	3/4	175.99	3/4		3/4		3/4		3/4	
5	1,964.73	5	1,605.48	5	1,246.24	5	886.99	5	527.75	5	168.50	5		5		5		5	
1/4	1,957.24	1/4	1,598.00	1/4	1,238.75	1/4	879.51	1/4	520.26	1/4	161.02	1/4		1/4		1/4		1/4	
1/2	1,949.76	1/2	1,590.52	1/2	1,231.27	1/2	872.03	1/2	512.78	1/2	153.53	1/2		1/2		1/2		1/2	
3/4	1,942.28	3/4	1,583.03	3/4	1,223.79	3/4	864.54	3/4	505.30	3/4	146.05	3/4		3/4		3/4		3/4	
6	1,934.79	6	1,575.55	6	1,216.30	6	857.06	6	497.81	6	138.57	6		6		6		6	
1/4	1,927.31	1/4	1,568.06	1/4	1,208.82	1/4	849.57	1/4	490.33	1/4	131.08	1/4		1/4		1/4		1/4	
1/2	1,919.82	1/2	1,560.58	1/2	1,201.33	1/2	842.09	1/2	482.84	1/2	123.60	1/2		1/2		1/2		1/2	
3/4	1,912.34	3/4	1,553.09	3/4	1,193.85	3/4	834.60	3/4	475.36	3/4	116.11	3/4		3/4		3/4		3/4	
7	1,904.85	7	1,545.61	7	1,186.36	7	827.12	7	467.87	7	108.63	7		7		7		7	
1/4	1,897.37	1/4	1,538.13	1/4	1,178.88	1/4	819.64	1/4	460.39	1/4	101.15	1/4		1/4		1/4		1/4	
1/2	1,889.89	1/2	1,530.64	1/2	1,171.40	1/2	812.15	1/2	452.91	1/2	93.66	1/2		1/2		1/2		1/2	
3/4	1,882.40	3/4	1,523.16	3/4	1,163.91	3/4	804.67	3/4	445.42	3/4	86.18	3/4		3/4		3/4		3/4	
8	1,874.92	8	1,515.67	8	1,156.43	8	797.18	8	437.94	8	78.69	8		8		8		8	
1/4	1,867.43	1/4	1,508.19	1/4	1,148.94	1/4	789.70	1/4	430.45	1/4	71.21	1/4		1/4		1/4		1/4	
1/2	1,859.95	1/2	1,500.70	1/2	1,141.46	1/2	782.21	1/2	422.97	1/2	63.72	1/2		1/2		1/2		1/2	
3/4	1,852.46	3/4	1,493.22	3/4	1,133.97	3/4	774.73	3/4	415.48	3/4	56.18	3/4		3/4		3/4		3/4	
9	1,844.98	9	1,485.74	9	1,126.49	9	767.25	9	408.00	9	50.63	9		9		9		9	
1/4	1,837.50	1/4	1,478.25	1/4	1,119.01	1/4	759.76	1/4	400.52	1/4	44.09	1/4		1/4		1/4		1/4	
1/2	1,830.01	1/2	1,470.77	1/2	1,111.52	1/2	752.28	1/2	393.03	1/2	37.54	1/2		1/2		1/2		1/2	
3/4	1,822.53	3/4	1,463.28	3/4	1,104.04	3/4	744.79	3/4	385.55	3/4	32.87	3/4		3/4		3/4		3/4	
10	1,815.04	10	1,455.80	10	1,096.55	10	737.31	10	378.06	10	28.20	10		10		10		10	
1/4	1,807.56	1/4	1,448.31	1/4	1,089.07	1/4	729.82	1/4	370.58	1/4	23.53	1/4		1/4		1/4		1/4	
1/2	1,800.08	1/2	1,440.83	1/2	1,081.58	1/2	722.34	1/2	363.09	1/2	18.86	1/2		1/2		1/2		1/2	
3/4	1,792.59	3/4	1,433.35	3/4	1,074.10	3/4	714.86	3/4	355.61	3/4		3/4		3/4		3/4		3/4	
11	1,785.11	11	1,425.86	11	1,066.62	11	707.37	11	348.13	11		11		11		11		11	
1/4	1,777.62	1/4	1,418.38	1/4	1,059.13	1/4	699.89	1/4	340.64	1/4		1/4		1/4		1/4		1/4	
1/2	1,770.14	1/2	1,410.89	1/2	1,051.65	1/2	692.40	1/2	333.16	1/2		1/2		1/2		1/2		1/2	
3/4	1,762.65	3/4	1,403.41	3/4	1,044.16	3/4	684.92	3/4	325.67	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/13/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT



BARGE "GBL 932B"
HULL NO. 03-2001

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,297.58	0	4,988.38	0	4,629.13	0	4,269.89	0	3,910.64	0	3,551.40	0	3,192.15	0	2,832.90	0	2,473.66
1/4		1/4	5,295.10	1/4	4,980.89	1/4	4,621.65	1/4	4,262.40	1/4	3,903.16	1/4	3,543.91	1/4	3,184.67	1/4	2,825.42	1/4	2,466.18
1/2		1/2	5,292.62	1/2	4,973.41	1/2	4,614.16	1/2	4,254.92	1/2	3,895.67	1/2	3,536.43	1/2	3,177.18	1/2	2,817.94	1/2	2,458.69
3/4		3/4	5,290.14	3/4	4,965.92	3/4	4,606.68	3/4	4,247.43	3/4	3,888.19	3/4	3,528.94	3/4	3,169.70	3/4	2,810.45	3/4	2,451.21
1		1	5,287.66	1	4,958.44	1	4,599.19	1	4,239.95	1	3,880.70	1	3,521.46	1	3,162.21	1	2,802.97	1	2,443.72
1/4		1/4	5,283.93	1/4	4,950.95	1/4	4,591.71	1/4	4,232.46	1/4	3,873.22	1/4	3,513.97	1/4	3,154.73	1/4	2,795.48	1/4	2,436.24
1/2		1/2	5,280.20	1/2	4,943.47	1/2	4,584.22	1/2	4,224.98	1/2	3,865.73	1/2	3,506.49	1/2	3,147.24	1/2	2,788.00	1/2	2,428.75
3/4		3/4	5,276.47	3/4	4,935.99	3/4	4,576.74	3/4	4,217.50	3/4	3,858.25	3/4	3,499.01	3/4	3,139.76	3/4	2,780.51	3/4	2,421.27
2		2	5,272.73	2	4,928.50	2	4,569.26	2	4,210.01	2	3,850.77	2	3,491.52	2	3,132.28	2	2,773.03	2	2,413.79
1/4		1/4	5,267.75	1/4	4,921.02	1/4	4,561.77	1/4	4,202.53	1/4	3,843.28	1/4	3,484.04	1/4	3,124.79	1/4	2,765.55	1/4	2,406.30
1/2		1/2	5,262.77	1/2	4,913.53	1/2	4,554.29	1/2	4,195.04	1/2	3,835.80	1/2	3,476.55	1/2	3,117.31	1/2	2,758.06	1/2	2,398.82
3/4		3/4	5,257.79	3/4	4,906.05	3/4	4,546.80	3/4	4,187.56	3/4	3,828.31	3/4	3,469.07	3/4	3,109.82	3/4	2,750.58	3/4	2,391.33
3		3	5,252.81	3	4,898.56	3	4,539.32	3	4,180.07	3	3,820.83	3	3,461.58	3	3,102.34	3	2,743.09	3	2,383.85
1/4		1/4	5,246.57	1/4	4,891.08	1/4	4,531.83	1/4	4,172.59	1/4	3,813.34	1/4	3,454.10	1/4	3,094.85	1/4	2,735.61	1/4	2,376.36
1/2		1/2	5,240.34	1/2	4,883.60	1/2	4,524.35	1/2	4,165.11	1/2	3,805.86	1/2	3,446.62	1/2	3,087.37	1/2	2,728.12	1/2	2,368.88
3/4		3/4	5,234.11	3/4	4,876.11	3/4	4,516.87	3/4	4,157.62	3/4	3,798.38	3/4	3,439.13	3/4	3,079.89	3/4	2,720.64	3/4	2,361.40
4		4	5,227.87	4	4,868.63	4	4,509.38	4	4,150.14	4	3,790.89	4	3,431.65	4	3,072.40	4	2,713.16	4	2,353.91
1/4		1/4	5,220.39	1/4	4,861.14	1/4	4,501.90	1/4	4,142.65	1/4	3,783.41	1/4	3,424.16	1/4	3,064.92	1/4	2,705.67	1/4	2,346.43
1/2		1/2	5,212.90	1/2	4,853.66	1/2	4,494.41	1/2	4,135.17	1/2	3,775.92	1/2	3,416.68	1/2	3,057.43	1/2	2,698.19	1/2	2,338.94
3/4		3/4	5,205.42	3/4	4,846.17	3/4	4,486.93	3/4	4,127.68	3/4	3,768.44	3/4	3,409.19	3/4	3,049.95	3/4	2,690.70	3/4	2,331.46
5		5	5,197.94	5	4,838.69	5	4,479.44	5	4,120.20	5	3,760.95	5	3,401.71	5	3,042.46	5	2,683.22	5	2,323.97
1/4		1/4	5,190.45	1/4	4,831.21	1/4	4,471.96	1/4	4,112.72	1/4	3,753.47	1/4	3,394.23	1/4	3,034.98	1/4	2,675.74	1/4	2,316.49
1/2		1/2	5,182.97	1/2	4,823.72	1/2	4,464.48	1/2	4,105.23	1/2	3,745.99	1/2	3,386.74	1/2	3,027.50	1/2	2,668.25	1/2	2,309.01
3/4		3/4	5,175.48	3/4	4,816.24	3/4	4,456.99	3/4	4,097.75	3/4	3,738.50	3/4	3,379.26	3/4	3,020.01	3/4	2,660.77	3/4	2,301.52
6		6	5,168.00	6	4,808.75	6	4,449.51	6	4,090.26	6	3,731.02	6	3,371.77	6	3,012.53	6	2,653.28	6	2,294.04
1/4		1/4	5,160.51	1/4	4,801.27	1/4	4,442.02	1/4	4,082.78	1/4	3,723.53	1/4	3,364.29	1/4	3,005.04	1/4	2,645.80	1/4	2,286.55
1/2		1/2	5,153.03	1/2	4,793.78	1/2	4,434.54	1/2	4,075.29	1/2	3,716.05	1/2	3,356.80	1/2	2,997.56	1/2	2,638.31	1/2	2,279.07
3/4		3/4	5,145.55	3/4	4,786.30	3/4	4,427.06	3/4	4,067.81	3/4	3,708.56	3/4	3,349.32	3/4	2,990.07	3/4	2,630.83	3/4	2,271.58
7		7	5,138.06	7	4,778.82	7	4,419.57	7	4,060.33	7	3,701.08	7	3,341.84	7	2,982.59	7	2,623.35	7	2,264.10
1/4		1/4	5,130.58	1/4	4,771.33	1/4	4,412.09	1/4	4,052.84	1/4	3,693.60	1/4	3,334.35	1/4	2,975.11	1/4	2,615.86	1/4	2,256.62
1/2		1/2	5,123.09	1/2	4,763.85	1/2	4,404.60	1/2	4,045.36	1/2	3,686.11	1/2	3,326.87	1/2	2,967.62	1/2	2,608.38	1/2	2,249.13
3/4		3/4	5,115.61	3/4	4,756.36	3/4	4,397.12	3/4	4,037.87	3/4	3,678.63	3/4	3,319.38	3/4	2,960.14	3/4	2,600.89	3/4	2,241.65
8		8	5,108.12	8	4,748.88	8	4,389.63	8	4,030.39	8	3,671.14	8	3,311.90	8	2,952.65	8	2,593.41	8	2,234.16
1/4		1/4	5,100.64	1/4	4,741.39	1/4	4,382.15	1/4	4,022.90	1/4	3,663.66	1/4	3,304.41	1/4	2,945.17	1/4	2,585.92	1/4	2,226.68
1/2		1/2	5,093.16	1/2	4,733.91	1/2	4,374.67	1/2	4,015.42	1/2	3,656.17	1/2	3,296.93	1/2	2,937.68	1/2	2,578.44	1/2	2,219.19
3/4		3/4	5,085.67	3/4	4,726.43	3/4	4,367.18	3/4	4,007.94	3/4	3,648.69	3/4	3,289.45	3/4	2,930.20	3/4	2,570.96	3/4	2,211.71
9		9	5,078.19	9	4,718.94	9	4,359.70	9	4,000.45	9	3,641.21	9	3,281.96	9	2,922.72	9	2,563.47	9	2,204.23
1/4		1/4	5,070.70	1/4	4,711.46	1/4	4,352.21	1/4	3,992.97	1/4	3,633.72	1/4	3,274.48	1/4	2,915.23	1/4	2,555.99	1/4	2,196.74
1/2		1/2	5,063.22	1/2	4,703.97	1/2	4,344.73	1/2	3,985.48	1/2	3,626.24	1/2	3,266.99	1/2	2,907.75	1/2	2,548.50	1/2	2,189.26
3/4		3/4	5,055.73	3/4	4,696.49	3/4	4,337.24	3/4	3,978.00	3/4	3,618.75	3/4	3,259.51	3/4	2,900.26	3/4	2,541.02	3/4	2,181.77
10		10	5,048.25	10	4,689.00	10	4,329.76	10	3,970.51	10	3,611.27	10	3,252.02	10	2,892.78	10	2,533.53	10	2,174.29
1/4		1/4	5,040.77	1/4	4,681.52	1/4	4,322.28	1/4	3,963.03	1/4	3,603.78	1/4	3,244.54	1/4	2,885.29	1/4	2,526.05	1/4	2,166.80
1/2		1/2	5,033.28	1/2	4,674.04	1/2	4,314.79	1/2	3,955.55	1/2	3,596.30	1/2	3,237.06	1/2	2,877.81	1/2	2,518.57	1/2	2,159.32
3/4		3/4	5,025.80	3/4	4,666.55	3/4	4,307.31	3/4	3,948.06	3/4	3,588.82	3/4	3,229.57	3/4	2,870.33	3/4	2,511.08	3/4	2,151.84
11	5,302.50	11	5,018.31	11	4,659.07	11	4,299.82	11	3,940.58	11	3,581.33	11	3,222.09	11	2,862.84	11	2,503.60	11	2,144.35
1/4	5,301.27	1/4	5,010.83	1/4	4,651.58	1/4	4,292.34	1/4	3,933.09	1/4	3,573.85	1/4	3,214.60	1/4	2,855.36	1/4	2,496.11	1/4	2,136.87
1/2	5,300.04	1/2	5,003.34	1/2	4,644.10	1/2	4,284.85	1/2	3,925.61	1/2	3,566.36	1/2	3,207.12	1/2	2,847.87	1/2	2,488.63	1/2	2,129.38
3/4	5,298.81	3/4	4,995.86	3/4	4,636.61	3/4	4,277.37	3/4	3,918.12	3/4	3,558.88	3/4	3,199.63	3/4	2,840.39	3/4	2,481.14	3/4	2,121.90

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 3" OFF CENTERLINE AND 45' 3" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/12/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT



BARGE "GBL 932B"
HULL NO. 03-2001

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,114.41	0	1,755.17	0	1,395.92	0	1,036.68	0	677.43	0	318.19	0		0		0		0	
1/4	2,106.93	1/4	1,747.69	1/4	1,388.44	1/4	1,029.19	1/4	669.95	1/4	310.70	1/4		1/4		1/4		1/4	
1/2	2,099.45	1/2	1,740.20	1/2	1,380.96	1/2	1,021.71	1/2	662.47	1/2	303.22	1/2		1/2		1/2		1/2	
3/4	2,091.96	3/4	1,732.72	3/4	1,373.47	3/4	1,014.23	3/4	654.98	3/4	295.74	3/4		3/4		3/4		3/4	
1	2,084.48	1	1,725.23	1	1,365.99	1	1,006.74	1	647.50	1	288.25	1		1		1		1	
1/4	2,076.99	1/4	1,717.75	1/4	1,358.50	1/4	999.26	1/4	640.01	1/4	280.77	1/4		1/4		1/4		1/4	
1/2	2,069.51	1/2	1,710.26	1/2	1,351.02	1/2	991.77	1/2	632.53	1/2	273.28	1/2		1/2		1/2		1/2	
3/4	2,062.02	3/4	1,702.78	3/4	1,343.53	3/4	984.29	3/4	625.04	3/4	265.80	3/4		3/4		3/4		3/4	
2	2,054.54	2	1,695.30	2	1,336.05	2	976.80	2	617.56	2	258.31	2		2		2		2	
1/4	2,047.06	1/4	1,687.81	1/4	1,328.57	1/4	969.32	1/4	610.08	1/4	250.83	1/4		1/4		1/4		1/4	
1/2	2,039.57	1/2	1,680.33	1/2	1,321.08	1/2	961.84	1/2	602.59	1/2	243.35	1/2		1/2		1/2		1/2	
3/4	2,032.09	3/4	1,672.84	3/4	1,313.60	3/4	954.35	3/4	595.11	3/4	235.86	3/4		3/4		3/4		3/4	
3	2,024.60	3	1,665.36	3	1,306.11	3	946.87	3	587.62	3	228.38	3		3		3		3	
1/4	2,017.12	1/4	1,657.87	1/4	1,298.63	1/4	939.38	1/4	580.14	1/4	220.89	1/4		1/4		1/4		1/4	
1/2	2,009.63	1/2	1,650.39	1/2	1,291.14	1/2	931.90	1/2	572.65	1/2	213.41	1/2		1/2		1/2		1/2	
3/4	2,002.15	3/4	1,642.91	3/4	1,283.66	3/4	924.42	3/4	565.17	3/4	205.92	3/4		3/4		3/4		3/4	
4	1,994.67	4	1,635.42	4	1,276.18	4	916.93	4	557.69	4	198.44	4		4		4		4	
1/4	1,987.18	1/4	1,627.94	1/4	1,268.69	1/4	909.45	1/4	550.20	1/4	190.96	1/4		1/4		1/4		1/4	
1/2	1,979.70	1/2	1,620.45	1/2	1,261.21	1/2	901.96	1/2	542.72	1/2	183.47	1/2		1/2		1/2		1/2	
3/4	1,972.21	3/4	1,612.97	3/4	1,253.72	3/4	894.48	3/4	535.23	3/4	175.99	3/4		3/4		3/4		3/4	
5	1,964.73	5	1,605.48	5	1,246.24	5	886.99	5	527.75	5	168.50	5		5		5		5	
1/4	1,957.24	1/4	1,598.00	1/4	1,238.75	1/4	879.51	1/4	520.26	1/4	161.02	1/4		1/4		1/4		1/4	
1/2	1,949.76	1/2	1,590.52	1/2	1,231.27	1/2	872.03	1/2	512.78	1/2	153.53	1/2		1/2		1/2		1/2	
3/4	1,942.28	3/4	1,583.03	3/4	1,223.79	3/4	864.54	3/4	505.30	3/4	146.05	3/4		3/4		3/4		3/4	
6	1,934.79	6	1,575.55	6	1,216.30	6	857.06	6	497.81	6	138.57	6		6		6		6	
1/4	1,927.31	1/4	1,568.06	1/4	1,208.82	1/4	849.57	1/4	490.33	1/4	131.08	1/4		1/4		1/4		1/4	
1/2	1,919.82	1/2	1,560.58	1/2	1,201.33	1/2	842.09	1/2	482.84	1/2	123.60	1/2		1/2		1/2		1/2	
3/4	1,912.34	3/4	1,553.09	3/4	1,193.85	3/4	834.60	3/4	475.36	3/4	116.11	3/4		3/4		3/4		3/4	
7	1,904.85	7	1,545.61	7	1,186.36	7	827.12	7	467.87	7	108.63	7		7		7		7	
1/4	1,897.37	1/4	1,538.13	1/4	1,178.88	1/4	819.64	1/4	460.39	1/4	101.15	1/4		1/4		1/4		1/4	
1/2	1,889.89	1/2	1,530.64	1/2	1,171.40	1/2	812.15	1/2	452.91	1/2	93.66	1/2		1/2		1/2		1/2	
3/4	1,882.40	3/4	1,523.16	3/4	1,163.91	3/4	804.67	3/4	445.42	3/4	86.18	3/4		3/4		3/4		3/4	
8	1,874.92	8	1,515.67	8	1,156.43	8	797.18	8	437.94	8	78.69	8		8		8		8	
1/4	1,867.43	1/4	1,508.19	1/4	1,148.94	1/4	789.70	1/4	430.45	1/4	71.21	1/4		1/4		1/4		1/4	
1/2	1,859.95	1/2	1,500.70	1/2	1,141.46	1/2	782.21	1/2	422.97	1/2	63.72	1/2		1/2		1/2		1/2	
3/4	1,852.46	3/4	1,493.22	3/4	1,133.97	3/4	774.73	3/4	415.48	3/4	56.18	3/4		3/4		3/4		3/4	
9	1,844.98	9	1,485.74	9	1,126.49	9	767.25	9	408.00	9	50.63	9		9		9		9	
1/4	1,837.50	1/4	1,478.25	1/4	1,119.01	1/4	759.76	1/4	400.52	1/4	44.09	1/4		1/4		1/4		1/4	
1/2	1,830.01	1/2	1,470.77	1/2	1,111.52	1/2	752.28	1/2	393.03	1/2	37.54	1/2		1/2		1/2		1/2	
3/4	1,822.53	3/4	1,463.28	3/4	1,104.04	3/4	744.79	3/4	385.55	3/4	32.87	3/4		3/4		3/4		3/4	
10	1,815.04	10	1,455.80	10	1,096.55	10	737.31	10	378.06	10	28.20	10		10		10		10	
1/4	1,807.56	1/4	1,448.31	1/4	1,089.07	1/4	729.82	1/4	370.58	1/4	23.53	1/4		1/4		1/4		1/4	
1/2	1,800.08	1/2	1,440.83	1/2	1,081.58	1/2	722.34	1/2	363.09	1/2	18.86	1/2		1/2		1/2		1/2	
3/4	1,792.59	3/4	1,433.35	3/4	1,074.10	3/4	714.86	3/4	355.61	3/4		3/4		3/4		3/4		3/4	
11	1,785.11	11	1,425.86	11	1,066.62	11	707.37	11	348.13	11		11		11		11		11	
1/4	1,777.62	1/4	1,418.38	1/4	1,059.13	1/4	699.89	1/4	340.64	1/4		1/4		1/4		1/4		1/4	
1/2	1,770.14	1/2	1,410.89	1/2	1,051.65	1/2	692.40	1/2	333.16	1/2		1/2		1/2		1/2		1/2	
3/4	1,762.65	3/4	1,403.41	3/4	1,044.16	3/4	684.92	3/4	325.67	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/13/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT



BARGE "GBL 932B"
HULL NO. 03-2001

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,083.60	0	4,847.22	0	4,585.27	0	4,323.32	0	4,061.37	0	3,784.31	0	3,401.48	0	3,018.65	0	2,635.82
1/4		1/4	5,081.80	1/4	4,841.76	1/4	4,579.81	1/4	4,317.86	1/4	4,055.92	1/4	3,776.34	1/4	3,393.51	1/4	3,010.67	1/4	2,627.84
1/2		1/2	5,079.99	1/2	4,836.30	1/2	4,574.36	1/2	4,312.41	1/2	4,050.46	1/2	3,768.36	1/2	3,385.53	1/2	3,002.70	1/2	2,619.87
3/4		3/4	5,078.19	3/4	4,830.85	3/4	4,568.90	3/4	4,306.95	3/4	4,045.00	3/4	3,760.39	3/4	3,377.55	3/4	2,994.72	3/4	2,611.89
1		1	5,076.38	1	4,825.39	1	4,563.44	1	4,301.49	1	4,039.54	1	3,752.41	1	3,369.58	1	2,986.75	1	2,603.92
1/4		1/4	5,073.66	1/4	4,819.93	1/4	4,557.98	1/4	4,296.03	1/4	4,034.09	1/4	3,744.43	1/4	3,361.60	1/4	2,978.77	1/4	2,595.94
1/2		1/2	5,070.95	1/2	4,814.48	1/2	4,552.53	1/2	4,290.58	1/2	4,028.63	1/2	3,736.46	1/2	3,353.63	1/2	2,970.80	1/2	2,587.96
3/4		3/4	5,068.23	3/4	4,809.02	3/4	4,547.07	3/4	4,285.12	3/4	4,023.17	3/4	3,728.48	3/4	3,345.65	3/4	2,962.82	3/4	2,579.99
2		2	5,065.51	2	4,803.56	2	4,541.61	2	4,279.66	2	4,017.71	2	3,720.51	2	3,337.68	2	2,954.84	2	2,572.01
1/4		1/4	5,060.05	1/4	4,798.10	1/4	4,536.15	1/4	4,274.21	1/4	4,012.26	1/4	3,712.53	1/4	3,329.70	1/4	2,946.87	1/4	2,564.04
1/2		1/2	5,054.60	1/2	4,792.65	1/2	4,530.70	1/2	4,268.75	1/2	4,006.80	1/2	3,704.56	1/2	3,321.72	1/2	2,938.89	1/2	2,556.06
3/4		3/4	5,049.14	3/4	4,787.19	3/4	4,525.24	3/4	4,263.29	3/4	4,001.34	3/4	3,696.58	3/4	3,313.75	3/4	2,930.92	3/4	2,548.09
3		3	5,043.68	3	4,781.73	3	4,519.78	3	4,257.83	3	3,995.89	3	3,688.61	3	3,305.77	3	2,922.94	3	2,540.11
1/4		1/4	5,038.22	1/4	4,776.27	1/4	4,514.33	1/4	4,252.38	1/4	3,990.43	1/4	3,680.63	1/4	3,297.80	1/4	2,914.97	1/4	2,532.13
1/2		1/2	5,032.77	1/2	4,770.82	1/2	4,508.87	1/2	4,246.92	1/2	3,984.97	1/2	3,672.65	1/2	3,289.82	1/2	2,906.99	1/2	2,524.16
3/4		3/4	5,027.31	3/4	4,765.36	3/4	4,503.41	3/4	4,241.46	3/4	3,979.51	3/4	3,664.68	3/4	3,281.85	3/4	2,899.01	3/4	2,516.18
4		4	5,021.85	4	4,759.90	4	4,497.95	4	4,236.01	4	3,974.06	4	3,656.70	4	3,273.87	4	2,891.04	4	2,508.21
1/4		1/4	5,016.39	1/4	4,754.45	1/4	4,492.50	1/4	4,230.55	1/4	3,968.60	1/4	3,648.73	1/4	3,265.90	1/4	2,883.06	1/4	2,500.23
1/2		1/2	5,010.94	1/2	4,748.99	1/2	4,487.04	1/2	4,225.09	1/2	3,963.14	1/2	3,640.75	1/2	3,257.92	1/2	2,875.09	1/2	2,492.26
3/4		3/4	5,005.48	3/4	4,743.53	3/4	4,481.58	3/4	4,219.63	3/4	3,957.68	3/4	3,632.78	3/4	3,249.94	3/4	2,867.11	3/4	2,484.28
5		5	5,000.02	5	4,738.07	5	4,476.12	5	4,214.18	5	3,952.23	5	3,624.80	5	3,241.97	5	2,859.14	5	2,476.30
1/4		1/4	4,994.57	1/4	4,732.62	1/4	4,470.67	1/4	4,208.72	1/4	3,946.77	1/4	3,616.82	1/4	3,233.99	1/4	2,851.16	1/4	2,468.33
1/2		1/2	4,989.11	1/2	4,727.16	1/2	4,465.21	1/2	4,203.26	1/2	3,941.31	1/2	3,608.85	1/2	3,226.02	1/2	2,843.19	1/2	2,460.35
3/4		3/4	4,983.65	3/4	4,721.70	3/4	4,459.75	3/4	4,197.80	3/4	3,935.86	3/4	3,600.87	3/4	3,218.04	3/4	2,835.21	3/4	2,452.38
6		6	4,978.19	6	4,716.24	6	4,454.30	6	4,192.35	6	3,930.40	6	3,592.90	6	3,210.07	6	2,827.23	6	2,444.40
1/4		1/4	4,972.74	1/4	4,710.79	1/4	4,448.84	1/4	4,186.89	1/4	3,924.94	1/4	3,584.92	1/4	3,202.09	1/4	2,819.26	1/4	2,436.43
1/2		1/2	4,967.28	1/2	4,705.33	1/2	4,443.38	1/2	4,181.43	1/2	3,919.48	1/2	3,576.95	1/2	3,194.11	1/2	2,811.28	1/2	2,428.45
3/4		3/4	4,961.82	3/4	4,699.87	3/4	4,437.92	3/4	4,175.98	3/4	3,914.03	3/4	3,568.97	3/4	3,186.14	3/4	2,803.31	3/4	2,420.48
7		7	4,956.36	7	4,694.42	7	4,432.47	7	4,170.52	7	3,908.57	7	3,560.99	7	3,178.16	7	2,795.33	7	2,412.50
1/4		1/4	4,950.91	1/4	4,688.96	1/4	4,427.01	1/4	4,165.06	1/4	3,903.11	1/4	3,553.02	1/4	3,170.19	1/4	2,787.36	1/4	2,404.52
1/2		1/2	4,945.45	1/2	4,683.50	1/2	4,421.55	1/2	4,159.60	1/2	3,897.65	1/2	3,545.04	1/2	3,162.21	1/2	2,779.38	1/2	2,396.55
3/4		3/4	4,939.99	3/4	4,678.04	3/4	4,416.09	3/4	4,154.15	3/4	3,892.20	3/4	3,537.07	3/4	3,154.24	3/4	2,771.40	3/4	2,388.57
8		8	4,934.54	8	4,672.59	8	4,410.64	8	4,148.69	8	3,886.74	8	3,529.09	8	3,146.26	8	2,763.43	8	2,380.60
1/4		1/4	4,929.08	1/4	4,667.13	1/4	4,405.18	1/4	4,143.23	1/4	3,881.28	1/4	3,521.12	1/4	3,138.28	1/4	2,755.45	1/4	2,372.62
1/2		1/2	4,923.62	1/2	4,661.67	1/2	4,399.72	1/2	4,137.77	1/2	3,875.83	1/2	3,513.14	1/2	3,130.31	1/2	2,747.48	1/2	2,364.65
3/4		3/4	4,918.16	3/4	4,656.21	3/4	4,394.27	3/4	4,132.32	3/4	3,870.37	3/4	3,505.17	3/4	3,122.33	3/4	2,739.50	3/4	2,356.67
9		9	4,912.71	9	4,650.76	9	4,388.81	9	4,126.86	9	3,864.91	9	3,497.19	9	3,114.36	9	2,731.53	9	2,348.69
1/4		1/4	4,907.25	1/4	4,645.30	1/4	4,383.35	1/4	4,121.40	1/4	3,859.45	1/4	3,489.21	1/4	3,106.38	1/4	2,723.55	1/4	2,340.72
1/2		1/2	4,901.79	1/2	4,639.84	1/2	4,377.89	1/2	4,115.95	1/2	3,854.00	1/2	3,481.24	1/2	3,098.41	1/2	2,715.57	1/2	2,332.74
3/4		3/4	4,896.33	3/4	4,634.39	3/4	4,372.44	3/4	4,110.49	3/4	3,848.54	3/4	3,473.26	3/4	3,090.43	3/4	2,707.60	3/4	2,324.77
10		10	4,890.88	10	4,628.93	10	4,366.98	10	4,105.03	10	3,843.08	10	3,465.29	10	3,082.45	10	2,699.62	10	2,316.79
1/4		1/4	4,885.42	1/4	4,623.47	1/4	4,361.52	1/4	4,099.57	1/4	3,837.62	1/4	3,457.31	1/4	3,074.48	1/4	2,691.65	1/4	2,308.82
1/2		1/2	4,879.96	1/2	4,618.01	1/2	4,356.06	1/2	4,094.12	1/2	3,832.17	1/2	3,449.34	1/2	3,066.50	1/2	2,683.67	1/2	2,300.84
3/4		3/4	4,874.51	3/4	4,612.56	3/4	4,350.61	3/4	4,088.66	3/4	3,824.19	3/4	3,441.36	3/4	3,058.53	3/4	2,675.70	3/4	2,292.86
11	5,087.17	11	4,869.05	11	4,607.10	11	4,345.15	11	4,083.20	11	3,816.22	11	3,433.38	11	3,050.55	11	2,667.72	11	2,284.89
1/4	5,086.27	1/4	4,863.59	1/4	4,601.64	1/4	4,339.69	1/4	4,077.74	1/4	3,808.24	1/4	3,425.41	1/4	3,042.58	1/4	2,659.74	1/4	2,276.91
1/2	5,085.38	1/2	4,858.13	1/2	4,596.18	1/2	4,334.24	1/2	4,072.29	1/2	3,800.26	1/2	3,417.43	1/2	3,034.60	1/2	2,651.77	1/2	2,268.94
3/4	5,084.49	3/4	4,852.68	3/4	4,590.73	3/4	4,328.78	3/4	4,066.83	3/4	3,792.29	3/4	3,409.46	3/4	3,026.63	3/4	2,643.79	3/4	2,260.96

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11'-4" OFF CENTERLINE AND 45' FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/12/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT



BARGE "GBL 932B"
HULL NO. 03-2001

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"

11 FT.				12 FT.				13 FT.				14 FT.				15 FT.				16 FT.				17 FT.				18 FT.				19 FT.				20 FT.							
IN				IN				IN				IN				IN				IN				IN				IN				IN				IN				IN			
0	2,252.99			0	1,870.15			0	1,487.32			0	1,104.49			0	721.66			0	338.83			0				0				0				0				0			
1/4	2,245.01	1/4	1,862.18	1/4	1,479.35	1/4	1,096.52	1/4	713.68	1/4	330.85	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	2,237.03	1/2	1,854.20	1/2	1,471.37	1/2	1,088.54	1/2	705.71	1/2	322.88	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	2,229.06	3/4	1,846.23	3/4	1,463.40	3/4	1,080.56	3/4	697.73	3/4	314.90	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
1	2,221.08	1	1,838.25	1	1,455.42	1	1,072.59	1	689.76	1	306.92	1		1		1		1		1		1		1		1		1		1		1		1		1		1					
1/4	2,213.11	1/4	1,830.28	1/4	1,447.44	1/4	1,064.61	1/4	681.78	1/4	298.95	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	2,205.13	1/2	1,822.30	1/2	1,439.47	1/2	1,056.64	1/2	673.81	1/2	290.97	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	2,197.16	3/4	1,814.32	3/4	1,431.49	3/4	1,048.66	3/4	665.83	3/4	283.00	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
2	2,189.18	2	1,806.35	2	1,423.52	2	1,040.69	2	657.85	2	275.02	2		2		2		2		2		2		2		2		2		2		2		2		2		2					
1/4	2,181.21	1/4	1,798.37	1/4	1,415.54	1/4	1,032.71	1/4	649.88	1/4	267.05	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	2,173.23	1/2	1,790.40	1/2	1,407.57	1/2	1,024.73	1/2	641.90	1/2	259.07	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	2,165.25	3/4	1,782.42	3/4	1,399.59	3/4	1,016.76	3/4	633.93	3/4	251.09	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
3	2,157.28	3	1,774.45	3	1,391.61	3	1,008.78	3	625.95	3	243.12	3		3		3		3		3		3		3		3		3		3		3		3		3		3					
1/4	2,149.30	1/4	1,766.47	1/4	1,383.64	1/4	1,000.81	1/4	617.98	1/4	235.14	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	2,141.33	1/2	1,758.50	1/2	1,375.66	1/2	992.83	1/2	610.00	1/2	227.17	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	2,133.35	3/4	1,750.52	3/4	1,367.69	3/4	984.86	3/4	602.02	3/4	219.19	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
4	2,125.38	4	1,742.54	4	1,359.71	4	976.88	4	594.05	4	211.22	4		4		4		4		4		4		4		4		4		4		4		4		4		4					
1/4	2,117.40	1/4	1,734.57	1/4	1,351.74	1/4	968.90	1/4	586.07	1/4	203.24	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	2,109.42	1/2	1,726.59	1/2	1,343.76	1/2	960.93	1/2	578.10	1/2	195.27	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	2,101.45	3/4	1,718.62	3/4	1,335.79	3/4	952.95	3/4	570.12	3/4	187.29	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
5	2,093.47	5	1,710.64	5	1,327.81	5	944.98	5	562.15	5	179.31	5		5		5		5		5		5		5		5		5		5		5		5		5		5					
1/4	2,085.50	1/4	1,702.67	1/4	1,319.83	1/4	937.00	1/4	554.17	1/4	171.34	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	2,077.52	1/2	1,694.69	1/2	1,311.86	1/2	929.03	1/2	546.19	1/2	163.36	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	2,069.55	3/4	1,686.71	3/4	1,303.88	3/4	921.05	3/4	538.22	3/4	155.39	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
6	2,061.57	6	1,678.74	6	1,295.91	6	913.07	6	530.24	6	147.41	6		6		6		6		6		6		6		6		6		6		6		6		6		6					
1/4	2,053.59	1/4	1,670.76	1/4	1,287.93	1/4	905.10	1/4	522.27	1/4	139.44	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	2,045.62	1/2	1,662.79	1/2	1,279.96	1/2	897.12	1/2	514.29	1/2	131.46	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	2,037.64	3/4	1,654.81	3/4	1,271.98	3/4	889.15	3/4	506.32	3/4	123.48	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
7	2,029.67	7	1,646.84	7	1,264.00	7	881.17	7	498.34	7	115.51	7		7		7		7		7		7		7		7		7		7		7		7		7		7					
1/4	2,021.69	1/4	1,638.86	1/4	1,256.03	1/4	873.20	1/4	490.36	1/4	107.53	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	2,013.72	1/2	1,630.88	1/2	1,248.05	1/2	865.22	1/2	482.39	1/2	99.56	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	2,005.74	3/4	1,622.91	3/4	1,240.08	3/4	857.25	3/4	474.41	3/4	91.58	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
8	1,997.76	8	1,614.93	8	1,232.10	8	849.27	8	466.44	8	83.61	8		8		8		8		8		8		8		8		8		8		8		8		8		8					
1/4	1,989.79	1/4	1,606.96	1/4	1,224.13	1/4	841.29	1/4	458.46	1/4	75.63	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	1,981.81	1/2	1,598.98	1/2	1,216.15	1/2	833.32	1/2	450.49	1/2	67.65	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	1,973.84	3/4	1,591.01	3/4	1,208.17	3/4	825.34	3/4	442.51	3/4	60.68	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4					
9	1,965.86	9	1,583.03	9	1,200.20	9	817.37	9	434.54	9	53.70	9		9		9		9		9		9		9		9		9		9		9		9		9		9					
1/4	1,957.89	1/4	1,575.05	1/4	1,192.22	1/4	809.39	1/4	426.56	1/4	46.73	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4					
1/2	1,949.91	1/2	1,567.08	1/2	1,184.25	1/2	801.42	1/2	418.58	1/2	39.75	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2					
3/4	1,941.94	3/4	1,559.10	3/4	1,176.27	3/4	793.44	3/4	410.61	3/4	34.77	3/4		3/4		3/4		3/4</																									

BARGE "GBL 932B"
HULL NO. 03-2001

3 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16'- 11 1/2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,081.80	0	4,841.76	0	4,579.81	0	4,317.86	0	4,055.92	0	3,776.34	0	3,393.51	0	3,010.67	0	2,627.84
1/4		1/4	5,079.99	1/4	4,836.30	1/4	4,574.36	1/4	4,312.41	1/4	4,050.46	1/4	3,768.36	1/4	3,385.53	1/4	3,002.70	1/4	2,619.87
1/2		1/2	5,078.19	1/2	4,830.85	1/2	4,568.90	1/2	4,306.95	1/2	4,045.00	1/2	3,760.39	1/2	3,377.55	1/2	2,994.72	1/2	2,611.89
3/4		3/4	5,076.38	3/4	4,825.39	3/4	4,563.44	3/4	4,301.49	3/4	4,039.54	3/4	3,752.41	3/4	3,369.58	3/4	2,986.75	3/4	2,603.92
1		1	5,073.66	1	4,819.93	1	4,557.98	1	4,296.03	1	4,034.09	1	3,744.43	1	3,361.60	1	2,978.77	1	2,595.94
1/4		1/4	5,070.95	1/4	4,814.48	1/4	4,552.53	1/4	4,290.58	1/4	4,028.63	1/4	3,736.46	1/4	3,353.63	1/4	2,970.80	1/4	2,587.96
1/2		1/2	5,068.23	1/2	4,809.02	1/2	4,547.07	1/2	4,285.12	1/2	4,023.17	1/2	3,728.48	1/2	3,345.65	1/2	2,962.82	1/2	2,579.99
3/4		3/4	5,065.51	3/4	4,803.56	3/4	4,541.61	3/4	4,279.66	3/4	4,017.71	3/4	3,720.51	3/4	3,337.68	3/4	2,954.84	3/4	2,572.01
2		2	5,060.05	2	4,798.10	2	4,536.15	2	4,274.21	2	4,012.26	2	3,712.53	2	3,329.70	2	2,946.87	2	2,564.04
1/4		1/4	5,054.60	1/4	4,792.65	1/4	4,530.70	1/4	4,268.75	1/4	4,006.80	1/4	3,704.56	1/4	3,321.72	1/4	2,938.89	1/4	2,556.06
1/2		1/2	5,049.14	1/2	4,787.19	1/2	4,525.24	1/2	4,263.29	1/2	4,001.34	1/2	3,696.58	1/2	3,313.75	1/2	2,930.92	1/2	2,548.09
3/4		3/4	5,043.68	3/4	4,781.73	3/4	4,519.78	3/4	4,257.83	3/4	3,995.89	3/4	3,688.61	3/4	3,305.77	3/4	2,922.94	3/4	2,540.11
3		3	5,038.22	3	4,776.27	3	4,514.33	3	4,252.38	3	3,990.43	3	3,680.63	3	3,297.80	3	2,914.97	3	2,532.13
1/4		1/4	5,032.77	1/4	4,770.82	1/4	4,508.87	1/4	4,246.92	1/4	3,984.97	1/4	3,672.65	1/4	3,289.82	1/4	2,906.99	1/4	2,524.16
1/2		1/2	5,027.31	1/2	4,765.36	1/2	4,503.41	1/2	4,241.46	1/2	3,979.51	1/2	3,664.68	1/2	3,281.85	1/2	2,899.01	1/2	2,516.18
3/4		3/4	5,021.85	3/4	4,759.90	3/4	4,497.95	3/4	4,236.01	3/4	3,974.06	3/4	3,656.70	3/4	3,273.87	3/4	2,891.04	3/4	2,508.21
4		4	5,016.39	4	4,754.45	4	4,492.50	4	4,230.55	4	3,968.60	4	3,648.73	4	3,265.90	4	2,883.06	4	2,500.23
1/4		1/4	5,010.94	1/4	4,748.99	1/4	4,487.04	1/4	4,225.09	1/4	3,963.14	1/4	3,640.75	1/4	3,257.92	1/4	2,875.09	1/4	2,492.26
1/2		1/2	5,005.48	1/2	4,743.53	1/2	4,481.58	1/2	4,219.63	1/2	3,957.68	1/2	3,632.78	1/2	3,249.94	1/2	2,867.11	1/2	2,484.28
3/4		3/4	5,000.02	3/4	4,738.07	3/4	4,476.12	3/4	4,214.18	3/4	3,952.23	3/4	3,624.80	3/4	3,241.97	3/4	2,859.14	3/4	2,476.30
5		5	4,994.57	5	4,732.62	5	4,470.67	5	4,208.72	5	3,946.77	5	3,616.82	5	3,233.99	5	2,851.16	5	2,468.33
1/4		1/4	4,989.11	1/4	4,727.16	1/4	4,465.21	1/4	4,203.26	1/4	3,941.31	1/4	3,608.85	1/4	3,226.02	1/4	2,843.19	1/4	2,460.35
1/2		1/2	4,983.65	1/2	4,721.70	1/2	4,459.75	1/2	4,197.80	1/2	3,935.86	1/2	3,600.87	1/2	3,218.04	1/2	2,835.21	1/2	2,452.38
3/4		3/4	4,978.19	3/4	4,716.24	3/4	4,454.30	3/4	4,192.35	3/4	3,930.40	3/4	3,592.90	3/4	3,210.07	3/4	2,827.23	3/4	2,444.40
6		6	4,972.74	6	4,710.79	6	4,448.84	6	4,186.89	6	3,924.94	6	3,584.92	6	3,202.09	6	2,819.26	6	2,436.43
1/4		1/4	4,967.28	1/4	4,705.33	1/4	4,443.38	1/4	4,181.43	1/4	3,919.48	1/4	3,576.95	1/4	3,194.11	1/4	2,811.28	1/4	2,428.45
1/2		1/2	4,961.82	1/2	4,699.87	1/2	4,437.92	1/2	4,175.98	1/2	3,914.03	1/2	3,568.97	1/2	3,186.14	1/2	2,803.31	1/2	2,420.48
3/4		3/4	4,956.36	3/4	4,694.42	3/4	4,432.47	3/4	4,170.52	3/4	3,908.57	3/4	3,560.99	3/4	3,178.16	3/4	2,795.33	3/4	2,412.50
7		7	4,950.91	7	4,688.96	7	4,427.01	7	4,165.06	7	3,903.11	7	3,553.02	7	3,170.19	7	2,787.36	7	2,404.52
1/4		1/4	4,945.45	1/4	4,683.50	1/4	4,421.55	1/4	4,159.60	1/4	3,897.65	1/4	3,545.04	1/4	3,162.21	1/4	2,779.38	1/4	2,396.55
1/2		1/2	4,939.99	1/2	4,678.04	1/2	4,416.09	1/2	4,154.15	1/2	3,892.20	1/2	3,537.07	1/2	3,154.24	1/2	2,771.40	1/2	2,388.57
3/4		3/4	4,934.54	3/4	4,672.59	3/4	4,410.64	3/4	4,148.69	3/4	3,886.74	3/4	3,529.09	3/4	3,146.26	3/4	2,763.43	3/4	2,380.60
8		8	4,929.08	8	4,667.13	8	4,405.18	8	4,143.23	8	3,881.28	8	3,521.12	8	3,138.28	8	2,755.45	8	2,372.62
1/4		1/4	4,923.62	1/4	4,661.67	1/4	4,399.72	1/4	4,137.77	1/4	3,875.83	1/4	3,513.14	1/4	3,130.31	1/4	2,747.48	1/4	2,364.65
1/2		1/2	4,918.16	1/2	4,656.21	1/2	4,394.27	1/2	4,132.32	1/2	3,870.37	1/2	3,505.17	1/2	3,122.33	1/2	2,739.50	1/2	2,356.67
3/4		3/4	4,912.71	3/4	4,650.76	3/4	4,388.81	3/4	4,126.86	3/4	3,864.91	3/4	3,497.19	3/4	3,114.36	3/4	2,731.53	3/4	2,348.69
9		9	4,907.25	9	4,645.30	9	4,383.35	9	4,121.40	9	3,859.45	9	3,489.21	9	3,106.38	9	2,723.55	9	2,340.72
1/4		1/4	4,901.79	1/4	4,639.84	1/4	4,377.89	1/4	4,115.95	1/4	3,854.00	1/4	3,481.24	1/4	3,098.41	1/4	2,715.57	1/4	2,332.74
1/2		1/2	4,896.33	1/2	4,634.39	1/2	4,372.44	1/2	4,110.49	1/2	3,848.54	1/2	3,473.26	1/2	3,090.43	1/2	2,707.60	1/2	2,324.77
3/4		3/4	4,890.88	3/4	4,628.93	3/4	4,366.98	3/4	4,105.03	3/4	3,843.08	3/4	3,465.29	3/4	3,082.45	3/4	2,699.62	3/4	2,316.79
10		10	4,885.42	10	4,623.47	10	4,361.52	10	4,099.57	10	3,837.62	10	3,457.31	10	3,074.48	10	2,691.65	10	2,308.82
1/4		1/4	4,879.96	1/4	4,618.01	1/4	4,356.06	1/4	4,094.12	1/4	3,832.17	1/4	3,449.34	1/4	3,066.50	1/4	2,683.67	1/4	2,300.84
1/2		1/2	4,874.51	1/2	4,612.56	1/2	4,350.61	1/2	4,088.66	1/2	3,824.19	1/2	3,441.36	1/2	3,058.53	1/2	2,675.70	1/2	2,292.86
3/4	5,087.17	3/4	4,869.05	3/4	4,607.10	3/4	4,345.15	3/4	4,083.20	3/4	3,816.22	3/4	3,433.38	3/4	3,050.55	3/4	2,667.72	3/4	2,284.89
11	5,086.27	11	4,863.59	11	4,601.64	11	4,339.69	11	4,077.74	11	3,808.24	11	3,425.41	11	3,042.58	11	2,659.74	11	2,276.91
1/4	5,085.38	1/4	4,858.13	1/4	4,596.18	1/4	4,334.24	1/4	4,072.29	1/4	3,800.26	1/4	3,417.43	1/4	3,034.60	1/4	2,651.77	1/4	2,268.94
1/2	5,084.49	1/2	4,852.68	1/2	4,590.73	1/2	4,328.78	1/2	4,066.83	1/2	3,792.29	1/2	3,409.46	1/2	3,026.63	1/2	2,643.79	1/2	2,260.96
3/4	5,083.60	3/4	4,847.22	3/4	4,585.27	3/4	4,323.32	3/4	4,061.37	3/4	3,784.31	3/4	3,401.48	3/4	3,018.65	3/4	2,635.82	3/4	2,252.99

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11'- 3" OFF CENTERLINE AND 45' FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/12/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT


BARGE "GBL 932B"
HULL NO. 03-2001

3 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16'- 11 1/2"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,245.01	0	1,862.18	0	1,479.35	0	1,096.52	0	713.68	0	330.85	0		0		0		0	
1/4	2,237.03	1/4	1,854.20	1/4	1,471.37	1/4	1,088.54	1/4	705.71	1/4	322.88	1/4		1/4		1/4		1/4	
1/2	2,229.06	1/2	1,846.23	1/2	1,463.40	1/2	1,080.56	1/2	697.73	1/2	314.90	1/2		1/2		1/2		1/2	
3/4	2,221.08	3/4	1,838.25	3/4	1,455.42	3/4	1,072.59	3/4	689.76	3/4	306.92	3/4		3/4		3/4		3/4	
1	2,213.11	1	1,830.28	1	1,447.44	1	1,064.61	1	681.78	1	298.95	1		1		1		1	
1/4	2,205.13	1/4	1,822.30	1/4	1,439.47	1/4	1,056.64	1/4	673.81	1/4	290.97	1/4		1/4		1/4		1/4	
1/2	2,197.16	1/2	1,814.32	1/2	1,431.49	1/2	1,048.66	1/2	665.83	1/2	283.00	1/2		1/2		1/2		1/2	
3/4	2,189.18	3/4	1,806.35	3/4	1,423.52	3/4	1,040.69	3/4	657.85	3/4	275.02	3/4		3/4		3/4		3/4	
2	2,181.21	2	1,798.37	2	1,415.54	2	1,032.71	2	649.88	2	267.05	2		2		2		2	
1/4	2,173.23	1/4	1,790.40	1/4	1,407.57	1/4	1,024.73	1/4	641.90	1/4	259.07	1/4		1/4		1/4		1/4	
1/2	2,165.25	1/2	1,782.42	1/2	1,399.59	1/2	1,016.76	1/2	633.93	1/2	251.09	1/2		1/2		1/2		1/2	
3/4	2,157.28	3/4	1,774.45	3/4	1,391.61	3/4	1,008.78	3/4	625.95	3/4	243.12	3/4		3/4		3/4		3/4	
3	2,149.30	3	1,766.47	3	1,383.64	3	1,000.81	3	617.98	3	235.14	3		3		3		3	
1/4	2,141.33	1/4	1,758.50	1/4	1,375.66	1/4	992.83	1/4	610.00	1/4	227.17	1/4		1/4		1/4		1/4	
1/2	2,133.35	1/2	1,750.52	1/2	1,367.69	1/2	984.86	1/2	602.02	1/2	219.19	1/2		1/2		1/2		1/2	
3/4	2,125.38	3/4	1,742.54	3/4	1,359.71	3/4	976.88	3/4	594.05	3/4	211.22	3/4		3/4		3/4		3/4	
4	2,117.40	4	1,734.57	4	1,351.74	4	968.90	4	586.07	4	203.24	4		4		4		4	
1/4	2,109.42	1/4	1,726.59	1/4	1,343.76	1/4	960.93	1/4	578.10	1/4	195.27	1/4		1/4		1/4		1/4	
1/2	2,101.45	1/2	1,718.62	1/2	1,335.79	1/2	952.95	1/2	570.12	1/2	187.29	1/2		1/2		1/2		1/2	
3/4	2,093.47	3/4	1,710.64	3/4	1,327.81	3/4	944.98	3/4	562.15	3/4	179.31	3/4		3/4		3/4		3/4	
5	2,085.50	5	1,702.67	5	1,319.83	5	937.00	5	554.17	5	171.34	5		5		5		5	
1/4	2,077.52	1/4	1,694.69	1/4	1,311.86	1/4	929.03	1/4	546.19	1/4	163.36	1/4		1/4		1/4		1/4	
1/2	2,069.55	1/2	1,686.71	1/2	1,303.88	1/2	921.05	1/2	538.22	1/2	155.39	1/2		1/2		1/2		1/2	
3/4	2,061.57	3/4	1,678.74	3/4	1,295.91	3/4	913.07	3/4	530.24	3/4	147.41	3/4		3/4		3/4		3/4	
6	2,053.59	6	1,670.76	6	1,287.93	6	905.10	6	522.27	6	139.44	6		6		6		6	
1/4	2,045.62	1/4	1,662.79	1/4	1,279.96	1/4	897.12	1/4	514.29	1/4	131.46	1/4		1/4		1/4		1/4	
1/2	2,037.64	1/2	1,654.81	1/2	1,271.98	1/2	889.15	1/2	506.32	1/2	123.48	1/2		1/2		1/2		1/2	
3/4	2,029.67	3/4	1,646.84	3/4	1,264.00	3/4	881.17	3/4	498.34	3/4	115.51	3/4		3/4		3/4		3/4	
7	2,021.69	7	1,638.86	7	1,256.03	7	873.20	7	490.36	7	107.53	7		7		7		7	
1/4	2,013.72	1/4	1,630.88	1/4	1,248.05	1/4	865.22	1/4	482.39	1/4	99.56	1/4		1/4		1/4		1/4	
1/2	2,005.74	1/2	1,622.91	1/2	1,240.08	1/2	857.25	1/2	474.41	1/2	91.58	1/2		1/2		1/2		1/2	
3/4	1,997.76	3/4	1,614.93	3/4	1,232.10	3/4	849.27	3/4	466.44	3/4	83.61	3/4		3/4		3/4		3/4	
8	1,989.79	8	1,606.96	8	1,224.13	8	841.29	8	458.46	8	75.63	8		8		8		8	
1/4	1,981.81	1/4	1,598.98	1/4	1,216.15	1/4	833.32	1/4	450.49	1/4	67.65	1/4		1/4		1/4		1/4	
1/2	1,973.84	1/2	1,591.01	1/2	1,208.17	1/2	825.34	1/2	442.51	1/2	60.68	1/2		1/2		1/2		1/2	
3/4	1,965.86	3/4	1,583.03	3/4	1,200.20	3/4	817.37	3/4	434.54	3/4	53.70	3/4		3/4		3/4		3/4	
9	1,957.89	9	1,575.05	9	1,192.22	9	809.39	9	426.56	9	46.73	9		9		9		9	
1/4	1,949.91	1/4	1,567.08	1/4	1,184.25	1/4	801.42	1/4	418.58	1/4	39.75	1/4		1/4		1/4		1/4	
1/2	1,941.94	1/2	1,559.10	1/2	1,176.27	1/2	793.44	1/2	410.61	1/2	34.77	1/2		1/2		1/2		1/2	
3/4	1,933.96	3/4	1,551.13	3/4	1,168.30	3/4	785.46	3/4	402.63	3/4	29.80	3/4		3/4		3/4		3/4	
10	1,925.98	10	1,543.15	10	1,160.32	10	777.49	10	394.66	10	24.82	10		10		10		10	
1/4	1,918.01	1/4	1,535.18	1/4	1,152.34	1/4	769.51	1/4	386.68	1/4	19.84	1/4		1/4		1/4		1/4	
1/2	1,910.03	1/2	1,527.20	1/2	1,144.37	1/2	761.54	1/2	378.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,902.06	3/4	1,519.23	3/4	1,136.39	3/4	753.56	3/4	370.73	3/4		3/4		3/4		3/4		3/4	
11	1,894.08	11	1,511.25	11	1,128.42	11	745.59	11	362.75	11		11		11		11		11	
1/4	1,886.11	1/4	1,503.27	1/4	1,120.44	1/4	737.61	1/4	354.78	1/4		1/4		1/4		1/4		1/4	
1/2	1,878.13	1/2	1,495.30	1/2	1,112.47	1/2	729.63	1/2	346.80	1/2		1/2		1/2		1/2		1/2	
3/4	1,870.15	3/4	1,487.32	3/4	1,104.49	3/4	721.66	3/4	338.83	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB/LJ
 DATE COMPUTED: 2/13/04 BY: WHF
 DATE ISSUED: 2/13/04

INTERTEK - CALEB BRETT

