

**BARGE "GBL 1130"
HULL NO. 03-2000**

**1 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10 3/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,793.33	0	1,482.15	0	1,172.13	0	860.66	0	551.18	0	245.06	0		0		0		0	
1/4	1,786.84	1/4	1,475.70	1/4	1,165.64	1/4	854.17	1/4	544.78	1/4	239.03	1/4		1/4		1/4		1/4	
1/2	1,780.35	1/2	1,469.24	1/2	1,159.15	1/2	847.68	1/2	538.39	1/2	233.01	1/2		1/2		1/2		1/2	
3/4	1,773.86	3/4	1,462.79	3/4	1,152.67	3/4	841.19	3/4	531.99	3/4	226.98	3/4		3/4		3/4		3/4	
1	1,767.37	1	1,456.34	1	1,146.18	1	834.70	1	525.53	1	221.04	1		1		1		1	
1/4	1,760.88	1/4	1,449.89	1/4	1,139.69	1/4	828.21	1/4	519.06	1/4	215.10	1/4		1/4		1/4		1/4	
1/2	1,754.39	1/2	1,443.44	1/2	1,133.20	1/2	821.72	1/2	512.59	1/2	209.16	1/2		1/2		1/2		1/2	
3/4	1,747.90	3/4	1,436.98	3/4	1,126.72	3/4	815.23	3/4	506.12	3/4	203.22	3/4		3/4		3/4		3/4	
2	1,741.41	2	1,430.53	2	1,120.23	2	808.74	2	499.65	2	197.36	2		2		2		2	
1/4	1,734.92	1/4	1,424.08	1/4	1,113.74	1/4	802.25	1/4	493.18	1/4	191.50	1/4		1/4		1/4		1/4	
1/2	1,728.43	1/2	1,417.63	1/2	1,107.26	1/2	795.76	1/2	486.71	1/2	185.65	1/2		1/2		1/2		1/2	
3/4	1,721.94	3/4	1,411.18	3/4	1,100.77	3/4	789.27	3/4	480.24	3/4	179.79	3/4		3/4		3/4		3/4	
3	1,715.45	3	1,404.72	3	1,094.28	3	782.78	3	473.78	3	174.02	3		3		3		3	
1/4	1,708.96	1/4	1,398.27	1/4	1,087.80	1/4	776.29	1/4	467.31	1/4	168.25	1/4		1/4		1/4		1/4	
1/2	1,702.47	1/2	1,391.82	1/2	1,081.31	1/2	769.80	1/2	460.84	1/2	162.47	1/2		1/2		1/2		1/2	
3/4	1,695.98	3/4	1,385.37	3/4	1,074.82	3/4	763.32	3/4	454.37	3/4	156.70	3/4		3/4		3/4		3/4	
4	1,689.49	4	1,378.92	4	1,068.33	4	756.83	4	447.90	4	151.01	4		4		4		4	
1/4	1,683.00	1/4	1,372.47	1/4	1,061.84	1/4	750.34	1/4	441.43	1/4	145.32	1/4		1/4		1/4		1/4	
1/2	1,676.51	1/2	1,366.01	1/2	1,055.35	1/2	743.85	1/2	434.96	1/2	139.64	1/2		1/2		1/2		1/2	
3/4	1,670.02	3/4	1,359.56	3/4	1,048.86	3/4	737.36	3/4	428.50	3/4	133.95	3/4		3/4		3/4		3/4	
5	1,663.53	5	1,353.11	5	1,042.37	5	730.87	5	422.03	5	128.34	5		5		5		5	
1/4	1,657.04	1/4	1,346.66	1/4	1,035.88	1/4	724.38	1/4	415.56	1/4	122.74	1/4		1/4		1/4		1/4	
1/2	1,650.55	1/2	1,340.21	1/2	1,029.39	1/2	717.89	1/2	409.09	1/2	117.14	1/2		1/2		1/2		1/2	
3/4	1,644.06	3/4	1,333.75	3/4	1,022.90	3/4	711.40	3/4	402.62	3/4	111.53	3/4		3/4		3/4		3/4	
6	1,637.57	6	1,327.30	6	1,016.41	6	704.91	6	396.15	6	106.01	6		6		6		6	
1/4	1,631.08	1/4	1,320.85	1/4	1,009.92	1/4	698.42	1/4	389.68	1/4	100.50	1/4		1/4		1/4		1/4	
1/2	1,624.59	1/2	1,314.40	1/2	1,003.43	1/2	691.93	1/2	383.21	1/2	94.98	1/2		1/2		1/2		1/2	
3/4	1,618.10	3/4	1,307.95	3/4	996.94	3/4	685.44	3/4	376.75	3/4	89.46	3/4		3/4		3/4		3/4	
7	1,611.61	7	1,301.49	7	990.45	7	679.05	7	370.28	7	84.02	7		7		7		7	
1/4	1,605.12	1/4	1,295.04	1/4	983.97	1/4	672.56	1/4	363.81	1/4	78.59	1/4		1/4		1/4		1/4	
1/2	1,598.63	1/2	1,288.59	1/2	977.48	1/2	666.06	1/2	357.34	1/2	73.15	1/2		1/2		1/2		1/2	
3/4	1,592.14	3/4	1,282.14	3/4	970.99	3/4	659.56	3/4	350.87	3/4	67.72	3/4		3/4		3/4		3/4	
8	1,585.65	8	1,275.69	8	964.50	8	653.07	8	344.40	8	62.27	8		8		8		8	
1/4	1,579.15	1/4	1,269.23	1/4	958.01	1/4	646.58	1/4	338.14	1/4	56.82	1/4		1/4		1/4		1/4	
1/2	1,572.66	1/2	1,262.78	1/2	951.52	1/2	640.08	1/2	331.78	1/2	51.37	1/2		1/2		1/2		1/2	
3/4	1,566.17	3/4	1,256.33	3/4	945.03	3/4	633.59	3/4	325.42	3/4	45.92	3/4		3/4		3/4		3/4	
9	1,559.68	9	1,249.87	9	938.54	9	627.10	9	319.14	9	41.47	9		9		9		9	
1/4	1,553.19	1/4	1,243.42	1/4	932.05	1/4	620.61	1/4	312.66	1/4	36.02	1/4		1/4		1/4		1/4	
1/2	1,546.70	1/2	1,236.96	1/2	925.56	1/2	614.12	1/2	306.20	1/2	30.57	1/2		1/2		1/2		1/2	
3/4	1,540.21	3/4	1,230.51	3/4	919.07	3/4	607.63	3/4	300.74	3/4	25.12	3/4		3/4		3/4		3/4	
10	1,533.72	10	1,224.06	10	912.58	10	601.14	10	294.28	10	20.67	10		10		10		10	
1/4	1,527.23	1/4	1,217.61	1/4	906.09	1/4	594.65	1/4	287.81	1/4	15.22	1/4		1/4		1/4		1/4	
1/2	1,520.74	1/2	1,211.15	1/2	899.60	1/2	588.16	1/2	281.34	1/2	9.77	1/2		1/2		1/2		1/2	
3/4	1,514.25	3/4	1,204.70	3/4	893.11	3/4	581.67	3/4	274.87	3/4	4.32	3/4		3/4		3/4		3/4	
11	1,507.76	11	1,198.25	11	886.62	11	575.18	11	268.40	11	0	11		11		11		11	
1/4	1,501.27	1/4	1,191.80	1/4	880.13	1/4	568.69	1/4	261.91	1/4	0	1/4		1/4		1/4		1/4	
1/2	1,494.78	1/2	1,185.35	1/2	873.64	1/2	562.18	1/2	255.42	1/2	0	1/2		1/2		1/2		1/2	
3/4	1,488.29	3/4	1,178.90	3/4	867.15	3/4	555.69	3/4	248.93	3/4	0	3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/17/04 BY: BB/JF
DATE COMPUTED: 2/24/04 BY: WHF
DATE ISSUED: 2/26/04

INTERTEK - CALEB BRETT



BARGE "GBL 1130"
HULL NO. 03-2000

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10 1/2"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	1,786.84	0	1,475.70	0	1,165.64	0	854.17	0	544.78	0	239.03	0		0		0		0	
1/4	1,780.35	1/4	1,469.24	1/4	1,159.15	1/4	847.68	1/4	538.39	1/4	233.01	1/4		1/4		1/4		1/4	
1/2	1,773.86	1/2	1,462.79	1/2	1,152.67	1/2	841.19	1/2	531.99	1/2	226.98	1/2		1/2		1/2		1/2	
3/4	1,767.37	3/4	1,456.34	3/4	1,146.18	3/4	834.70	3/4	525.53	3/4	221.04	3/4		3/4		3/4		3/4	
1	1,760.88	1	1,449.89	1	1,139.69	1	828.21	1	519.06	1	215.10	1		1		1		1	
1/4	1,754.39	1/4	1,443.44	1/4	1,133.20	1/4	821.72	1/4	512.59	1/4	209.16	1/4		1/4		1/4		1/4	
1/2	1,747.90	1/2	1,436.98	1/2	1,126.72	1/2	815.23	1/2	506.12	1/2	203.22	1/2		1/2		1/2		1/2	
3/4	1,741.41	3/4	1,430.53	3/4	1,120.23	3/4	808.74	3/4	499.65	3/4	197.36	3/4		3/4		3/4		3/4	
2	1,734.92	2	1,424.08	2	1,113.74	2	802.25	2	493.18	2	191.50	2		2		2		2	
1/4	1,728.43	1/4	1,417.63	1/4	1,107.26	1/4	795.76	1/4	486.71	1/4	185.65	1/4		1/4		1/4		1/4	
1/2	1,721.94	1/2	1,411.18	1/2	1,100.77	1/2	789.27	1/2	480.24	1/2	179.79	1/2		1/2		1/2		1/2	
3/4	1,715.45	3/4	1,404.72	3/4	1,094.28	3/4	782.78	3/4	473.78	3/4	174.02	3/4		3/4		3/4		3/4	
3	1,708.96	3	1,398.27	3	1,087.80	3	776.29	3	467.31	3	168.25	3		3		3		3	
1/4	1,702.47	1/4	1,391.82	1/4	1,081.31	1/4	769.80	1/4	460.84	1/4	162.47	1/4		1/4		1/4		1/4	
1/2	1,695.98	1/2	1,385.37	1/2	1,074.82	1/2	763.32	1/2	454.37	1/2	156.70	1/2		1/2		1/2		1/2	
3/4	1,689.49	3/4	1,378.92	3/4	1,068.33	3/4	756.83	3/4	447.90	3/4	151.01	3/4		3/4		3/4		3/4	
4	1,683.00	4	1,372.47	4	1,061.84	4	750.34	4	441.43	4	145.32	4		4		4		4	
1/4	1,676.51	1/4	1,366.01	1/4	1,055.35	1/4	743.85	1/4	434.96	1/4	139.64	1/4		1/4		1/4		1/4	
1/2	1,670.02	1/2	1,359.56	1/2	1,048.86	1/2	737.36	1/2	428.50	1/2	133.95	1/2		1/2		1/2		1/2	
3/4	1,663.53	3/4	1,353.11	3/4	1,042.37	3/4	730.87	3/4	422.03	3/4	128.34	3/4		3/4		3/4		3/4	
5	1,657.04	5	1,346.66	5	1,035.88	5	724.38	5	415.56	5	122.74	5		5		5		5	
1/4	1,650.55	1/4	1,340.21	1/4	1,029.39	1/4	717.89	1/4	409.09	1/4	117.14	1/4		1/4		1/4		1/4	
1/2	1,644.06	1/2	1,333.75	1/2	1,022.90	1/2	711.40	1/2	402.62	1/2	111.53	1/2		1/2		1/2		1/2	
3/4	1,637.57	3/4	1,327.30	3/4	1,016.41	3/4	704.91	3/4	396.15	3/4	106.01	3/4		3/4		3/4		3/4	
6	1,631.08	6	1,320.85	6	1,009.92	6	698.42	6	389.68	6	100.50	6		6		6		6	
1/4	1,624.59	1/4	1,314.40	1/4	1,003.43	1/4	691.93	1/4	383.21	1/4	94.98	1/4		1/4		1/4		1/4	
1/2	1,618.10	1/2	1,307.95	1/2	996.94	1/2	685.44	1/2	376.75	1/2	89.46	1/2		1/2		1/2		1/2	
3/4	1,611.61	3/4	1,301.49	3/4	990.45	3/4	679.05	3/4	370.28	3/4	84.02	3/4		3/4		3/4		3/4	
7	1,605.12	7	1,295.04	7	983.97	7	672.65	7	363.81	7	78.59	7		7		7		7	
1/4	1,598.63	1/4	1,288.59	1/4	977.48	1/4	666.26	1/4	357.34	1/4	73.15	1/4		1/4		1/4		1/4	
1/2	1,592.14	1/2	1,282.14	1/2	970.99	1/2	659.86	1/2	350.87	1/2	67.72	1/2		1/2		1/2		1/2	
3/4	1,585.65	3/4	1,275.69	3/4	964.50	3/4	653.47	3/4	344.51	3/4	62.37	3/4		3/4		3/4		3/4	
8	1,579.15	8	1,269.23	8	958.01	8	647.08	8	338.14	8	57.02	8		8		8		8	
1/4	1,572.66	1/4	1,262.78	1/4	951.52	1/4	640.68	1/4	331.78	1/4	51.67	1/4		1/4		1/4		1/4	
1/2	1,566.17	1/2	1,256.33	1/2	945.03	1/2	634.29	1/2	325.42	1/2	46.32	1/2		1/2		1/2		1/2	
3/4	1,559.68	3/4	1,249.87	3/4	938.54	3/4	627.90	3/4	319.14	3/4	41.67	3/4		3/4		3/4		3/4	
9	1,553.19	9	1,243.42	9	932.05	9	621.50	9	312.86	9	37.03	9		9		9		9	
1/4	1,546.70	1/4	1,236.96	1/4	925.56	1/4	615.11	1/4	306.58	1/4	32.39	1/4		1/4		1/4		1/4	
1/2	1,540.21	1/2	1,230.51	1/2	919.07	1/2	608.72	1/2	300.30	1/2	27.75	1/2		1/2		1/2		1/2	
3/4	1,533.76	3/4	1,224.02	3/4	912.58	3/4	602.32	3/4	294.11	3/4	24.44	3/4		3/4		3/4		3/4	
10	1,527.31	10	1,217.54	10	906.09	10	595.93	10	287.91	10	21.13	10		10		10		10	
1/4	1,520.86	1/4	1,211.05	1/4	899.60	1/4	589.54	1/4	281.72	1/4	17.82	1/4		1/4		1/4		1/4	
1/2	1,514.41	1/2	1,204.56	1/2	893.11	1/2	583.14	1/2	275.53	1/2	14.51	1/2		1/2		1/2		1/2	
3/4	1,507.95	3/4	1,198.08	3/4	886.62	3/4	576.75	3/4	269.42	3/4		3/4		3/4		3/4		3/4	
11	1,501.50	11	1,191.59	11	880.13	11	570.36	11	263.31	11		11		11		11		11	
1/4	1,495.05	1/4	1,185.10	1/4	873.64	1/4	563.96	1/4	257.20	1/4		1/4		1/4		1/4		1/4	
1/2	1,488.60	1/2	1,178.61	1/2	867.15	1/2	557.57	1/2	251.08	1/2		1/2		1/2		1/2		1/2	
3/4	1,482.15	3/4	1,172.13	3/4	860.66	3/4	551.18	3/4	245.06	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/17/04 BY: BB/JF
DATE COMPUTED: 2/24/04 BY: WHF
DATE ISSUED: 2/26/04

INTERTEK - CALEB BRETT


CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10 3/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,114.82	0	1,756.78	0	1,398.73	0	1,040.69	0	682.64	0	324.60	0		0		0		0	
1/4	2,107.37	1/4	1,749.32	1/4	1,391.27	1/4	1,033.23	1/4	675.18	1/4	317.14	1/4		1/4		1/4		1/4	
1/2	2,099.91	1/2	1,741.86	1/2	1,383.82	1/2	1,025.77	1/2	667.72	1/2	309.68	1/2		1/2		1/2		1/2	
3/4	2,092.45	3/4	1,734.40	3/4	1,376.36	3/4	1,018.31	3/4	660.27	3/4	302.22	3/4		3/4		3/4		3/4	
1	2,084.99	1	1,726.94	1	1,368.90	1	1,010.85	1	652.81	1	294.76	1		1		1		1	
1/4	2,077.53	1/4	1,719.48	1/4	1,361.44	1/4	1,003.39	1/4	645.35	1/4	287.30	1/4		1/4		1/4		1/4	
1/2	2,070.07	1/2	1,712.02	1/2	1,353.98	1/2	995.93	1/2	637.89	1/2	279.84	1/2		1/2		1/2		1/2	
3/4	2,062.61	3/4	1,704.56	3/4	1,346.52	3/4	988.47	3/4	630.43	3/4	272.38	3/4		3/4		3/4		3/4	
2	2,055.15	2	1,697.11	2	1,339.06	2	981.01	2	622.97	2	264.92	2		2		2		2	
1/4	2,047.69	1/4	1,689.65	1/4	1,331.60	1/4	973.56	1/4	615.51	1/4	257.46	1/4		1/4		1/4		1/4	
1/2	2,040.23	1/2	1,682.19	1/2	1,324.14	1/2	966.10	1/2	608.05	1/2	250.01	1/2		1/2		1/2		1/2	
3/4	2,032.77	3/4	1,674.73	3/4	1,316.68	3/4	958.64	3/4	600.59	3/4	242.55	3/4		3/4		3/4		3/4	
3	2,025.31	3	1,667.27	3	1,309.22	3	951.18	3	593.13	3	235.09	3		3		3		3	
1/4	2,017.85	1/4	1,659.81	1/4	1,301.76	1/4	943.72	1/4	585.67	1/4	227.63	1/4		1/4		1/4		1/4	
1/2	2,010.39	1/2	1,652.35	1/2	1,294.30	1/2	936.26	1/2	578.21	1/2	220.17	1/2		1/2		1/2		1/2	
3/4	2,002.94	3/4	1,644.89	3/4	1,286.84	3/4	928.80	3/4	570.75	3/4	212.71	3/4		3/4		3/4		3/4	
4	1,995.48	4	1,637.43	4	1,279.39	4	921.34	4	563.30	4	205.25	4		4		4		4	
1/4	1,988.02	1/4	1,629.97	1/4	1,271.93	1/4	913.88	1/4	555.84	1/4	197.79	1/4		1/4		1/4		1/4	
1/2	1,980.56	1/2	1,622.51	1/2	1,264.47	1/2	906.42	1/2	548.38	1/2	190.33	1/2		1/2		1/2		1/2	
3/4	1,973.10	3/4	1,615.05	3/4	1,257.01	3/4	898.96	3/4	540.92	3/4	182.87	3/4		3/4		3/4		3/4	
5	1,965.64	5	1,607.59	5	1,249.55	5	891.50	5	533.46	5	175.41	5		5		5		5	
1/4	1,958.18	1/4	1,600.13	1/4	1,242.09	1/4	884.04	1/4	526.00	1/4	167.95	1/4		1/4		1/4		1/4	
1/2	1,950.72	1/2	1,592.68	1/2	1,234.63	1/2	876.58	1/2	518.54	1/2	160.49	1/2		1/2		1/2		1/2	
3/4	1,943.26	3/4	1,585.22	3/4	1,227.17	3/4	869.13	3/4	511.08	3/4	153.03	3/4		3/4		3/4		3/4	
6	1,935.80	6	1,577.76	6	1,219.71	6	861.67	6	503.62	6	145.58	6		6		6		6	
1/4	1,928.34	1/4	1,570.30	1/4	1,212.25	1/4	854.21	1/4	496.16	1/4	138.12	1/4		1/4		1/4		1/4	
1/2	1,920.88	1/2	1,562.84	1/2	1,204.79	1/2	846.75	1/2	488.70	1/2	130.66	1/2		1/2		1/2		1/2	
3/4	1,913.42	3/4	1,555.38	3/4	1,197.33	3/4	839.29	3/4	481.24	3/4	123.20	3/4		3/4		3/4		3/4	
7	1,905.96	7	1,547.92	7	1,189.87	7	831.83	7	473.78	7	115.74	7		7		7		7	
1/4	1,898.51	1/4	1,540.46	1/4	1,182.42	1/4	824.37	1/4	466.32	1/4	108.28	1/4		1/4		1/4		1/4	
1/2	1,891.05	1/2	1,533.00	1/2	1,174.96	1/2	816.91	1/2	458.87	1/2	100.82	1/2		1/2		1/2		1/2	
3/4	1,883.59	3/4	1,525.54	3/4	1,167.50	3/4	809.45	3/4	451.41	3/4	93.36	3/4		3/4		3/4		3/4	
8	1,876.13	8	1,518.08	8	1,160.04	8	801.99	8	443.95	8	85.90	8		8		8		8	
1/4	1,868.67	1/4	1,510.62	1/4	1,152.58	1/4	794.53	1/4	436.49	1/4	78.44	1/4		1/4		1/4		1/4	
1/2	1,861.21	1/2	1,503.16	1/2	1,145.12	1/2	787.07	1/2	429.03	1/2	70.98	1/2		1/2		1/2		1/2	
3/4	1,853.75	3/4	1,495.70	3/4	1,137.66	3/4	779.61	3/4	421.57	3/4	63.52	3/4		3/4		3/4		3/4	
9	1,846.29	9	1,488.25	9	1,130.20	9	772.15	9	414.11	9	57.00	9		9		9		9	
1/4	1,838.83	1/4	1,480.79	1/4	1,122.74	1/4	764.70	1/4	406.65	1/4	50.48	1/4		1/4		1/4		1/4	
1/2	1,831.37	1/2	1,473.33	1/2	1,115.28	1/2	757.24	1/2	399.19	1/2	43.95	1/2		1/2		1/2		1/2	
3/4	1,823.91	3/4	1,465.87	3/4	1,107.82	3/4	749.78	3/4	391.73	3/4	37.43	3/4		3/4		3/4		3/4	
10	1,816.45	10	1,458.41	10	1,100.36	10	742.32	10	384.27	10	32.77	10		10		10		10	
1/4	1,808.99	1/4	1,450.95	1/4	1,092.90	1/4	734.86	1/4	376.81	1/4	28.12	1/4		1/4		1/4		1/4	
1/2	1,801.53	1/2	1,443.49	1/2	1,085.44	1/2	727.40	1/2	369.35	1/2	23.47	1/2		1/2		1/2		1/2	
3/4	1,794.08	3/4	1,436.03	3/4	1,077.99	3/4	719.94	3/4	361.89	3/4	18.81	3/4		3/4		3/4		3/4	
11	1,786.62	11	1,428.57	11	1,070.53	11	712.48	11	354.44	11		11		11		11		11	
1/4	1,779.16	1/4	1,421.11	1/4	1,063.07	1/4	705.02	1/4	346.98	1/4		1/4		1/4		1/4		1/4	
1/2	1,771.70	1/2	1,413.65	1/2	1,055.61	1/2	697.56	1/2	339.52	1/2		1/2		1/2		1/2		1/2	
3/4	1,764.24	3/4	1,406.19	3/4	1,048.15	3/4	690.10	3/4	332.06	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/17/04 BY: BB/JF
DATE COMPUTED: 2/24/04 BY: WHF
DATE ISSUED: 2/26/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,092.45	0	1,734.40	0	1,376.36	0	1,018.31	0	660.27	0	302.22	0		0		0		0	
1/4	2,084.99	1/4	1,726.94	1/4	1,368.90	1/4	1,010.85	1/4	652.81	1/4	294.76	1/4		1/4		1/4		1/4	
1/2	2,077.53	1/2	1,719.48	1/2	1,361.44	1/2	1,003.39	1/2	645.35	1/2	287.30	1/2		1/2		1/2		1/2	
3/4	2,070.07	3/4	1,712.02	3/4	1,353.98	3/4	995.93	3/4	637.89	3/4	279.84	3/4		3/4		3/4		3/4	
1	2,062.61	1	1,704.56	1	1,346.52	1	988.47	1	630.43	1	272.38	1		1		1		1	
1/4	2,055.15	1/4	1,697.11	1/4	1,339.06	1/4	981.01	1/4	622.97	1/4	264.92	1/4		1/4		1/4		1/4	
1/2	2,047.69	1/2	1,689.65	1/2	1,331.60	1/2	973.56	1/2	615.51	1/2	257.46	1/2		1/2		1/2		1/2	
3/4	2,040.23	3/4	1,682.19	3/4	1,324.14	3/4	966.10	3/4	608.05	3/4	250.01	3/4		3/4		3/4		3/4	
2	2,032.77	2	1,674.73	2	1,316.68	2	958.64	2	600.59	2	242.55	2		2		2		2	
1/4	2,025.31	1/4	1,667.27	1/4	1,309.22	1/4	951.18	1/4	593.13	1/4	235.09	1/4		1/4		1/4		1/4	
1/2	2,017.85	1/2	1,659.81	1/2	1,301.76	1/2	943.72	1/2	585.67	1/2	227.63	1/2		1/2		1/2		1/2	
3/4	2,010.39	3/4	1,652.35	3/4	1,294.30	3/4	936.26	3/4	578.21	3/4	220.17	3/4		3/4		3/4		3/4	
3	2,002.94	3	1,644.89	3	1,286.84	3	928.80	3	570.75	3	212.71	3		3		3		3	
1/4	1,995.48	1/4	1,637.43	1/4	1,279.39	1/4	921.34	1/4	563.30	1/4	205.25	1/4		1/4		1/4		1/4	
1/2	1,988.02	1/2	1,629.97	1/2	1,271.93	1/2	913.88	1/2	555.84	1/2	197.79	1/2		1/2		1/2		1/2	
3/4	1,980.56	3/4	1,622.51	3/4	1,264.47	3/4	906.42	3/4	548.38	3/4	190.33	3/4		3/4		3/4		3/4	
4	1,973.10	4	1,615.05	4	1,257.01	4	898.96	4	540.92	4	182.87	4		4		4		4	
1/4	1,965.64	1/4	1,607.59	1/4	1,249.55	1/4	891.50	1/4	533.46	1/4	175.41	1/4		1/4		1/4		1/4	
1/2	1,958.18	1/2	1,600.13	1/2	1,242.09	1/2	884.04	1/2	526.00	1/2	167.95	1/2		1/2		1/2		1/2	
3/4	1,950.72	3/4	1,592.68	3/4	1,234.63	3/4	876.58	3/4	518.54	3/4	160.49	3/4		3/4		3/4		3/4	
5	1,943.26	5	1,585.22	5	1,227.17	5	869.13	5	511.08	5	153.03	5		5		5		5	
1/4	1,935.80	1/4	1,577.76	1/4	1,219.71	1/4	861.67	1/4	503.62	1/4	145.58	1/4		1/4		1/4		1/4	
1/2	1,928.34	1/2	1,570.30	1/2	1,212.25	1/2	854.21	1/2	496.16	1/2	138.12	1/2		1/2		1/2		1/2	
3/4	1,920.88	3/4	1,562.84	3/4	1,204.79	3/4	846.75	3/4	488.70	3/4	130.66	3/4		3/4		3/4		3/4	
6	1,913.42	6	1,555.38	6	1,197.33	6	839.29	6	481.24	6	123.20	6		6		6		6	
1/4	1,905.96	1/4	1,547.92	1/4	1,189.87	1/4	831.83	1/4	473.78	1/4	115.74	1/4		1/4		1/4		1/4	
1/2	1,898.51	1/2	1,540.46	1/2	1,182.42	1/2	824.37	1/2	466.32	1/2	108.28	1/2		1/2		1/2		1/2	
3/4	1,891.05	3/4	1,533.00	3/4	1,174.96	3/4	816.91	3/4	458.87	3/4	100.82	3/4		3/4		3/4		3/4	
7	1,883.59	7	1,525.54	7	1,167.50	7	809.45	7	451.41	7	93.36	7		7		7		7	
1/4	1,876.13	1/4	1,518.08	1/4	1,160.04	1/4	801.99	1/4	443.95	1/4	85.90	1/4		1/4		1/4		1/4	
1/2	1,868.67	1/2	1,510.62	1/2	1,152.58	1/2	794.53	1/2	436.49	1/2	78.44	1/2		1/2		1/2		1/2	
3/4	1,861.21	3/4	1,503.16	3/4	1,145.12	3/4	787.07	3/4	429.03	3/4	70.98	3/4		3/4		3/4		3/4	
8	1,853.75	8	1,495.70	8	1,137.66	8	779.61	8	421.57	8	63.52	8		8		8		8	
1/4	1,846.29	1/4	1,488.25	1/4	1,130.20	1/4	772.15	1/4	414.11	1/4	57.00	1/4		1/4		1/4		1/4	
1/2	1,838.83	1/2	1,480.79	1/2	1,122.74	1/2	764.70	1/2	406.65	1/2	50.48	1/2		1/2		1/2		1/2	
3/4	1,831.37	3/4	1,473.33	3/4	1,115.28	3/4	757.24	3/4	399.19	3/4	43.95	3/4		3/4		3/4		3/4	
9	1,823.91	9	1,465.87	9	1,107.82	9	749.78	9	391.73	9	37.43	9		9		9		9	
1/4	1,816.45	1/4	1,458.41	1/4	1,100.36	1/4	742.32	1/4	384.27	1/4	32.77	1/4		1/4		1/4		1/4	
1/2	1,808.99	1/2	1,450.95	1/2	1,092.90	1/2	734.86	1/2	376.81	1/2	28.12	1/2		1/2		1/2		1/2	
3/4	1,801.53	3/4	1,443.49	3/4	1,085.44	3/4	727.40	3/4	369.35	3/4	23.47	3/4		3/4		3/4		3/4	
10	1,794.08	10	1,436.03	10	1,077.99	10	719.94	10	361.89	10	18.81	10		10		10		10	
1/4	1,786.62	1/4	1,428.57	1/4	1,070.53	1/4	712.48	1/4	354.44	1/4		1/4		1/4		1/4		1/4	
1/2	1,779.16	1/2	1,421.11	1/2	1,063.07	1/2	705.02	1/2	346.98	1/2		1/2		1/2		1/2		1/2	
3/4	1,771.70	3/4	1,413.65	3/4	1,055.61	3/4	697.56	3/4	339.52	3/4		3/4		3/4		3/4		3/4	
11	1,764.24	11	1,406.19	11	1,048.15	11	690.10	11	332.06	11		11		11		11		11	
1/4	1,756.78	1/4	1,398.73	1/4	1,040.69	1/4	682.64	1/4	324.60	1/4		1/4		1/4		1/4		1/4	
1/2	1,749.32	1/2	1,391.27	1/2	1,033.23	1/2	675.18	1/2	317.14	1/2		1/2		1/2		1/2		1/2	
3/4	1,741.86	3/4	1,383.82	3/4	1,025.77	3/4	667.72	3/4	309.68	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/17/04 BY: BB/JF
DATE COMPUTED: 2/24/04 BY: WHF
DATE ISSUED: 2/26/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10 3/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,117.64	0	1,759.12	0	1,400.60	0	1,042.07	0	683.55	0	325.03	0		0		0		0	
1/4	2,110.17	1/4	1,751.65	1/4	1,393.13	1/4	1,034.60	1/4	676.08	1/4	317.56	1/4		1/4		1/4		1/4	
1/2	2,102.70	1/2	1,744.18	1/2	1,385.66	1/2	1,027.13	1/2	668.61	1/2	310.09	1/2		1/2		1/2		1/2	
3/4	2,095.23	3/4	1,736.71	3/4	1,378.19	3/4	1,019.66	3/4	661.14	3/4	302.62	3/4		3/4		3/4		3/4	
1	2,087.76	1	1,729.24	1	1,370.72	1	1,012.20	1	653.67	1	295.15	1		1		1		1	
1/4	2,080.29	1/4	1,721.77	1/4	1,363.25	1/4	1,004.73	1/4	646.20	1/4	287.68	1/4		1/4		1/4		1/4	
1/2	2,072.83	1/2	1,714.30	1/2	1,355.78	1/2	997.26	1/2	638.73	1/2	280.21	1/2		1/2		1/2		1/2	
3/4	2,065.36	3/4	1,706.83	3/4	1,348.31	3/4	989.79	3/4	631.26	3/4	272.74	3/4		3/4		3/4		3/4	
2	2,057.89	2	1,699.36	2	1,340.84	2	982.32	2	623.80	2	265.27	2		2		2		2	
1/4	2,050.42	1/4	1,691.90	1/4	1,333.37	1/4	974.85	1/4	616.33	1/4	257.80	1/4		1/4		1/4		1/4	
1/2	2,042.95	1/2	1,684.43	1/2	1,325.90	1/2	967.38	1/2	608.86	1/2	250.33	1/2		1/2		1/2		1/2	
3/4	2,035.48	3/4	1,676.96	3/4	1,318.43	3/4	959.91	3/4	601.39	3/4	242.86	3/4		3/4		3/4		3/4	
3	2,028.01	3	1,669.49	3	1,310.96	3	952.44	3	593.92	3	235.40	3		3		3		3	
1/4	2,020.54	1/4	1,662.02	1/4	1,303.50	1/4	944.97	1/4	586.45	1/4	227.93	1/4		1/4		1/4		1/4	
1/2	2,013.07	1/2	1,654.55	1/2	1,296.03	1/2	937.50	1/2	578.98	1/2	220.46	1/2		1/2		1/2		1/2	
3/4	2,005.60	3/4	1,647.08	3/4	1,288.56	3/4	930.03	3/4	571.51	3/4	212.99	3/4		3/4		3/4		3/4	
4	1,998.13	4	1,639.61	4	1,281.09	4	922.56	4	564.04	4	205.52	4		4		4		4	
1/4	1,990.66	1/4	1,632.14	1/4	1,273.62	1/4	915.10	1/4	556.57	1/4	198.05	1/4		1/4		1/4		1/4	
1/2	1,983.20	1/2	1,624.67	1/2	1,266.15	1/2	907.63	1/2	549.10	1/2	190.58	1/2		1/2		1/2		1/2	
3/4	1,975.73	3/4	1,617.20	3/4	1,258.68	3/4	900.16	3/4	541.63	3/4	183.11	3/4		3/4		3/4		3/4	
5	1,968.26	5	1,609.73	5	1,251.21	5	892.69	5	534.16	5	175.64	5		5		5		5	
1/4	1,960.79	1/4	1,602.26	1/4	1,243.74	1/4	885.22	1/4	526.70	1/4	168.17	1/4		1/4		1/4		1/4	
1/2	1,953.32	1/2	1,594.80	1/2	1,236.27	1/2	877.75	1/2	519.23	1/2	160.70	1/2		1/2		1/2		1/2	
3/4	1,945.85	3/4	1,587.33	3/4	1,228.80	3/4	870.28	3/4	511.76	3/4	153.23	3/4		3/4		3/4		3/4	
6	1,938.38	6	1,579.86	6	1,221.33	6	862.81	6	504.29	6	145.76	6		6		6		6	
1/4	1,930.91	1/4	1,572.39	1/4	1,213.86	1/4	855.34	1/4	496.82	1/4	138.30	1/4		1/4		1/4		1/4	
1/2	1,923.44	1/2	1,564.92	1/2	1,206.40	1/2	847.87	1/2	489.35	1/2	130.83	1/2		1/2		1/2		1/2	
3/4	1,915.97	3/4	1,557.45	3/4	1,198.93	3/4	840.40	3/4	481.88	3/4	123.36	3/4		3/4		3/4		3/4	
7	1,908.50	7	1,549.98	7	1,191.46	7	832.93	7	474.41	7	115.89	7		7		7		7	
1/4	1,901.03	1/4	1,542.51	1/4	1,183.99	1/4	825.46	1/4	466.94	1/4	108.42	1/4		1/4		1/4		1/4	
1/2	1,893.56	1/2	1,535.04	1/2	1,176.52	1/2	818.00	1/2	459.47	1/2	100.95	1/2		1/2		1/2		1/2	
3/4	1,886.10	3/4	1,527.57	3/4	1,169.05	3/4	810.53	3/4	452.00	3/4	93.48	3/4		3/4		3/4		3/4	
8	1,878.63	8	1,520.10	8	1,161.58	8	803.06	8	444.53	8	86.01	8		8		8		8	
1/4	1,871.16	1/4	1,512.63	1/4	1,154.11	1/4	795.59	1/4	437.06	1/4	78.54	1/4		1/4		1/4		1/4	
1/2	1,863.69	1/2	1,505.16	1/2	1,146.64	1/2	788.12	1/2	429.60	1/2	71.07	1/2		1/2		1/2		1/2	
3/4	1,856.22	3/4	1,497.70	3/4	1,139.17	3/4	780.65	3/4	422.13	3/4	63.60	3/4		3/4		3/4		3/4	
9	1,848.75	9	1,490.23	9	1,131.70	9	773.18	9	414.66	9	57.07	9		9		9		9	
1/4	1,841.28	1/4	1,482.76	1/4	1,124.23	1/4	765.71	1/4	407.19	1/4	50.54	1/4		1/4		1/4		1/4	
1/2	1,833.81	1/2	1,475.29	1/2	1,116.76	1/2	758.24	1/2	399.72	1/2	44.00	1/2		1/2		1/2		1/2	
3/4	1,826.34	3/4	1,467.82	3/4	1,109.30	3/4	750.77	3/4	392.25	3/4	37.47	3/4		3/4		3/4		3/4	
10	1,818.87	10	1,460.35	10	1,101.83	10	743.30	10	384.78	10	32.81	10		10		10		10	
1/4	1,811.40	1/4	1,452.88	1/4	1,094.36	1/4	735.83	1/4	377.31	1/4	28.15	1/4		1/4		1/4		1/4	
1/2	1,803.93	1/2	1,445.41	1/2	1,086.89	1/2	728.36	1/2	369.84	1/2	23.49	1/2		1/2		1/2		1/2	
3/4	1,796.46	3/4	1,437.94	3/4	1,079.42	3/4	720.90	3/4	362.37	3/4	18.83	3/4		3/4		3/4		3/4	
11	1,789.00	11	1,430.47	11	1,071.95	11	713.43	11	354.90	11		11		11		11		11	
1/4	1,781.53	1/4	1,423.00	1/4	1,064.48	1/4	705.96	1/4	347.43	1/4		1/4		1/4		1/4		1/4	
1/2	1,774.06	1/2	1,415.53	1/2	1,057.01	1/2	698.49	1/2	339.96	1/2		1/2		1/2		1/2		1/2	
3/4	1,766.59	3/4	1,408.06	3/4	1,049.54	3/4	691.02	3/4	332.50	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/17/04 BY: BB/JF
DATE COMPUTED: 2/24/04 BY: WHF
DATE ISSUED: 2/26/04

INTERTEK - CALEB BRETT



BARGE "GBL 1130"
HULL NO. 03-2000

3 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10 1/2"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,110.17	0	1,751.65	0	1,393.13	0	1,034.60	0	676.08	0	317.56	0		0		0		0	
1/4	2,102.70	1/4	1,744.18	1/4	1,385.66	1/4	1,027.13	1/4	668.61	1/4	310.09	1/4		1/4		1/4		1/4	
1/2	2,095.23	1/2	1,736.71	1/2	1,378.19	1/2	1,019.66	1/2	661.14	1/2	302.62	1/2		1/2		1/2		1/2	
3/4	2,087.76	3/4	1,729.24	3/4	1,370.72	3/4	1,012.20	3/4	653.67	3/4	295.15	3/4		3/4		3/4		3/4	
1	2,080.29	1	1,721.77	1	1,363.25	1	1,004.73	1	646.20	1	287.68	1		1		1		1	
1/4	2,072.83	1/4	1,714.30	1/4	1,355.78	1/4	997.26	1/4	638.73	1/4	280.21	1/4		1/4		1/4		1/4	
1/2	2,065.36	1/2	1,706.83	1/2	1,348.31	1/2	989.79	1/2	631.26	1/2	272.74	1/2		1/2		1/2		1/2	
3/4	2,057.89	3/4	1,699.36	3/4	1,340.84	3/4	982.32	3/4	623.80	3/4	265.27	3/4		3/4		3/4		3/4	
2	2,050.42	2	1,691.90	2	1,333.37	2	974.85	2	616.33	2	257.80	2		2		2		2	
1/4	2,042.95	1/4	1,684.43	1/4	1,325.90	1/4	967.38	1/4	608.86	1/4	250.33	1/4		1/4		1/4		1/4	
1/2	2,035.48	1/2	1,676.96	1/2	1,318.43	1/2	959.91	1/2	601.39	1/2	242.86	1/2		1/2		1/2		1/2	
3/4	2,028.01	3/4	1,669.49	3/4	1,310.96	3/4	952.44	3/4	593.92	3/4	235.40	3/4		3/4		3/4		3/4	
3	2,020.54	3	1,662.02	3	1,303.50	3	944.97	3	586.45	3	227.93	3		3		3		3	
1/4	2,013.07	1/4	1,654.55	1/4	1,296.03	1/4	937.50	1/4	578.98	1/4	220.46	1/4		1/4		1/4		1/4	
1/2	2,005.60	1/2	1,647.08	1/2	1,288.56	1/2	930.03	1/2	571.51	1/2	212.99	1/2		1/2		1/2		1/2	
3/4	1,998.13	3/4	1,639.61	3/4	1,281.09	3/4	922.56	3/4	564.04	3/4	205.52	3/4		3/4		3/4		3/4	
4	1,990.66	4	1,632.14	4	1,273.62	4	915.10	4	556.57	4	198.05	4		4		4		4	
1/4	1,983.20	1/4	1,624.67	1/4	1,266.15	1/4	907.63	1/4	549.10	1/4	190.58	1/4		1/4		1/4		1/4	
1/2	1,975.73	1/2	1,617.20	1/2	1,258.68	1/2	900.16	1/2	541.63	1/2	183.11	1/2		1/2		1/2		1/2	
3/4	1,968.26	3/4	1,609.73	3/4	1,251.21	3/4	892.69	3/4	534.16	3/4	175.64	3/4		3/4		3/4		3/4	
5	1,960.79	5	1,602.26	5	1,243.74	5	885.22	5	526.70	5	168.17	5		5		5		5	
1/4	1,953.32	1/4	1,594.80	1/4	1,236.27	1/4	877.75	1/4	519.23	1/4	160.70	1/4		1/4		1/4		1/4	
1/2	1,945.85	1/2	1,587.33	1/2	1,228.80	1/2	870.28	1/2	511.76	1/2	153.23	1/2		1/2		1/2		1/2	
3/4	1,938.38	3/4	1,579.86	3/4	1,221.33	3/4	862.81	3/4	504.29	3/4	145.76	3/4		3/4		3/4		3/4	
6	1,930.91	6	1,572.39	6	1,213.86	6	855.34	6	496.82	6	138.30	6		6		6		6	
1/4	1,923.44	1/4	1,564.92	1/4	1,206.40	1/4	847.87	1/4	489.35	1/4	130.83	1/4		1/4		1/4		1/4	
1/2	1,915.97	1/2	1,557.45	1/2	1,198.93	1/2	840.40	1/2	481.88	1/2	123.36	1/2		1/2		1/2		1/2	
3/4	1,908.50	3/4	1,549.98	3/4	1,191.46	3/4	832.93	3/4	474.41	3/4	115.89	3/4		3/4		3/4		3/4	
7	1,901.03	7	1,542.51	7	1,183.99	7	825.46	7	466.94	7	108.42	7		7		7		7	
1/4	1,893.56	1/4	1,535.04	1/4	1,176.52	1/4	818.00	1/4	459.47	1/4	100.95	1/4		1/4		1/4		1/4	
1/2	1,886.10	1/2	1,527.57	1/2	1,169.05	1/2	810.53	1/2	452.00	1/2	93.48	1/2		1/2		1/2		1/2	
3/4	1,878.63	3/4	1,520.10	3/4	1,161.58	3/4	803.06	3/4	444.53	3/4	86.01	3/4		3/4		3/4		3/4	
8	1,871.16	8	1,512.63	8	1,154.11	8	795.59	8	437.06	8	78.54	8		8		8		8	
1/4	1,863.69	1/4	1,505.16	1/4	1,146.64	1/4	788.12	1/4	429.60	1/4	71.07	1/4		1/4		1/4		1/4	
1/2	1,856.22	1/2	1,497.70	1/2	1,139.17	1/2	780.65	1/2	422.13	1/2	63.60	1/2		1/2		1/2		1/2	
3/4	1,848.75	3/4	1,490.23	3/4	1,131.70	3/4	773.18	3/4	414.66	3/4	57.07	3/4		3/4		3/4		3/4	
9	1,841.28	9	1,482.76	9	1,124.23	9	765.71	9	407.19	9	50.54	9		9		9		9	
1/4	1,833.81	1/4	1,475.29	1/4	1,116.76	1/4	758.24	1/4	399.72	1/4	44.00	1/4		1/4		1/4		1/4	
1/2	1,826.34	1/2	1,467.82	1/2	1,109.30	1/2	750.77	1/2	392.25	1/2	37.47	1/2		1/2		1/2		1/2	
3/4	1,818.87	3/4	1,460.35	3/4	1,101.83	3/4	743.30	3/4	384.78	3/4	32.81	3/4		3/4		3/4		3/4	
10	1,811.40	10	1,452.88	10	1,094.36	10	735.83	10	377.31	10	28.15	10		10		10		10	
1/4	1,803.93	1/4	1,445.41	1/4	1,086.89	1/4	728.36	1/4	369.84	1/4	23.49	1/4		1/4		1/4		1/4	
1/2	1,796.46	1/2	1,437.94	1/2	1,079.42	1/2	720.90	1/2	362.37	1/2	18.83	1/2		1/2		1/2		1/2	
3/4	1,789.00	3/4	1,430.47	3/4	1,071.95	3/4	713.43	3/4	354.90	3/4		3/4		3/4		3/4		3/4	
11	1,781.53	11	1,423.00	11	1,064.48	11	705.96	11	347.43	11		11		11		11		11	
1/4	1,774.06	1/4	1,415.53	1/4	1,057.01	1/4	698.49	1/4	339.96	1/4		1/4		1/4		1/4		1/4	
1/2	1,766.59	1/2	1,408.06	1/2	1,049.54	1/2	691.02	1/2	332.50	1/2		1/2		1/2		1/2		1/2	
3/4	1,759.12	3/4	1,400.60	3/4	1,042.07	3/4	683.55	3/4	325.03	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/17/04 BY: BB/JF
DATE COMPUTED: 2/24/04 BY: WHF
DATE ISSUED: 2/26/04

INTERTEK - CALEB BRETT

