



BARGE: GBL 3730

HULL No. JEFFBOAT 13-2842

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 3 1/2"

Table with columns for height (0 FT. to 14 FT.) and rows for gauge readings (0, 1/4, 1/2, 3/4) for each height. Each cell contains a numerical value representing capacity in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 11/1/2013 BY: JMF

DATE COMPUTED: 11/08/2013 BY: WHF

DATE ISSUED: 11/08/2013

INTERTEK - CALEB BRETT





BARGE: GBL 3730

HULL No. JEFFBOAT 13-2842

SLOP PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6 1/2"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	79	6	581	0	1,144	6	1,706	0	2,269	6	2,832	0	3,395	6	3,957	0	4,520	6	5,083	0	5,496
1/8	86	1/8	592	1/8	1,155	1/8	1,718	1/8	2,281	1/8	2,844	1/8	3,406	1/8	3,969	1/8	4,532	1/8	5,095	1/8	5,499
1/4	92	1/4	604	1/4	1,167	1/4	1,730	1/4	2,293	1/4	2,855	1/4	3,418	1/4	3,981	1/4	4,544	1/4	5,106	1/4	5,501
3/8	99	3/8	616	3/8	1,179	3/8	1,741	3/8	2,304	3/8	2,867	3/8	3,430	3/8	3,993	3/8	4,555	3/8	5,118	3/8	5,504
1/2	106	1/2	628	1/2	1,190	1/2	1,753	1/2	2,316	1/2	2,879	1/2	3,442	1/2	4,004	1/2	4,567	1/2	5,130	1/2	5,506
5/8	114	5/8	639	5/8	1,202	5/8	1,765	5/8	2,328	5/8	2,890	5/8	3,453	5/8	4,016	5/8	4,579	5/8	5,142	5/8	5,508
3/4	121	3/4	651	3/4	1,214	3/4	1,777	3/4	2,339	3/4	2,902	3/4	3,465	3/4	4,028	3/4	4,591	3/4	5,153	3/4	5,510
7/8	129	7/8	663	7/8	1,226	7/8	1,788	7/8	2,351	7/8	2,914	7/8	3,477	7/8	4,039	7/8	4,602	7/8	5,165	7/8	5,512
1	137	7	675	1	1,237	7	1,800	1	2,363	7	2,926	1	3,488	7	4,051	1	4,614	7	5,177	1	5,513
1/8	146	1/8	686	1/8	1,249	1/8	1,812	1/8	2,375	1/8	2,937	1/8	3,500	1/8	4,063	1/8	4,626	1/8	5,189	1/8	
1/4	154	1/4	698	1/4	1,261	1/4	1,824	1/4	2,386	1/4	2,949	1/4	3,512	1/4	4,075	1/4	4,637	1/4	5,200	1/4	
3/8	163	3/8	710	3/8	1,272	3/8	1,835	3/8	2,398	3/8	2,961	3/8	3,524	3/8	4,086	3/8	4,649	3/8	5,212	3/8	
1/2	172	1/2	721	1/2	1,284	1/2	1,847	1/2	2,410	1/2	2,973	1/2	3,535	1/2	4,098	1/2	4,661	1/2	5,224	1/2	
5/8	181	5/8	733	5/8	1,296	5/8	1,859	5/8	2,422	5/8	2,984	5/8	3,547	5/8	4,110	5/8	4,673	5/8	5,235	5/8	
3/4	191	3/4	745	3/4	1,308	3/4	1,870	3/4	2,433	3/4	2,996	3/4	3,559	3/4	4,122	3/4	4,684	3/4	5,247	3/4	
7/8	201	7/8	757	7/8	1,319	7/8	1,882	7/8	2,445	7/8	3,008	7/8	3,571	7/8	4,133	7/8	4,696	7/8	5,258	7/8	
2	211	8	768	2	1,331	8	1,894	2	2,457	8	3,019	2	3,582	8	4,145	2	4,708	8	5,269	2	
1/8	221	1/8	780	1/8	1,343	1/8	1,906	1/8	2,468	1/8	3,031	1/8	3,594	1/8	4,157	1/8	4,720	1/8	5,280	1/8	
1/4	231	1/4	792	1/4	1,355	1/4	1,917	1/4	2,480	1/4	3,043	1/4	3,606	1/4	4,168	1/4	4,731	1/4	5,291	1/4	
3/8	242	3/8	804	3/8	1,366	3/8	1,929	3/8	2,492	3/8	3,055	3/8	3,617	3/8	4,180	3/8	4,743	3/8	5,301	3/8	
1/2	253	1/2	815	1/2	1,378	1/2	1,941	1/2	2,504	1/2	3,066	1/2	3,629	1/2	4,192	1/2	4,755	1/2	5,311	1/2	
5/8	264	5/8	827	5/8	1,390	5/8	1,953	5/8	2,515	5/8	3,078	5/8	3,641	5/8	4,204	5/8	4,766	5/8	5,321	5/8	
3/4	276	3/4	839	3/4	1,401	3/4	1,964	3/4	2,527	3/4	3,090	3/4	3,653	3/4	4,215	3/4	4,778	3/4	5,331	3/4	
7/8	288	7/8	850	7/8	1,413	7/8	1,976	7/8	2,539	7/8	3,102	7/8	3,664	7/8	4,227	7/8	4,790	7/8	5,340	7/8	
3	299	9	862	3	1,425	9	1,988	3	2,550	9	3,113	3	3,676	9	4,239	3	4,802	9	5,349	3	
1/8	311	1/8	874	1/8	1,437	1/8	1,999	1/8	2,562	1/8	3,125	1/8	3,688	1/8	4,251	1/8	4,813	1/8	5,358	1/8	
1/4	323	1/4	886	1/4	1,448	1/4	2,011	1/4	2,574	1/4	3,137	1/4	3,699	1/4	4,262	1/4	4,825	1/4	5,367	1/4	
3/8	335	3/8	897	3/8	1,460	3/8	2,023	3/8	2,586	3/8	3,148	3/8	3,711	3/8	4,274	3/8	4,837	3/8	5,375	3/8	
1/2	346	1/2	909	1/2	1,472	1/2	2,035	1/2	2,597	1/2	3,160	1/2	3,723	1/2	4,286	1/2	4,848	1/2	5,384	1/2	
5/8	358	5/8	921	5/8	1,484	5/8	2,046	5/8	2,609	5/8	3,172	5/8	3,735	5/8	4,297	5/8	4,860	5/8	5,392	5/8	
3/4	370	3/4	932	3/4	1,495	3/4	2,058	3/4	2,621	3/4	3,184	3/4	3,746	3/4	4,309	3/4	4,872	3/4	5,399	3/4	
7/8	381	7/8	944	7/8	1,507	7/8	2,070	7/8	2,633	7/8	3,195	7/8	3,758	7/8	4,321	7/8	4,884	7/8	5,407	7/8	
4	393	10	956	4	1,519	10	2,081	4	2,644	10	3,207	4	3,770	10	4,333	4	4,895	10	5,414	4	
1/8	405	1/8	968	1/8	1,530	1/8	2,093	1/8	2,656	1/8	3,219	1/8	3,782	1/8	4,344	1/8	4,907	1/8	5,421	1/8	
1/4	417	1/4	979	1/4	1,542	1/4	2,105	1/4	2,668	1/4	3,231	1/4	3,793	1/4	4,356	1/4	4,919	1/4	5,428	1/4	
3/8	428	3/8	991	3/8	1,554	3/8	2,117	3/8	2,679	3/8	3,242	3/8	3,805	3/8	4,368	3/8	4,931	3/8	5,434	3/8	
1/2	440	1/2	1,003	1/2	1,566	1/2	2,128	1/2	2,691	1/2	3,254	1/2	3,817	1/2	4,380	1/2	4,942	1/2	5,440	1/2	
5/8	452	5/8	1,015	5/8	1,577	5/8	2,140	5/8	2,703	5/8	3,266	5/8	3,828	5/8	4,391	5/8	4,954	5/8	5,446	5/8	
3/4	463	3/4	1,026	3/4	1,589	3/4	2,152	3/4	2,715	3/4	3,277	3/4	3,840	3/4	4,403	3/4	4,966	3/4	5,452	3/4	
7/8	475	7/8	1,038	7/8	1,601	7/8	2,164	7/8	2,726	7/8	3,289	7/8	3,852	7/8	4,415	7/8	4,977	7/8	5,457	7/8	
5	487	11	1,050	5	1,613	11	2,175	5	2,738	11	3,301	5	3,864	11	4,426	5	4,989	11	5,463	5	
1/8	499	1/8	1,061	1/8	1,624	1/8	2,187	1/8	2,750	1/8	3,313	1/8	3,875	1/8	4,438	1/8	5,001	1/8	5,468	1/8	
1/4	510	1/4	1,073	1/4	1,636	1/4	2,199	1/4	2,762	1/4	3,324	1/4	3,887	1/4	4,450	1/4	5,013	1/4	5,472	1/4	
3/8	522	3/8	1,085	3/8	1,648	3/8	2,210	3/8	2,773	3/8	3,336	3/8	3,899	3/8	4,462	3/8	5,024	3/8	5,477	3/8	
1/2	534	1/2	1,097	1/2	1,659	1/2	2,222	1/2	2,785	1/2	3,348	1/2	3,911	1/2	4,473	1/2	5,036	1/2	5,481	1/2	
5/8	546	5/8	1,108	5/8	1,671	5/8	2,234	5/8	2,797	5/8	3,359	5/8	3,922	5/8	4,485	5/8	5,048	5/8	5,485	5/8	
3/4	557	3/4	1,120	3/4	1,683	3/4	2,246	3/4	2,808	3/4	3,371	3/4	3,934	3/4	4,497	3/4	5,060	3/4	5,489	3/4	
7/8	569	7/8	1,132	7/8	1,695	7/8	2,257	7/8	2,820	7/8	3,383	7/8	3,946	7/8	4,508	7/8	5,071	7/8	5,492	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 11/1/2013 BY: JMF

DATE COMPUTED: 11/08/2013 BY: WHF

DATE ISSUED: 11/08/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT



BARGE: GBL 3730

HULL No. JEFFBOAT 13-2842

SLOP STBD

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6 1/2"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	71	6	550	0	1,093	6	1,637	0	2,180	6	2,724	0	3,267	6	3,811	0	4,355	6	4,898	0	5,305
1/8	77	1/8	561	1/8	1,104	1/8	1,648	1/8	2,192	1/8	2,735	1/8	3,279	1/8	3,822	1/8	4,366	1/8	4,909	1/8	5,308
1/4	83	1/4	572	1/4	1,116	1/4	1,659	1/4	2,203	1/4	2,746	1/4	3,290	1/4	3,834	1/4	4,377	1/4	4,921	1/4	5,311
3/8	89	3/8	584	3/8	1,127	3/8	1,671	3/8	2,214	3/8	2,758	3/8	3,301	3/8	3,845	3/8	4,389	3/8	4,932	3/8	5,314
1/2	96	1/2	595	1/2	1,138	1/2	1,682	1/2	2,226	1/2	2,769	1/2	3,313	1/2	3,856	1/2	4,400	1/2	4,943	1/2	5,316
5/8	103	5/8	606	5/8	1,150	5/8	1,693	5/8	2,237	5/8	2,780	5/8	3,324	5/8	3,868	5/8	4,411	5/8	4,955	5/8	5,318
3/4	110	3/4	618	3/4	1,161	3/4	1,705	3/4	2,248	3/4	2,792	3/4	3,335	3/4	3,879	3/4	4,422	3/4	4,966	3/4	5,320
7/8	117	7/8	629	7/8	1,172	7/8	1,716	7/8	2,260	7/8	2,803	7/8	3,347	7/8	3,890	7/8	4,434	7/8	4,977	7/8	5,322
1	125	7	640	1	1,184	7	1,727	1	2,271	7	2,814	1	3,358	7	3,902	1	4,445	7	4,989	1	5,324
1/8	133	1/8	652	1/8	1,195	1/8	1,739	1/8	2,282	1/8	2,826	1/8	3,369	1/8	3,913	1/8	4,456	1/8	5,000	1/8	5,325
1/4	141	1/4	663	1/4	1,206	1/4	1,750	1/4	2,294	1/4	2,837	1/4	3,381	1/4	3,924	1/4	4,468	1/4	5,011	1/4	5,326
3/8	149	3/8	674	3/8	1,218	3/8	1,761	3/8	2,305	3/8	2,848	3/8	3,392	3/8	3,936	3/8	4,479	3/8	5,023	3/8	5,327
1/2	157	1/2	685	1/2	1,229	1/2	1,773	1/2	2,316	1/2	2,860	1/2	3,403	1/2	3,947	1/2	4,490	1/2	5,034	1/2	5,327
5/8	166	5/8	697	5/8	1,240	5/8	1,784	5/8	2,328	5/8	2,871	5/8	3,415	5/8	3,958	5/8	4,502	5/8	5,045	5/8	5,328
3/4	175	3/4	708	3/4	1,252	3/4	1,795	3/4	2,339	3/4	2,882	3/4	3,426	3/4	3,970	3/4	4,513	3/4	5,057	3/4	5,328
7/8	184	7/8	719	7/8	1,263	7/8	1,807	7/8	2,350	7/8	2,894	7/8	3,437	7/8	3,981	7/8	4,524	7/8	5,068	7/8	5,328
2	194	8	731	2	1,274	8	1,818	2	2,361	8	2,905	2	3,449	8	3,992	2	4,536	8	5,079	2	5,329
1/8	203	1/8	742	1/8	1,286	1/8	1,829	1/8	2,373	1/8	2,916	1/8	3,460	1/8	4,003	1/8	4,547	1/8	5,090	1/8	5,330
1/4	213	1/4	753	1/4	1,297	1/4	1,841	1/4	2,384	1/4	2,928	1/4	3,471	1/4	4,015	1/4	4,558	1/4	5,100	1/4	5,331
3/8	223	3/8	765	3/8	1,308	3/8	1,852	3/8	2,395	3/8	2,939	3/8	3,483	3/8	4,026	3/8	4,570	3/8	5,110	3/8	5,332
1/2	234	1/2	776	1/2	1,320	1/2	1,863	1/2	2,407	1/2	2,950	1/2	3,494	1/2	4,037	1/2	4,581	1/2	5,120	1/2	5,333
5/8	245	5/8	787	5/8	1,331	5/8	1,875	5/8	2,418	5/8	2,962	5/8	3,505	5/8	4,049	5/8	4,592	5/8	5,130	5/8	5,334
3/4	255	3/4	799	3/4	1,342	3/4	1,886	3/4	2,429	3/4	2,973	3/4	3,517	3/4	4,060	3/4	4,604	3/4	5,140	3/4	5,335
7/8	266	7/8	810	7/8	1,354	7/8	1,897	7/8	2,441	7/8	2,984	7/8	3,528	7/8	4,071	7/8	4,615	7/8	5,149	7/8	5,336
3	278	9	821	3	1,365	9	1,909	3	2,452	9	2,996	3	3,539	9	4,083	3	4,626	9	5,158	3	5,337
1/8	289	1/8	833	1/8	1,376	1/8	1,920	1/8	2,463	1/8	3,007	1/8	3,551	1/8	4,094	1/8	4,638	1/8	5,167	1/8	5,338
1/4	300	1/4	844	1/4	1,388	1/4	1,931	1/4	2,475	1/4	3,018	1/4	3,562	1/4	4,105	1/4	4,649	1/4	5,175	1/4	5,339
3/8	312	3/8	855	3/8	1,399	3/8	1,942	3/8	2,486	3/8	3,030	3/8	3,573	3/8	4,117	3/8	4,660	3/8	5,184	3/8	5,340
1/2	323	1/2	867	1/2	1,410	1/2	1,954	1/2	2,497	1/2	3,041	1/2	3,584	1/2	4,128	1/2	4,672	1/2	5,192	1/2	5,341
5/8	334	5/8	878	5/8	1,422	5/8	1,965	5/8	2,509	5/8	3,052	5/8	3,596	5/8	4,139	5/8	4,683	5/8	5,200	5/8	5,342
3/4	346	3/4	889	3/4	1,433	3/4	1,976	3/4	2,520	3/4	3,064	3/4	3,607	3/4	4,151	3/4	4,694	3/4	5,207	3/4	5,343
7/8	357	7/8	901	7/8	1,444	7/8	1,988	7/8	2,531	7/8	3,075	7/8	3,618	7/8	4,162	7/8	4,706	7/8	5,215	7/8	5,344
4	368	10	912	4	1,456	10	1,999	4	2,543	10	3,086	4	3,630	10	4,173	4	4,717	10	5,222	4	5,345
1/8	380	1/8	923	1/8	1,467	1/8	2,010	1/8	2,554	1/8	3,098	1/8	3,641	1/8	4,185	1/8	4,728	1/8	5,229	1/8	5,346
1/4	391	1/4	935	1/4	1,478	1/4	2,022	1/4	2,565	1/4	3,109	1/4	3,652	1/4	4,196	1/4	4,740	1/4	5,236	1/4	5,347
3/8	402	3/8	946	3/8	1,490	3/8	2,033	3/8	2,577	3/8	3,120	3/8	3,664	3/8	4,207	3/8	4,751	3/8	5,242	3/8	5,348
1/2	414	1/2	957	1/2	1,501	1/2	2,044	1/2	2,588	1/2	3,132	1/2	3,675	1/2	4,219	1/2	4,762	1/2	5,248	1/2	5,349
5/8	425	5/8	969	5/8	1,512	5/8	2,056	5/8	2,599	5/8	3,143	5/8	3,686	5/8	4,230	5/8	4,774	5/8	5,254	5/8	5,350
3/4	436	3/4	980	3/4	1,523	3/4	2,067	3/4	2,611	3/4	3,154	3/4	3,698	3/4	4,241	3/4	4,785	3/4	5,260	3/4	5,351
7/8	448	7/8	991	7/8	1,535	7/8	2,078	7/8	2,622	7/8	3,165	7/8	3,709	7/8	4,253	7/8	4,796	7/8	5,266	7/8	5,352
5	459	11	1,003	5	1,546	11	2,090	5	2,633	11	3,177	5	3,720	11	4,264	5	4,807	11	5,271	5	5,353
1/8	470	1/8	1,014	1/8	1,557	1/8	2,101	1/8	2,645	1/8	3,188	1/8	3,732	1/8	4,275	1/8	4,819	1/8	5,276	1/8	5,354
1/4	482	1/4	1,025	1/4	1,569	1/4	2,112	1/4	2,656	1/4	3,199	1/4	3,743	1/4	4,287	1/4	4,830	1/4	5,281	1/4	5,355
3/8	493	3/8	1,037	3/8	1,580	3/8	2,124	3/8	2,667	3/8	3,211	3/8	3,754	3/8	4,298	3/8	4,841	3/8	5,285	3/8	5,356
1/2	504	1/2	1,048	1/2	1,591	1/2	2,135	1/2	2,679	1/2	3,222	1/2	3,766	1/2	4,309	1/2	4,853	1/2	5,290	1/2	5,357
5/8	516	5/8	1,059	5/8	1,603	5/8	2,146	5/8	2,690	5/8	3,233	5/8	3,777	5/8	4,321	5/8	4,864	5/8	5,294	5/8	5,358
3/4	527	3/4	1,071	3/4	1,614	3/4	2,158	3/4	2,701	3/4	3,245	3/4	3,788	3/4	4,332	3/4	4,875	3/4	5,298	3/4	5,359
7/8	538	7/8	1,082	7/8	1,625	7/8	2,169	7/8	2,713	7/8	3,256	7/8	3,800	7/8	4,343	7/8	4,887	7/8	5,301	7/8	5,360

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 11/1/2013 BY: JMF
DATE COMPUTED: 11/08/2013 BY: WHF
DATE ISSUED: 11/08/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT