



BARGE: GBL 4830

HULL No. JEFFBOAT 13-2886

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 2 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.14	0	283.30	0	607.00	0	936.37	0	1,265.61	0	1,594.81	0	1,924.20	0	2,253.59	0	2,582.98	0	2,911.02	0	3,238.40	0	3,565.77	0	3,893.15	0	4,220.52	0	4,547.26
1/4	13.99	1/4	289.69	1/4	613.86	1/4	943.23	1/4	1,272.47	1/4	1,601.67	1/4	1,931.06	1/4	2,260.45	1/4	2,589.84	1/4	2,917.84	1/4	3,245.22	1/4	3,572.59	1/4	3,899.97	1/4	4,227.34	1/4	4,554.02
1/2	17.18	1/2	296.11	1/2	620.72	1/2	950.09	1/2	1,279.32	1/2	1,608.53	1/2	1,937.92	1/2	2,267.31	1/2	2,596.70	1/2	2,924.66	1/2	3,252.04	1/2	3,579.41	1/2	3,906.79	1/2	4,234.16	1/2	4,560.78
3/4	20.73	3/4	302.54	3/4	627.58	3/4	956.96	3/4	1,286.18	3/4	1,615.39	3/4	1,944.78	3/4	2,274.17	3/4	2,603.56	3/4	2,931.48	3/4	3,258.86	3/4	3,586.23	3/4	3,913.61	3/4	4,240.98	3/4	4,567.53
1	24.62	1	308.99	1	634.45	1	963.82	1	1,293.03	1	1,622.26	1	1,951.65	1	2,281.04	1	2,610.43	1	2,938.31	1	3,265.68	1	3,593.05	1	3,920.43	1	4,247.80	1	4,574.28
1/4	28.86	1/4	315.46	1/4	641.31	1/4	970.68	1/4	1,299.88	1/4	1,629.12	1/4	1,958.51	1/4	2,287.90	1/4	2,617.29	1/4	2,945.13	1/4	3,272.50	1/4	3,599.87	1/4	3,927.25	1/4	4,254.62	1/4	4,581.02
1/2	33.46	1/2	321.96	1/2	648.17	1/2	977.54	1/2	1,306.74	1/2	1,635.98	1/2	1,965.37	1/2	2,294.76	1/2	2,624.15	1/2	2,951.95	1/2	3,279.32	1/2	3,606.69	1/2	3,934.07	1/2	4,261.44	1/2	4,587.75
3/4	38.42	3/4	328.47	3/4	655.03	3/4	984.40	3/4	1,313.59	3/4	1,642.84	3/4	1,972.23	3/4	2,301.62	3/4	2,631.01	3/4	2,958.77	3/4	3,286.14	3/4	3,613.51	3/4	3,940.89	3/4	4,268.26	3/4	4,594.48
2	43.74	2	334.99	2	661.89	2	991.26	2	1,320.45	2	1,649.70	2	1,979.10	2	2,308.49	2	2,637.88	2	2,965.59	2	3,292.96	2	3,620.34	2	3,947.71	2	4,275.08	2	4,601.20
1/4	49.27	1/4	341.54	1/4	668.76	1/4	998.13	1/4	1,327.30	1/4	1,656.57	1/4	1,985.96	1/4	2,315.35	1/4	2,644.74	1/4	2,972.41	1/4	3,299.78	1/4	3,627.16	1/4	3,954.53	1/4	4,281.90	1/4	4,607.91
1/2	54.84	1/2	348.11	1/2	675.62	1/2	1,004.99	1/2	1,334.15	1/2	1,663.43	1/2	1,992.82	1/2	2,322.21	1/2	2,651.60	1/2	2,979.23	1/2	3,306.60	1/2	3,633.98	1/2	3,961.35	1/2	4,288.72	1/2	4,614.62
3/4	60.44	3/4	354.69	3/4	682.48	3/4	1,011.85	3/4	1,341.01	3/4	1,670.29	3/4	1,999.68	3/4	2,329.07	3/4	2,658.46	3/4	2,986.05	3/4	3,313.42	3/4	3,640.80	3/4	3,968.17	3/4	4,295.54	3/4	4,621.32
3	66.07	3	361.30	3	689.34	3	1,018.71	3	1,347.86	3	1,677.15	3	2,006.54	3	2,335.93	3	2,665.33	3	2,992.87	3	3,320.24	3	3,647.62	3	3,974.99	3	4,302.37	3	4,628.02
1/4	71.73	1/4	367.92	1/4	696.20	1/4	1,025.57	1/4	1,354.72	1/4	1,684.02	1/4	2,013.41	1/4	2,342.80	1/4	2,672.19	1/4	2,999.69	1/4	3,327.06	1/4	3,654.44	1/4	3,981.81	1/4	4,309.19	1/4	4,634.71
1/2	77.41	1/2	374.57	1/2	703.07	1/2	1,032.44	1/2	1,361.57	1/2	1,690.88	1/2	2,020.27	1/2	2,349.66	1/2	2,679.05	1/2	3,006.51	1/2	3,333.88	1/2	3,661.26	1/2	3,988.63	1/2	4,316.01	1/2	4,641.39
3/4	83.12	3/4	381.23	3/4	709.93	3/4	1,039.30	3/4	1,368.43	3/4	1,697.74	3/4	2,027.13	3/4	2,356.52	3/4	2,685.91	3/4	3,013.33	3/4	3,340.70	3/4	3,668.08	3/4	3,995.45	3/4	4,322.83	3/4	4,648.06
4	88.85	4	387.91	4	716.79	4	1,046.16	4	1,375.28	4	1,704.60	4	2,033.99	4	2,363.38	4	2,692.77	4	3,020.15	4	3,347.52	4	3,674.90	4	4,002.27	4	4,329.65	4	4,654.73
1/4	94.61	1/4	394.61	1/4	723.65	1/4	1,053.02	1/4	1,382.14	1/4	1,711.47	1/4	2,040.86	1/4	2,370.25	1/4	2,699.59	1/4	3,026.97	1/4	3,354.34	1/4	3,681.72	1/4	4,009.09	1/4	4,336.47	1/4	4,661.40
1/2	100.39	1/2	401.33	1/2	730.51	1/2	1,059.88	1/2	1,389.00	1/2	1,718.33	1/2	2,047.72	1/2	2,377.11	1/2	2,706.42	1/2	3,033.79	1/2	3,361.16	1/2	3,688.54	1/2	4,015.91	1/2	4,343.29	1/2	4,668.05
3/4	106.19	3/4	408.07	3/4	737.37	3/4	1,066.75	3/4	1,395.85	3/4	1,725.19	3/4	2,054.58	3/4	2,383.97	3/4	2,713.24	3/4	3,040.61	3/4	3,367.98	3/4	3,695.36	3/4	4,022.73	3/4	4,350.11	3/4	4,674.70
5	112.02	5	414.87	5	744.24	5	1,073.61	5	1,402.71	5	1,732.05	5	2,061.44	5	2,390.83	5	2,720.06	5	3,047.43	5	3,374.80	5	3,702.18	5	4,029.55	5	4,356.93	5	4,681.35
1/4	117.86	1/4	421.73	1/4	751.10	1/4	1,080.47	1/4	1,409.57	1/4	1,738.91	1/4	2,068.31	1/4	2,397.70	1/4	2,726.88	1/4	3,054.25	1/4	3,381.62	1/4	3,709.00	1/4	4,036.37	1/4	4,363.75	1/4	4,687.99
1/2	123.73	1/2	428.59	1/2	757.96	1/2	1,087.33	1/2	1,416.43	1/2	1,745.78	1/2	2,075.17	1/2	2,404.56	1/2	2,733.70	1/2	3,061.07	1/2	3,388.45	1/2	3,715.82	1/2	4,043.19	1/2	4,370.57	1/2	4,694.62
3/4	129.62	3/4	435.46	3/4	764.82	3/4	1,094.19	3/4	1,423.29	3/4	1,752.64	3/4	2,082.03	3/4	2,411.42	3/4	2,740.52	3/4	3,067.89	3/4	3,395.27	3/4	3,722.64	3/4	4,050.01	3/4	4,377.39	3/4	4,700.97
6	135.53	6	442.32	6	771.68	6	1,101.05	6	1,430.14	6	1,759.50	6	2,088.89	6	2,418.28	6	2,747.34	6	3,074.71	6	3,402.09	6	3,729.46	6	4,056.83	6	4,384.21	6	4,706.90
1/4	141.46	1/4	449.18	1/4	778.55	1/4	1,107.92	1/4	1,437.00	1/4	1,766.36	1/4	2,095.75	1/4	2,425.14	1/4	2,754.16	1/4	3,081.53	1/4	3,408.91	1/4	3,736.28	1/4	4,063.65	1/4	4,391.03	1/4	4,712.55
1/2	147.42	1/2	456.04	1/2	785.41	1/2	1,114.78	1/2	1,443.86	1/2	1,773.23	1/2	2,102.62	1/2	2,432.01	1/2	2,760.98	1/2	3,088.35	1/2	3,415.73	1/2	3,743.10	1/2	4,070.48	1/2	4,397.85	1/2	4,717.92
3/4	153.39	3/4	462.90	3/4	792.27	3/4	1,121.64	3/4	1,450.72	3/4	1,780.09	3/4	2,109.48	3/4	2,438.87	3/4	2,767.80	3/4	3,095.17	3/4	3,422.55	3/4	3,749.92	3/4	4,077.30	3/4	4,404.67	3/4	4,723.01
7	159.38	7	469.76	7	799.13	7	1,128.50	7	1,457.58	7	1,786.95	7	2,116.34	7	2,445.73	7	2,774.62	7	3,101.99	7	3,429.37	7	3,756.74	7	4,084.12	7	4,411.49	7	4,727.82
1/4	165.40	1/4	476.63	1/4	805.99	1/4	1,135.36	1/4	1,464.44	1/4	1,793.81	1/4	2,123.20	1/4	2,452.59	1/4	2,781.44	1/4	3,108.81	1/4	3,436.19	1/4	3,763.56	1/4	4,090.94	1/4	4,418.31	1/4	4,732.35
1/2	171.43	1/2	483.49	1/2	812.86	1/2	1,142.22	1/2	1,471.29	1/2	1,800.68	1/2	2,130.07	1/2	2,459.46	1/2	2,788.26	1/2	3,115.63	1/2	3,443.01	1/2	3,770.38	1/2	4,097.76	1/2	4,425.13	1/2	4,736.60
3/4	177.48	3/4	490.35	3/4	819.72	3/4	1,149.08	3/4	1,478.15	3/4	1,807.54	3/4	2,136.93	3/4	2,466.32	3/4	2,795.08	3/4	3,122.45	3/4	3,449.83	3/4	3,777.20	3/4	4,104.58	3/4	4,431.95	3/4	4,740.57
8	183.56	8	497.21	8	826.58	8	1,155.95	8	1,485.01	8	1,814.40	8	2,143.79	8	2,473.18	8	2,801.90	8	3,129.27	8	3,456.65	8	3,784.02	8	4,111.40	8	4,438.77	8	4,744.27
1/4	189.65	1/4	504.07	1/4	833.44	1/4	1,162.80	1/4	1,491.87	1/4	1,821.26	1/4	2,150.65	1/4	2,480.04	1/4	2,808.72	1/4	3,136.09	1/4	3,463.47	1/4	3,790.84	1/4	4,118.22	1/4	4,445.55	1/4	4,747.68
1/2	195.76	1/2	510.93	1/2	840.30	1/2	1,169.65	1/2	1,498.73	1/2	1,828.12	1/2	2,157.52	1/2	2,486.91	1/2	2,815.54	1/2	3,142.91	1/2	3,470.29	1/2	3,797.66	1/2	4,125.04	1/2	4,452.33	1/2	4,750.81
3/4	201.89	3/4	517.80	3/4	847.17	3/4	1,176.51	3/4	1,505.60	3/4	1,834.99	3/4	2,164.38	3/4	2,493.77	3/4	2,822.36	3/4	3,149.73	3/4	3,477.11	3/4	3,804.48	3/4	4,131.86	3/4	4,459.11	3/4	4,753.67
9	208.03	9	524.66	9	854.03	9	1,183.36	9	1,512.46	9	1,841.85	9	2,171.24	9	2,500.63	9	2,829.18	9	3,156.55	9	3,483.93	9	3,811.30	9	4,138.68	9	4,465.90	9	4,756.24
1/4	214.20	1/4	531.52	1/4	860.89	1/4	1,190.22	1/4	1,519.32	1/4	1,848.71	1/4	2,178.10	1/4	2,507.49	1/4	2,836.00	1/4	3,163.38	1/4	3,490.75	1/4	3,818.12	1/4	4,145.50	1/4	4,472.68	1/4	4,758.54
1/2	220.39	1/2	538.38	1/2	867.75	1/2	1,197.07	1/2	1,526.18	1/2	1,855.57	1/2	2,184.96	1/2	2,514.35	1/2	2,842.82	1/2	3,170.20	1									



BARGE: GBL 4830

HULL No. JEFFBOAT 13-2886

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 3"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.14	0	283.20	0	606.80	0	936.05	0	1,265.10	0	1,593.96	0	1,923.24	0	2,252.51	0	2,581.79	0	2,909.62	0	3,236.73	0	3,563.84	0	3,890.95	0	4,217.90	0	4,544.41
1/4	13.99	1/4	289.60	1/4	613.66	1/4	942.91	1/4	1,271.94	1/4	1,600.82	1/4	1,930.10	1/4	2,259.37	1/4	2,588.65	1/4	2,916.44	1/4	3,243.55	1/4	3,570.66	1/4	3,897.77	1/4	4,224.70	1/4	4,551.14
1/2	17.18	1/2	296.01	1/2	620.52	1/2	949.77	1/2	1,278.79	1/2	1,607.68	1/2	1,936.96	1/2	2,266.23	1/2	2,595.51	1/2	2,923.25	1/2	3,250.36	1/2	3,577.47	1/2	3,904.58	1/2	4,231.51	1/2	4,557.86
3/4	20.72	3/4	302.44	3/4	627.38	3/4	956.63	3/4	1,285.64	3/4	1,614.54	3/4	1,943.82	3/4	2,273.09	3/4	2,602.37	3/4	2,930.07	3/4	3,257.18	3/4	3,584.29	3/4	3,911.40	3/4	4,238.32	3/4	4,564.58
1	24.61	1	308.89	1	634.24	1	963.49	1	1,292.48	1	1,621.40	1	1,950.68	1	2,279.95	1	2,609.23	1	2,936.88	1	3,263.99	1	3,591.10	1	3,918.21	1	4,245.13	1	4,571.29
1/4	28.86	1/4	315.36	1/4	641.10	1/4	970.35	1/4	1,299.33	1/4	1,628.26	1/4	1,957.54	1/4	2,286.81	1/4	2,616.09	1/4	2,943.69	1/4	3,270.81	1/4	3,597.92	1/4	3,925.03	1/4	4,251.94	1/4	4,578.00
1/2	33.46	1/2	321.85	1/2	647.96	1/2	977.21	1/2	1,306.18	1/2	1,635.12	1/2	1,964.40	1/2	2,293.67	1/2	2,622.95	1/2	2,950.51	1/2	3,277.62	1/2	3,604.73	1/2	3,931.84	1/2	4,258.75	1/2	4,584.70
3/4	38.41	3/4	328.36	3/4	654.81	3/4	984.07	3/4	1,313.02	3/4	1,641.98	3/4	1,971.26	3/4	2,300.53	3/4	2,629.81	3/4	2,957.32	3/4	3,284.43	3/4	3,611.55	3/4	3,938.66	3/4	4,265.55	3/4	4,591.39
2	43.73	2	334.88	2	661.67	2	990.93	2	1,319.87	2	1,648.84	2	1,978.12	2	2,307.39	2	2,636.67	2	2,964.14	2	3,291.25	2	3,618.36	2	3,945.47	2	4,272.36	2	4,598.07
1/4	49.25	1/4	341.43	1/4	668.53	1/4	997.79	1/4	1,326.72	1/4	1,655.70	1/4	1,984.98	1/4	2,314.25	1/4	2,643.53	1/4	2,970.95	1/4	3,298.06	1/4	3,625.17	1/4	3,952.29	1/4	4,279.17	1/4	4,604.75
1/2	54.82	1/2	347.99	1/2	675.39	1/2	1,004.65	1/2	1,333.56	1/2	1,662.56	1/2	1,991.84	1/2	2,321.11	1/2	2,650.39	1/2	2,977.77	1/2	3,304.88	1/2	3,631.99	1/2	3,959.10	1/2	4,285.98	1/2	4,611.43
3/4	60.42	3/4	354.58	3/4	682.25	3/4	1,011.51	3/4	1,340.41	3/4	1,669.42	3/4	1,998.70	3/4	2,327.97	3/4	2,657.25	3/4	2,984.58	3/4	3,311.69	3/4	3,638.80	3/4	3,965.91	3/4	4,292.79	3/4	4,618.10
3	66.05	3	361.18	3	689.11	3	1,018.37	3	1,347.26	3	1,676.28	3	2,005.56	3	2,334.83	3	2,664.11	3	2,991.40	3	3,318.51	3	3,645.62	3	3,972.73	3	4,299.60	3	4,624.76
1/4	71.71	1/4	367.80	1/4	695.97	1/4	1,025.23	1/4	1,354.10	1/4	1,683.14	1/4	2,012.42	1/4	2,341.69	1/4	2,670.97	1/4	2,998.21	1/4	3,325.32	1/4	3,652.43	1/4	3,979.54	1/4	4,306.41	1/4	4,631.41
1/2	77.39	1/2	374.44	1/2	702.83	1/2	1,032.09	1/2	1,360.95	1/2	1,690.00	1/2	2,019.28	1/2	2,348.55	1/2	2,677.83	1/2	3,005.03	1/2	3,332.14	1/2	3,659.25	1/2	3,986.36	1/2	4,313.21	1/2	4,638.06
3/4	83.09	3/4	381.10	3/4	709.69	3/4	1,038.95	3/4	1,367.80	3/4	1,696.86	3/4	2,026.14	3/4	2,355.41	3/4	2,684.69	3/4	3,011.84	3/4	3,338.95	3/4	3,666.06	3/4	3,993.17	3/4	4,320.02	3/4	4,644.70
4	88.83	4	387.78	4	716.55	4	1,045.81	4	1,374.64	4	1,703.72	4	2,033.00	4	2,362.27	4	2,691.55	4	3,018.66	4	3,345.77	4	3,672.88	4	3,999.99	4	4,326.83	4	4,651.34
1/4	94.58	1/4	394.48	1/4	723.41	1/4	1,052.67	1/4	1,381.49	1/4	1,710.58	1/4	2,039.86	1/4	2,369.13	1/4	2,698.36	1/4	3,025.47	1/4	3,352.58	1/4	3,679.69	1/4	4,006.80	1/4	4,333.64	1/4	4,657.96
1/2	100.36	1/2	401.20	1/2	730.27	1/2	1,059.53	1/2	1,388.34	1/2	1,717.44	1/2	2,046.72	1/2	2,375.99	1/2	2,705.18	1/2	3,032.29	1/2	3,359.40	1/2	3,686.51	1/2	4,013.62	1/2	4,340.45	1/2	4,664.59
3/4	106.16	3/4	407.93	3/4	737.13	3/4	1,066.38	3/4	1,395.19	3/4	1,724.30	3/4	2,053.58	3/4	2,382.85	3/4	2,711.99	3/4	3,039.10	3/4	3,366.21	3/4	3,693.32	3/4	4,020.43	3/4	4,347.26	3/4	4,671.49
5	111.98	5	414.73	5	743.99	5	1,073.24	5	1,402.04	5	1,731.16	5	2,060.44	5	2,389.71	5	2,718.81	5	3,045.92	5	3,373.03	5	3,700.14	5	4,027.25	5	4,354.06	5	4,678.53
1/4	117.82	1/4	421.59	1/4	750.85	1/4	1,080.10	1/4	1,408.89	1/4	1,738.02	1/4	2,067.30	1/4	2,396.57	1/4	2,725.62	1/4	3,052.73	1/4	3,379.84	1/4	3,706.95	1/4	4,034.06	1/4	4,360.87	1/4	4,685.30
1/2	123.69	1/2	428.45	1/2	757.71	1/2	1,086.96	1/2	1,415.74	1/2	1,744.88	1/2	2,074.16	1/2	2,403.43	1/2	2,732.44	1/2	3,059.55	1/2	3,386.66	1/2	3,713.77	1/2	4,040.88	1/2	4,367.68	1/2	4,691.79
3/4	129.58	3/4	435.31	3/4	764.57	3/4	1,093.82	3/4	1,422.59	3/4	1,751.74	3/4	2,081.02	3/4	2,410.29	3/4	2,739.25	3/4	3,066.36	3/4	3,393.47	3/4	3,720.58	3/4	4,047.69	3/4	4,374.49	3/4	4,697.99
6	135.49	6	442.17	6	771.43	6	1,100.68	6	1,429.44	6	1,758.60	6	2,087.88	6	2,417.15	6	2,746.07	6	3,073.18	6	3,400.29	6	3,727.40	6	4,054.49	6	4,381.30	6	4,703.92
1/4	141.42	1/4	449.03	1/4	778.29	1/4	1,107.54	1/4	1,436.29	1/4	1,765.46	1/4	2,094.74	1/4	2,424.01	1/4	2,752.88	1/4	3,079.99	1/4	3,407.10	1/4	3,734.21	1/4	4,061.30	1/4	4,388.11	1/4	4,709.57
1/2	147.37	1/2	455.89	1/2	785.15	1/2	1,114.40	1/2	1,443.13	1/2	1,772.32	1/2	2,101.60	1/2	2,430.87	1/2	2,759.70	1/2	3,086.81	1/2	3,413.92	1/2	3,741.03	1/2	4,068.11	1/2	4,394.91	1/2	4,714.94
3/4	153.34	3/4	462.75	3/4	792.00	3/4	1,121.26	3/4	1,449.98	3/4	1,779.18	3/4	2,108.46	3/4	2,437.73	3/4	2,766.51	3/4	3,093.62	3/4	3,420.73	3/4	3,747.84	3/4	4,074.92	3/4	4,401.72	3/4	4,720.02
7	159.33	7	469.61	7	798.86	7	1,128.12	7	1,456.83	7	1,786.04	7	2,115.32	7	2,444.59	7	2,773.32	7	3,100.44	7	3,427.55	7	3,754.66	7	4,081.73	7	4,408.53	7	4,724.83
1/4	165.34	1/4	476.47	1/4	805.72	1/4	1,134.98	1/4	1,463.68	1/4	1,792.90	1/4	2,122.18	1/4	2,451.45	1/4	2,780.14	1/4	3,107.25	1/4	3,434.36	1/4	3,761.47	1/4	4,088.54	1/4	4,415.34	1/4	4,729.36
1/2	171.38	1/2	483.33	1/2	812.58	1/2	1,141.84	1/2	1,470.53	1/2	1,799.76	1/2	2,129.04	1/2	2,458.31	1/2	2,786.95	1/2	3,114.06	1/2	3,441.18	1/2	3,768.29	1/2	4,095.34	1/2	4,422.15	1/2	4,733.61
3/4	177.43	3/4	490.19	3/4	819.44	3/4	1,148.69	3/4	1,477.38	3/4	1,806.62	3/4	2,135.90	3/4	2,465.17	3/4	2,793.77	3/4	3,120.88	3/4	3,447.99	3/4	3,775.10	3/4	4,102.15	3/4	4,428.96	3/4	4,737.59
8	183.50	8	497.05	8	826.30	8	1,155.55	8	1,484.23	8	1,813.48	8	2,142.76	8	2,472.03	8	2,800.58	8	3,127.69	8	3,454.80	8	3,781.92	8	4,108.96	8	4,435.76	8	4,741.28
1/4	189.59	1/4	503.91	1/4	833.16	1/4	1,162.40	1/4	1,491.09	1/4	1,820.34	1/4	2,149.62	1/4	2,478.89	1/4	2,807.40	1/4	3,134.51	1/4	3,461.62	1/4	3,788.73	1/4	4,115.77	1/4	4,442.57	1/4	4,744.69
1/2	195.69	1/2	510.77	1/2	840.02	1/2	1,169.25	1/2	1,497.94	1/2	1,827.20	1/2	2,156.47	1/2	2,485.75	1/2	2,814.21	1/2	3,141.32	1/2	3,468.43	1/2	3,795.54	1/2	4,122.58	1/2	4,449.37	1/2	4,747.82
3/4	201.82	3/4	517.63	3/4	846.88	3/4	1,176.09	3/4	1,504.80	3/4	1,834.06	3/4	2,163.33	3/4	2,492.61	3/4	2,821.03	3/4	3,148.14	3/4	3,475.25	3/4	3,802.36	3/4	4,129.39	3/4	4,456.18	3/4	4,750.67
9	207.97	9	524.48	9	853.74	9	1,182.94	9	1,511.66	9	1,840.92	9	2,170.19	9	2,499.47	9	2,827.84	9	3,154.95	9	3,482.06	9	3,809.17	9	4,136.20	9	4,462.98	9	4,753.25
1/4	214.13	1/4	531.34	1/4	860.60	1/4	1,189.79	1/4	1,518.51	1/4	1,847.78	1/4	2,177.05	1/4	2,506.33	1/4	2,834.66	1/4	3,161.77	1/4	3,488.88	1/4	3,815.99	1/4	4,143.00	1/4	4,469.79	1/4	4,755.54
1/2	220.32	1/2	538.20	1/2	867.46	1/2	1,196.63	1/2	1,525.3																				



BARGE: GBL 4830

HULL No. JEFFBOAT 13-2886

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 2 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.79	0	348.83	0	699.29	0	1,049.55	0	1,400.03	0	1,750.52	0	2,101.01	0	2,451.50	0	2,801.99	0	3,152.41	0	3,502.80	0	3,853.18	0	4,203.57	0	4,552.63	0	4,901.21
1/4	18.58	1/4	356.13	1/4	706.60	1/4	1,056.85	1/4	1,407.33	1/4	1,757.82	1/4	2,108.31	1/4	2,458.80	1/4	2,809.29	1/4	3,159.71	1/4	3,510.10	1/4	3,860.48	1/4	4,210.87	1/4	4,559.90	1/4	4,908.43
1/2	22.82	1/2	363.43	1/2	713.90	1/2	1,064.15	1/2	1,414.63	1/2	1,765.12	1/2	2,115.61	1/2	2,466.10	1/2	2,816.59	1/2	3,167.01	1/2	3,517.40	1/2	3,867.78	1/2	4,218.17	1/2	4,567.16	1/2	4,915.66
3/4	27.50	3/4	370.73	3/4	721.20	3/4	1,071.45	3/4	1,421.93	3/4	1,772.42	3/4	2,122.91	3/4	2,473.41	3/4	2,823.90	3/4	3,174.31	3/4	3,524.70	3/4	3,875.08	3/4	4,225.47	3/4	4,574.42	3/4	4,922.87
1	32.64	1	378.03	1	728.50	1	1,078.75	1	1,429.23	1	1,779.72	1	2,130.22	1	2,480.71	1	2,831.20	1	3,181.61	1	3,532.00	1	3,882.38	1	4,232.77	1	4,581.68	1	4,930.08
1/4	38.21	1/4	385.33	1/4	735.80	1/4	1,086.05	1/4	1,436.54	1/4	1,787.03	1/4	2,137.52	1/4	2,488.01	1/4	2,838.50	1/4	3,188.91	1/4	3,539.30	1/4	3,889.68	1/4	4,240.07	1/4	4,588.95	1/4	4,937.28
1/2	44.24	1/2	392.64	1/2	743.10	1/2	1,093.35	1/2	1,443.84	1/2	1,794.33	1/2	2,144.82	1/2	2,495.31	1/2	2,845.80	1/2	3,196.21	1/2	3,546.60	1/2	3,896.98	1/2	4,247.37	1/2	4,596.21	1/2	4,944.42
3/4	50.70	3/4	399.94	3/4	750.40	3/4	1,100.65	3/4	1,451.14	3/4	1,801.63	3/4	2,152.12	3/4	2,502.61	3/4	2,853.10	3/4	3,203.51	3/4	3,553.89	3/4	3,904.28	3/4	4,254.67	3/4	4,603.47	3/4	4,951.55
2	57.62	2	407.24	2	757.70	2	1,107.95	2	1,458.44	2	1,808.93	2	2,159.42	2	2,509.91	2	2,860.41	2	3,210.81	2	3,561.19	2	3,911.58	2	4,261.97	2	4,610.74	2	4,958.68
1/4	64.78	1/4	414.54	1/4	765.00	1/4	1,115.25	1/4	1,465.74	1/4	1,816.23	1/4	2,166.73	1/4	2,517.22	1/4	2,867.71	1/4	3,218.11	1/4	3,568.49	1/4	3,918.88	1/4	4,269.27	1/4	4,618.00	1/4	4,965.80
1/2	71.98	1/2	421.84	1/2	772.30	1/2	1,122.55	1/2	1,473.04	1/2	1,823.54	1/2	2,174.03	1/2	2,524.52	1/2	2,875.01	1/2	3,225.41	1/2	3,575.79	1/2	3,926.18	1/2	4,276.57	1/2	4,625.26	1/2	4,972.91
3/4	79.19	3/4	429.14	3/4	779.59	3/4	1,129.86	3/4	1,480.35	3/4	1,830.84	3/4	2,181.33	3/4	2,531.82	3/4	2,882.31	3/4	3,232.71	3/4	3,583.09	3/4	3,933.48	3/4	4,283.86	3/4	4,632.53	3/4	4,980.02
3	86.41	3	436.44	3	786.89	3	1,137.16	3	1,487.65	3	1,838.14	3	2,188.63	3	2,539.12	3	2,889.61	3	3,240.01	3	3,590.39	3	3,940.78	3	4,291.16	3	4,639.79	3	4,987.12
1/4	93.64	1/4	443.75	1/4	794.18	1/4	1,144.46	1/4	1,494.95	1/4	1,845.44	1/4	2,195.93	1/4	2,546.42	1/4	2,896.92	1/4	3,247.31	1/4	3,597.69	1/4	3,948.08	1/4	4,298.43	1/4	4,647.05	1/4	4,994.21
1/2	100.88	1/2	451.05	1/2	801.48	1/2	1,151.76	1/2	1,502.25	1/2	1,852.74	1/2	2,203.23	1/2	2,553.73	1/2	2,904.22	1/2	3,254.61	1/2	3,604.99	1/2	3,955.38	1/2	4,305.69	1/2	4,654.31	1/2	5,001.29
3/4	108.13	3/4	458.35	3/4	808.78	3/4	1,159.06	3/4	1,509.55	3/4	1,860.05	3/4	2,210.54	3/4	2,561.03	3/4	2,911.52	3/4	3,261.91	3/4	3,612.29	3/4	3,962.68	3/4	4,312.95	3/4	4,661.58	3/4	5,008.37
4	115.39	4	465.65	4	816.07	4	1,166.37	4	1,516.86	4	1,867.35	4	2,217.84	4	2,568.33	4	2,918.82	4	3,269.21	4	3,619.59	4	3,969.98	4	4,320.22	4	4,668.84	4	5,015.44
1/4	122.65	1/4	472.95	1/4	823.37	1/4	1,173.67	1/4	1,524.16	1/4	1,874.65	1/4	2,225.14	1/4	2,575.63	1/4	2,926.12	1/4	3,276.51	1/4	3,626.89	1/4	3,977.28	1/4	4,327.48	1/4	4,676.10	1/4	5,022.51
1/2	129.92	1/2	480.25	1/2	830.67	1/2	1,180.97	1/2	1,531.46	1/2	1,881.95	1/2	2,232.44	1/2	2,582.93	1/2	2,933.42	1/2	3,283.81	1/2	3,634.19	1/2	3,984.58	1/2	4,337.74	1/2	4,683.37	1/2	5,029.57
3/4	137.20	3/4	487.55	3/4	837.96	3/4	1,188.27	3/4	1,538.76	3/4	1,889.25	3/4	2,239.74	3/4	2,590.24	3/4	2,940.72	3/4	3,291.11	3/4	3,641.49	3/4	3,991.88	3/4	4,342.01	3/4	4,690.63	3/4	5,036.62
5	144.47	5	494.86	5	845.26	5	1,195.57	5	1,546.06	5	1,896.56	5	2,247.05	5	2,597.54	5	2,948.02	5	3,298.41	5	3,648.79	5	3,999.18	5	4,349.27	5	4,697.89	5	5,043.66
1/4	151.75	1/4	502.16	1/4	852.55	1/4	1,202.87	1/4	1,553.37	1/4	1,903.86	1/4	2,254.35	1/4	2,604.84	1/4	2,955.32	1/4	3,305.71	1/4	3,656.09	1/4	4,006.48	1/4	4,356.53	1/4	4,705.16	1/4	5,050.71
1/2	159.04	1/2	509.46	1/2	859.85	1/2	1,210.18	1/2	1,560.67	1/2	1,911.16	1/2	2,261.65	1/2	2,612.14	1/2	2,962.62	1/2	3,313.00	1/2	3,663.39	1/2	4,013.78	1/2	4,363.79	1/2	4,712.42	1/2	5,057.61
3/4	166.33	3/4	516.76	3/4	867.15	3/4	1,217.48	3/4	1,567.97	3/4	1,918.46	3/4	2,268.95	3/4	2,619.44	3/4	2,969.92	3/4	3,320.30	3/4	3,670.69	3/4	4,021.08	3/4	4,371.06	3/4	4,719.68	3/4	5,064.21
6	173.62	6	524.06	6	874.44	6	1,224.78	6	1,575.27	6	1,925.76	6	2,276.25	6	2,626.75	6	2,977.22	6	3,327.60	6	3,677.99	6	4,028.38	6	4,378.32	6	4,726.94	6	5,070.52
1/4	180.91	1/4	531.36	1/4	881.74	1/4	1,232.08	1/4	1,582.57	1/4	1,933.06	1/4	2,283.56	1/4	2,634.05	1/4	2,984.52	1/4	3,334.90	1/4	3,685.29	1/4	4,035.68	1/4	4,385.58	1/4	4,734.21	1/4	5,076.52
1/2	188.21	1/2	538.66	1/2	889.03	1/2	1,239.38	1/2	1,589.88	1/2	1,940.37	1/2	2,290.86	1/2	2,641.35	1/2	2,991.82	1/2	3,342.20	1/2	3,692.59	1/2	4,042.97	1/2	4,392.85	1/2	4,741.47	1/2	5,082.23
3/4	195.50	3/4	545.96	3/4	896.33	3/4	1,246.69	3/4	1,597.18	3/4	1,947.67	3/4	2,298.16	3/4	2,648.65	3/4	2,999.12	3/4	3,349.50	3/4	3,699.89	3/4	4,050.27	3/4	4,400.11	3/4	4,748.73	3/4	5,087.64
7	202.80	7	553.27	7	903.63	7	1,253.99	7	1,604.48	7	1,954.97	7	2,305.46	7	2,655.95	7	3,006.42	7	3,356.80	7	3,707.19	7	4,057.57	7	4,407.37	7	4,756.00	7	5,092.76
1/4	210.10	1/4	560.57	1/4	910.92	1/4	1,261.29	1/4	1,611.78	1/4	1,962.27	1/4	2,312.76	1/4	2,663.25	1/4	3,013.72	1/4	3,364.10	1/4	3,714.49	1/4	4,064.87	1/4	4,414.64	1/4	4,763.26	1/4	5,097.58
1/2	217.40	1/2	567.87	1/2	918.22	1/2	1,268.59	1/2	1,619.08	1/2	1,969.57	1/2	2,320.07	1/2	2,670.56	1/2	3,021.02	1/2	3,371.40	1/2	3,721.79	1/2	4,072.17	1/2	4,421.90	1/2	4,770.52	1/2	5,102.10
3/4	224.70	3/4	575.17	3/4	925.51	3/4	1,275.89	3/4	1,626.38	3/4	1,976.88	3/4	2,327.37	3/4	2,677.86	3/4	3,028.32	3/4	3,378.70	3/4	3,729.09	3/4	4,079.47	3/4	4,429.16	3/4	4,777.79	3/4	5,106.32
8	232.00	8	582.47	8	932.81	8	1,283.20	8	1,633.69	8	1,984.18	8	2,334.67	8	2,685.16	8	3,035.62	8	3,386.00	8	3,736.39	8	4,086.77	8	4,436.42	8	4,785.05	8	5,110.24
1/4	239.31	1/4	589.77	1/4	940.11	1/4	1,290.50	1/4	1,640.99	1/4	1,991.48	1/4	2,341.97	1/4	2,692.46	1/4	3,042.92	1/4	3,393.30	1/4	3,743.69	1/4	4,094.07	1/4	4,443.69	1/4	4,792.31	1/4	5,113.87
1/2	246.61	1/2	597.07	1/2	947.40	1/2	1,297.80	1/2	1,648.29	1/2	1,998.78	1/2	2,349.27	1/2	2,699.76	1/2	3,050.22	1/2	3,400.60	1/2	3,750.99	1/2	4,101.37	1/2	4,450.95	1/2	4,799.58	1/2	5,117.20
3/4	253.91	3/4	604.38	3/4	954.70	3/4	1,305.10	3/4	1,655.59	3/4	2,006.08	3/4	2,356.57	3/4	2,707.07	3/4	3,057.52	3/4	3,407.90	3/4	3,758.29	3/4	4,108.67	3/4	4,458.21	3/4	4,806.84	3/4	5,120.23
9	261.21	9	611.68	9	962.00	9	1,312.40	9	1,662.89	9	2,013.39	9	2,363.88	9	2,714.37	9	3,064.82	9	3,415.20	9	3,765.59	9	4,115.97	9	4,465.48	9	4,814.11	9	5,122.97
1/4	268.51	1/4	618.98	1/4	969.29	1/4	1,319.71	1/4	1,670.20	1/4	2,020.69	1/4	2,371.18	1/4	2,721.67	1/4	3,072.11	1/4	3,422.50	1/4	3,772.89	1/4	4,123.27	1/4	4,472.74	1/4	4,821.37	1/4	5,125.41
1/2	275.81	1/2	626.28	1/2																									



BARGE: GBL 4830

HULL No. JEFFBOAT 13-2886

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 2 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.78	0	348.77	0	699.20	0	1,048.50	0	1,398.84	0	1,749.41	0	2,099.98	0	2,450.56	0	2,801.13	0	3,151.63	0	3,502.10	0	3,852.57	0	4,203.03	0	4,552.18	0	4,900.84
1/4	18.57	1/4	356.07	1/4	706.50	1/4	1,055.77	1/4	1,406.14	1/4	1,756.71	1/4	2,107.29	1/4	2,457.86	1/4	2,808.43	1/4	3,158.93	1/4	3,509.40	1/4	3,859.87	1/4	4,210.33	1/4	4,559.44	1/4	4,908.06
1/2	22.80	1/2	363.37	1/2	713.80	1/2	1,063.05	1/2	1,413.45	1/2	1,764.02	1/2	2,114.59	1/2	2,465.16	1/2	2,815.74	1/2	3,166.23	1/2	3,516.70	1/2	3,867.17	1/2	4,217.64	1/2	4,566.71	1/2	4,915.29
3/4	27.49	3/4	370.68	3/4	721.10	3/4	1,070.32	3/4	1,420.75	3/4	1,771.32	3/4	2,121.89	3/4	2,472.47	3/4	2,823.04	3/4	3,173.54	3/4	3,524.00	3/4	3,874.47	3/4	4,224.94	3/4	4,573.97	3/4	4,922.50
1	32.62	1	377.98	1	728.40	1	1,077.60	1	1,428.05	1	1,778.63	1	2,129.20	1	2,479.77	1	2,830.34	1	3,180.84	1	3,531.30	1	3,881.77	1	4,232.24	1	4,581.24	1	4,929.71
1/4	38.19	1/4	385.28	1/4	735.68	1/4	1,084.87	1/4	1,435.36	1/4	1,785.93	1/4	2,136.50	1/4	2,487.07	1/4	2,837.65	1/4	3,188.14	1/4	3,538.61	1/4	3,889.07	1/4	4,239.54	1/4	4,588.50	1/4	4,936.92
1/2	44.21	1/2	392.58	1/2	742.95	1/2	1,092.14	1/2	1,442.66	1/2	1,793.23	1/2	2,143.81	1/2	2,494.38	1/2	2,844.95	1/2	3,195.44	1/2	3,545.91	1/2	3,896.37	1/2	4,246.84	1/2	4,595.77	1/2	4,944.06
3/4	50.68	3/4	399.88	3/4	750.23	3/4	1,099.42	3/4	1,449.96	3/4	1,800.54	3/4	2,151.11	3/4	2,501.68	3/4	2,852.25	3/4	3,202.74	3/4	3,553.21	3/4	3,903.68	3/4	4,254.14	3/4	4,603.03	3/4	4,951.19
2	57.60	2	407.18	2	757.50	2	1,106.69	2	1,457.27	2	1,807.84	2	2,158.41	2	2,508.99	2	2,859.56	2	3,210.04	2	3,560.51	2	3,910.98	2	4,261.44	2	4,610.30	2	4,958.32
1/4	64.76	1/4	414.48	1/4	764.78	1/4	1,114.00	1/4	1,464.57	1/4	1,815.14	1/4	2,165.72	1/4	2,516.29	1/4	2,866.86	1/4	3,217.34	1/4	3,567.81	1/4	3,918.28	1/4	4,268.75	1/4	4,617.56	1/4	4,965.44
1/2	71.95	1/2	421.78	1/2	772.05	1/2	1,121.30	1/2	1,471.87	1/2	1,822.45	1/2	2,173.02	1/2	2,523.59	1/2	2,874.17	1/2	3,224.65	1/2	3,575.11	1/2	3,925.58	1/2	4,276.05	1/2	4,624.83	1/2	4,972.55
3/4	79.16	3/4	429.08	3/4	779.33	3/4	1,128.61	3/4	1,479.18	3/4	1,829.75	3/4	2,180.32	3/4	2,530.90	3/4	2,881.47	3/4	3,231.95	3/4	3,582.41	3/4	3,932.88	3/4	4,283.35	3/4	4,632.09	3/4	4,979.66
3	86.38	3	436.38	3	786.60	3	1,135.91	3	1,486.48	3	1,837.05	3	2,187.63	3	2,538.20	3	2,888.77	3	3,239.25	3	3,589.72	3	3,940.18	3	4,290.65	3	4,639.36	3	4,986.76
1/4	93.62	1/4	443.68	1/4	793.88	1/4	1,143.21	1/4	1,493.79	1/4	1,844.36	1/4	2,194.93	1/4	2,545.50	1/4	2,896.08	1/4	3,246.55	1/4	3,597.02	1/4	3,947.48	1/4	4,297.91	1/4	4,646.62	1/4	4,993.86
1/2	100.86	1/2	450.98	1/2	801.15	1/2	1,150.52	1/2	1,501.09	1/2	1,851.66	1/2	2,202.23	1/2	2,552.81	1/2	2,903.38	1/2	3,253.85	1/2	3,604.32	1/2	3,954.79	1/2	4,305.18	1/2	4,653.89	1/2	5,000.94
3/4	108.11	3/4	458.28	3/4	808.43	3/4	1,157.82	3/4	1,508.39	3/4	1,858.97	3/4	2,209.54	3/4	2,560.11	3/4	2,910.68	3/4	3,261.15	3/4	3,611.62	3/4	3,962.09	3/4	4,312.44	3/4	4,661.15	3/4	5,008.02
4	115.36	4	465.58	4	815.70	4	1,165.12	4	1,515.70	4	1,866.27	4	2,216.84	4	2,567.41	4	2,917.99	4	3,268.45	4	3,618.92	4	3,969.39	4	4,319.71	4	4,668.41	4	5,015.10
1/4	122.62	1/4	472.88	1/4	822.98	1/4	1,172.43	1/4	1,523.00	1/4	1,873.57	1/4	2,224.15	1/4	2,574.72	1/4	2,925.29	1/4	3,275.76	1/4	3,626.22	1/4	3,976.69	1/4	4,326.97	1/4	4,675.68	1/4	5,022.16
1/2	129.89	1/2	480.18	1/2	830.25	1/2	1,179.73	1/2	1,530.30	1/2	1,880.88	1/2	2,231.45	1/2	2,582.02	1/2	2,932.59	1/2	3,283.06	1/2	3,633.52	1/2	3,983.99	1/2	4,334.24	1/2	4,682.94	1/2	5,029.22
3/4	137.16	3/4	487.48	3/4	837.53	3/4	1,187.03	3/4	1,537.61	3/4	1,888.18	3/4	2,238.75	3/4	2,589.33	3/4	2,939.89	3/4	3,290.36	3/4	3,640.83	3/4	3,991.29	3/4	4,341.50	3/4	4,690.21	3/4	5,036.28
5	144.44	5	494.79	5	844.80	5	1,194.34	5	1,544.91	5	1,895.48	5	2,246.06	5	2,596.63	5	2,947.19	5	3,297.66	5	3,648.13	5	3,998.59	5	4,348.77	5	4,697.47	5	5,043.32
1/4	151.72	1/4	502.09	1/4	852.08	1/4	1,201.64	1/4	1,552.21	1/4	1,902.79	1/4	2,253.36	1/4	2,603.93	1/4	2,954.49	1/4	3,304.96	1/4	3,655.43	1/4	4,005.90	1/4	4,356.03	1/4	4,704.74	1/4	5,050.37
1/2	159.01	1/2	509.39	1/2	859.35	1/2	1,208.94	1/2	1,559.52	1/2	1,910.09	1/2	2,260.66	1/2	2,611.24	1/2	2,961.80	1/2	3,312.26	1/2	3,662.73	1/2	4,013.20	1/2	4,363.30	1/2	4,712.00	1/2	5,057.27
3/4	166.29	3/4	516.69	3/4	866.63	3/4	1,216.25	3/4	1,566.82	3/4	1,917.39	3/4	2,267.97	3/4	2,618.54	3/4	2,969.10	3/4	3,319.56	3/4	3,670.03	3/4	4,020.50	3/4	4,370.56	3/4	4,719.27	3/4	5,063.87
6	173.58	6	523.99	6	873.90	6	1,223.55	6	1,574.12	6	1,924.70	6	2,275.27	6	2,625.84	6	2,976.40	6	3,326.87	6	3,677.33	6	4,027.80	6	4,377.83	6	4,726.53	6	5,070.18
1/4	180.88	1/4	531.29	1/4	881.18	1/4	1,230.86	1/4	1,581.43	1/4	1,932.00	1/4	2,282.57	1/4	2,633.15	1/4	2,983.70	1/4	3,334.17	1/4	3,684.63	1/4	4,035.10	1/4	4,385.09	1/4	4,733.80	1/4	5,076.19
1/2	188.17	1/2	538.59	1/2	888.45	1/2	1,238.16	1/2	1,588.73	1/2	1,939.30	1/2	2,289.88	1/2	2,640.45	1/2	2,991.00	1/2	3,341.47	1/2	3,691.94	1/2	4,042.40	1/2	4,392.36	1/2	4,741.06	1/2	5,081.90
3/4	195.47	3/4	545.89	3/4	895.73	3/4	1,245.46	3/4	1,596.04	3/4	1,946.61	3/4	2,297.18	3/4	2,647.75	3/4	2,998.30	3/4	3,348.77	3/4	3,699.24	3/4	4,049.70	3/4	4,399.62	3/4	4,748.33	3/4	5,087.31
7	202.76	7	553.19	7	903.00	7	1,252.77	7	1,603.34	7	1,953.91	7	2,304.48	7	2,655.06	7	3,005.60	7	3,356.07	7	3,706.54	7	4,057.01	7	4,406.89	7	4,755.59	7	5,092.43
1/4	210.06	1/4	560.49	1/4	910.27	1/4	1,260.07	1/4	1,610.64	1/4	1,961.22	1/4	2,311.79	1/4	2,662.36	1/4	3,012.91	1/4	3,363.37	1/4	3,713.84	1/4	4,064.31	1/4	4,414.15	1/4	4,762.86	1/4	5,097.25
1/2	217.36	1/2	567.79	1/2	917.55	1/2	1,267.37	1/2	1,617.95	1/2	1,968.52	1/2	2,319.09	1/2	2,669.66	1/2	3,020.21	1/2	3,370.67	1/2	3,721.14	1/2	4,071.61	1/2	4,421.41	1/2	4,770.12	1/2	5,101.77
3/4	224.66	3/4	575.09	3/4	924.82	3/4	1,274.68	3/4	1,625.25	3/4	1,975.82	3/4	2,326.40	3/4	2,676.97	3/4	3,027.51	3/4	3,377.98	3/4	3,728.44	3/4	4,078.91	3/4	4,428.68	3/4	4,777.39	3/4	5,105.99
8	231.96	8	582.39	8	932.10	8	1,281.98	8	1,632.55	8	1,983.13	8	2,333.70	8	2,684.27	8	3,034.81	8	3,385.28	8	3,735.74	8	4,086.21	8	4,435.94	8	4,784.65	8	5,109.92
1/4	239.26	1/4	589.69	1/4	939.37	1/4	1,289.28	1/4	1,639.86	1/4	1,990.43	1/4	2,341.00	1/4	2,691.58	1/4	3,042.11	1/4	3,392.58	1/4	3,743.05	1/4	4,093.51	1/4	4,443.21	1/4	4,791.92	1/4	5,113.55
1/2	246.57	1/2	596.99	1/2	946.65	1/2	1,296.59	1/2	1,647.16	1/2	1,997.73	1/2	2,348.31	1/2	2,698.88	1/2	3,049.41	1/2	3,399.88	1/2	3,750.35	1/2	4,100.81	1/2	4,450.47	1/2	4,799.18	1/2	5,116.88
3/4	253.87	3/4	604.29	3/4	953.92	3/4	1,303.89	3/4	1,654.46	3/4	2,005.04	3/4	2,355.61	3/4	2,706.18	3/4	3,056.71	3/4	3,407.18	3/4	3,757.65	3/4	4,108.12	3/4	4,457.74	3/4	4,806.45	3/4	5,119.91
9	261.17	9	611.60	9	961.20	9	1,311.20	9	1,661.77	9	2,012.34	9	2,362.91	9	2,713.49	9	3,064.02	9	3,414.48	9	3,764.95	9	4,115.42	9	4,465.00	9	4,813.72	9	5,122.64
1/4	268.47	1/4	618.90	1/4	968.47	1/4	1,318.50	1/4	1,669.07	1/4	2,019.64	1/4	2,370.22	1/4	2,720.79	1/4	3,071.32	1/4	3,421.78	1/4	3,772.25	1/4	4,122.72	1/4	4,472.27	1/4	4,820.98	1/4	5,125.08
1/2	275.77	1/2	626.20	1/2	975.75	1/2																							



BARGE: GBL 4830

HULL No. JEFFBOAT 13-2886

TRIM CORRECTION REQUIRED - SEE NOTES BELOW

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 2 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.23	0	340.93	0	690.99	0	1,040.50	0	1,390.51	0	1,740.63	0	2,090.77	0	2,440.91	0	2,790.85	0	3,140.61	0	3,457.88	0	3,698.68	0	3,939.39	0	4,180.11	0	4,420.87
1/4	14.57	1/4	348.22	1/4	698.28	1/4	1,047.78	1/4	1,397.80	1/4	1,747.93	1/4	2,098.06	1/4	2,448.20	1/4	2,798.14	1/4	3,147.90	1/4	3,462.92	1/4	3,703.70	1/4	3,944.41	1/4	4,185.12	1/4	4,425.87
1/2	18.35	1/2	355.51	1/2	705.58	1/2	1,055.06	1/2	1,405.10	1/2	1,755.22	1/2	2,105.36	1/2	2,455.50	1/2	2,805.43	1/2	3,155.18	1/2	3,467.96	1/2	3,708.71	1/2	3,949.42	1/2	4,190.13	1/2	4,430.87
3/4	22.59	3/4	362.80	3/4	712.87	3/4	1,062.34	3/4	1,412.39	3/4	1,762.52	3/4	2,112.65	3/4	2,462.79	3/4	2,812.72	3/4	3,162.47	3/4	3,473.00	3/4	3,713.73	3/4	3,954.44	3/4	4,195.15	3/4	4,435.81
1	27.26	1	370.10	1	720.16	1	1,069.63	1	1,419.68	1	1,769.81	1	2,119.94	1	2,470.09	1	2,820.01	1	3,169.75	1	3,478.03	1	3,718.74	1	3,959.45	1	4,200.16	1	4,440.74
1/4	32.39	1/4	377.39	1/4	727.45	1/4	1,076.91	1/4	1,426.98	1/4	1,777.10	1/4	2,127.24	1/4	2,477.38	1/4	2,827.30	1/4	3,177.04	1/4	3,483.05	1/4	3,723.76	1/4	3,964.47	1/4	4,205.18	1/4	4,445.66
1/2	37.96	1/2	384.68	1/2	734.75	1/2	1,084.19	1/2	1,434.27	1/2	1,784.40	1/2	2,134.53	1/2	2,484.67	1/2	2,834.59	1/2	3,184.32	1/2	3,488.06	1/2	3,728.77	1/2	3,969.48	1/2	4,210.19	1/2	4,450.58
3/4	43.97	3/4	391.98	3/4	742.04	3/4	1,091.48	3/4	1,441.57	3/4	1,791.69	3/4	2,141.83	3/4	2,491.97	3/4	2,841.88	3/4	3,191.61	3/4	3,493.08	3/4	3,733.79	3/4	3,974.50	3/4	4,215.21	3/4	4,455.50
2	50.44	2	399.27	2	749.33	2	1,098.76	2	1,448.86	2	1,798.99	2	2,149.12	2	2,499.26	2	2,849.17	2	3,198.89	2	3,498.09	2	3,738.80	2	3,979.51	2	4,220.22	2	4,460.41
1/4	57.34	1/4	406.56	1/4	756.62	1/4	1,106.04	1/4	1,456.15	1/4	1,806.28	1/4	2,156.42	1/4	2,506.56	1/4	2,856.46	1/4	3,206.18	1/4	3,503.11	1/4	3,743.82	1/4	3,984.53	1/4	4,225.24	1/4	4,465.31
1/2	64.50	1/2	413.86	1/2	763.90	1/2	1,113.34	1/2	1,463.45	1/2	1,813.58	1/2	2,163.71	1/2	2,513.85	1/2	2,863.75	1/2	3,213.46	1/2	3,508.12	1/2	3,748.83	1/2	3,989.54	1/2	4,230.25	1/2	4,470.22
3/4	71.68	3/4	421.15	3/4	771.18	3/4	1,120.63	3/4	1,470.74	3/4	1,820.87	3/4	2,171.01	3/4	2,521.14	3/4	2,871.04	3/4	3,220.75	3/4	3,513.14	3/4	3,753.85	3/4	3,994.56	3/4	4,235.27	3/4	4,475.11
3	78.89	3	428.44	3	778.47	3	1,127.93	3	1,478.04	3	1,828.16	3	2,178.30	3	2,528.43	3	2,878.33	3	3,228.03	3	3,518.15	3	3,758.86	3	3,999.57	3	4,240.28	3	4,480.00
1/4	86.10	1/4	435.73	1/4	785.75	1/4	1,135.22	1/4	1,485.33	1/4	1,835.46	1/4	2,185.60	1/4	2,535.72	1/4	2,885.62	1/4	3,235.32	1/4	3,523.17	1/4	3,763.88	1/4	4,004.59	1/4	4,245.30	1/4	4,484.89
1/2	93.33	1/2	443.03	1/2	793.03	1/2	1,142.51	1/2	1,492.63	1/2	1,842.75	1/2	2,192.89	1/2	2,543.01	1/2	2,892.91	1/2	3,242.61	1/2	3,528.18	1/2	3,768.89	1/2	4,009.60	1/2	4,250.31	1/2	4,489.77
3/4	100.56	3/4	450.32	3/4	800.31	3/4	1,149.81	3/4	1,499.92	3/4	1,850.05	3/4	2,200.19	3/4	2,550.30	3/4	2,900.20	3/4	3,249.89	3/4	3,533.20	3/4	3,773.91	3/4	4,014.62	3/4	4,255.33	3/4	4,494.65
4	107.80	4	457.61	4	807.59	4	1,157.10	4	1,507.21	4	1,857.34	4	2,207.48	4	2,557.59	4	2,907.49	4	3,257.18	4	3,538.21	4	3,778.92	4	4,019.63	4	4,260.34	4	4,499.53
1/4	115.05	1/4	464.91	1/4	814.87	1/4	1,164.40	1/4	1,514.51	1/4	1,864.64	1/4	2,214.77	1/4	2,564.88	1/4	2,914.78	1/4	3,264.46	1/4	3,545.23	1/4	3,783.94	1/4	4,024.65	1/4	4,265.36	1/4	4,504.39
1/2	122.31	1/2	472.20	1/2	822.15	1/2	1,171.69	1/2	1,521.80	1/2	1,871.93	1/2	2,222.07	1/2	2,572.17	1/2	2,922.06	1/2	3,271.75	1/2	3,548.24	1/2	3,788.95	1/2	4,029.66	1/2	4,270.37	1/2	4,509.26
3/4	129.56	3/4	479.49	3/4	829.43	3/4	1,178.99	3/4	1,529.10	3/4	1,879.23	3/4	2,229.36	3/4	2,579.46	3/4	2,929.35	3/4	3,279.03	3/4	3,553.26	3/4	3,793.97	3/4	4,034.68	3/4	4,275.39	TRIM CORRECTION	
5	136.83	5	486.79	5	836.71	5	1,186.28	5	1,536.39	5	1,886.52	5	2,236.66	5	2,586.75	5	2,936.63	5	3,286.32	5	3,558.27	5	3,798.98	5	4,039.69	5	4,280.40	FT INCHES	
1/4	144.10	1/4	494.08	1/4	843.99	1/4	1,193.57	1/4	1,543.68	1/4	1,893.81	1/4	2,243.95	1/4	2,594.04	1/4	2,943.92	1/4	3,293.32	1/4	3,563.28	1/4	3,804.00	1/4	4,044.71	1/4	4,285.42	0.25	- 1/8
1/2	151.37	1/2	501.37	1/2	851.26	1/2	1,200.87	1/2	1,550.98	1/2	1,901.11	1/2	2,251.25	1/2	2,601.33	1/2	2,951.20	1/2	3,300.33	1/2	3,568.30	1/2	3,809.01	1/2	4,049.72	1/2	4,290.43	0.50	- 3/8
3/4	158.65	3/4	508.66	3/4	858.54	3/4	1,208.16	3/4	1,558.27	3/4	1,908.40	3/4	2,258.54	3/4	2,608.62	3/4	2,958.49	3/4	3,307.33	3/4	3,573.31	3/4	3,814.02	3/4	4,054.74	3/4	4,295.45	0.75	- 1/2
6	165.93	6	515.96	6	865.82	6	1,215.46	6	1,565.57	6	1,915.70	6	2,265.84	6	2,615.91	6	2,965.77	6	3,314.34	6	3,578.33	6	3,819.04	6	4,059.75	6	4,300.46	1.00	- 5/8
1/4	173.21	1/4	523.25	1/4	873.10	1/4	1,222.75	1/4	1,572.86	1/4	1,922.99	1/4	2,273.13	1/4	2,623.20	1/4	2,973.06	1/4	3,321.07	1/4	3,583.34	1/4	3,824.05	1/4	4,064.76	1/4	4,305.48	1.25	- 3/4
1/2	180.50	1/2	530.54	1/2	880.38	1/2	1,230.05	1/2	1,580.16	1/2	1,930.29	1/2	2,280.43	1/2	2,630.49	1/2	2,980.34	1/2	3,327.80	1/2	3,588.36	1/2	3,829.07	1/2	4,069.78	1/2	4,310.49	1.50	- 1
3/4	187.78	3/4	537.84	3/4	887.66	3/4	1,237.34	3/4	1,587.45	3/4	1,937.58	3/4	2,287.72	3/4	2,637.77	3/4	2,987.63	3/4	3,334.52	3/4	3,593.37	3/4	3,834.08	3/4	4,074.79	3/4	4,315.50	1.75	- 1 1/8
7	195.07	7	545.13	7	894.93	7	1,244.63	7	1,594.74	7	1,944.88	7	2,295.02	7	2,645.06	7	2,994.91	7	3,341.25	7	3,598.39	7	3,839.10	7	4,079.81	7	4,320.52	2.00	- 1 1/4
1/4	202.36	1/4	552.42	1/4	902.21	1/4	1,251.93	1/4	1,602.04	1/4	1,952.17	1/4	2,302.31	1/4	2,652.35	1/4	3,002.20	1/4	3,347.70	1/4	3,603.40	1/4	3,844.11	1/4	4,084.82	1/4	4,325.53	2.25	- 1 3/8
1/2	209.65	1/2	559.72	1/2	909.49	1/2	1,259.22	1/2	1,609.33	1/2	1,959.46	1/2	2,309.60	1/2	2,659.64	1/2	3,009.48	1/2	3,354.15	1/2	3,608.42	1/2	3,849.13	1/2	4,089.84	1/2	4,330.55	2.50	- 1 5/8
3/4	216.94	3/4	567.01	3/4	916.77	3/4	1,266.52	3/4	1,616.63	3/4	1,966.76	3/4	2,316.90	3/4	2,666.93	3/4	3,016.77	3/4	3,360.60	3/4	3,613.43	3/4	3,854.14	3/4	4,094.85	3/4	4,335.56	2.75	- 1 3/4
8	224.24	8	574.30	8	924.05	8	1,273.81	8	1,623.92	8	1,974.05	8	2,324.19	8	2,674.22	8	3,024.05	8	3,367.04	8	3,618.45	8	3,859.16	8	4,099.87	8	4,340.58	3.00	- 1 7/8
1/4	231.53	1/4	581.59	1/4	931.32	1/4	1,281.11	1/4	1,631.22	1/4	1,981.35	1/4	2,331.49	1/4	2,681.51	1/4	3,031.34	1/4	3,373.21	1/4	3,623.46	1/4	3,864.17	1/4	4,104.88	1/4	4,345.59	3.25	- 2
1/2	238.82	1/2	588.89	1/2	938.60	1/2	1,288.40	1/2	1,638.51	1/2	1,988.64	1/2	2,338.78	1/2	2,688.80	1/2	3,038.62	1/2	3,379.38	1/2	3,628.48	1/2	3,869.19	1/2	4,109.90	1/2	4,350.61	3.50	- 2 1/4
3/4	246.12	3/4	596.18	3/4	945.88	3/4	1,295.70	3/4	1,645.80	3/4	1,995.94	3/4	2,346.08	3/4	2,696.09	3/4	3,045.91	3/4	3,385.55	3/4	3,633.49	3/4	3,874.20	3/4	4,114.91	3/4	4,355.63	3.75	- 2 3/8
9	253.41	9	603.47	9	953.16	9	1,302.99	9	1,653.10	9	2,003.23	9	2,353.37	9	2,703.38	9	3,053.19	9	3,391.72	9	3,638.51	9	3,879.22	9	4,119.93	9	4,360.65	4.00	- 2 1/2
1/4	260.70	1/4	610.77	1/4	960.44	1/4	1,310.28	1/4	1,660.39	1/4	2,010.53	1/4	2,360.67	1/4	2,710.67	1/4	3,060.48	1/4	3,397.61	1/4	3,643.52	1/4	3,884.23	1/4	4,124.94	1/4	4,365.67	4.25	- 2 5/8
1/2	268.00	1/2	618.06	1/2	967.72	1/																							



BARGE: GBL 4830

HULL No. JEFFBOAT 13-2886

TRIM CORRECTION REQUIRED - SEE NOTES BELOW

3 STBD

INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 2 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.58	0	348.11	0	697.85	0	1,046.39	0	1,395.53	0	1,744.95	0	2,094.70	0	2,444.45	0	2,793.99	0	3,143.35	0	3,458.05	0	3,698.84	0	3,939.55	0	4,180.27	0	4,421.02
1/4	18.36	1/4	355.40	1/4	705.14	1/4	1,053.66	1/4	1,402.80	1/4	1,752.24	1/4	2,101.99	1/4	2,451.74	1/4	2,801.27	1/4	3,150.63	1/4	3,463.09	1/4	3,703.85	1/4	3,944.57	1/4	4,185.28	1/4	4,426.02
1/2	22.59	1/2	362.68	1/2	712.42	1/2	1,060.93	1/2	1,410.08	1/2	1,759.52	1/2	2,109.27	1/2	2,459.02	1/2	2,808.56	1/2	3,157.90	1/2	3,468.13	1/2	3,708.87	1/2	3,949.58	1/2	4,190.30	1/2	4,430.96
3/4	27.27	3/4	369.97	3/4	719.71	3/4	1,068.20	3/4	1,417.35	3/4	1,766.81	3/4	2,116.56	3/4	2,466.31	3/4	2,815.84	3/4	3,165.18	3/4	3,473.16	3/4	3,713.88	3/4	3,954.60	3/4	4,195.31	3/4	4,435.89
1	32.40	1	377.26	1	726.99	1	1,075.48	1	1,424.63	1	1,774.09	1	2,123.85	1	2,473.59	1	2,823.12	1	3,172.46	1	3,478.18	1	3,718.89	1	3,959.61	1	4,200.33	1	4,440.81
1/4	37.97	1/4	384.54	1/4	734.28	1/4	1,082.75	1/4	1,431.90	1/4	1,781.38	1/4	2,131.13	1/4	2,480.88	1/4	2,830.40	1/4	3,179.73	1/4	3,483.19	1/4	3,723.91	1/4	3,964.63	1/4	4,205.34	1/4	4,445.73
1/2	43.99	1/2	391.83	1/2	741.56	1/2	1,090.02	1/2	1,439.18	1/2	1,788.67	1/2	2,138.42	1/2	2,488.17	1/2	2,837.68	1/2	3,187.01	1/2	3,488.21	1/2	3,728.92	1/2	3,969.64	1/2	4,210.36	1/2	4,450.65
3/4	50.45	3/4	399.12	3/4	748.85	3/4	1,097.29	3/4	1,446.45	3/4	1,795.95	3/4	2,145.71	3/4	2,495.45	3/4	2,844.96	3/4	3,194.29	3/4	3,493.22	3/4	3,733.94	3/4	3,974.65	3/4	4,215.37	3/4	4,455.56
2	57.36	2	406.40	2	756.14	2	1,104.57	2	1,453.72	2	1,803.24	2	2,152.99	2	2,502.74	2	2,852.24	2	3,201.56	2	3,498.24	2	3,738.95	2	3,979.67	2	4,220.38	2	4,460.47
1/4	64.51	1/4	413.69	1/4	763.39	1/4	1,111.84	1/4	1,461.00	1/4	1,810.53	1/4	2,160.28	1/4	2,510.03	1/4	2,859.52	1/4	3,208.84	1/4	3,503.25	1/4	3,743.97	1/4	3,984.68	1/4	4,225.40	1/4	4,465.37
1/2	71.70	1/2	420.97	1/2	770.65	1/2	1,119.11	1/2	1,468.27	1/2	1,817.81	1/2	2,167.57	1/2	2,517.31	1/2	2,866.81	1/2	3,216.12	1/2	3,508.27	1/2	3,748.98	1/2	3,989.70	1/2	4,230.41	1/2	4,470.26
3/4	78.90	3/4	428.26	3/4	777.91	3/4	1,126.39	3/4	1,475.55	3/4	1,825.10	3/4	2,174.85	3/4	2,524.59	3/4	2,874.09	3/4	3,223.40	3/4	3,513.28	3/4	3,754.00	3/4	3,994.71	3/4	4,235.43	3/4	4,475.16
3	86.12	3	435.55	3	785.17	3	1,133.66	3	1,482.82	3	1,832.39	3	2,182.14	3	2,531.87	3	2,881.37	3	3,230.67	3	3,518.30	3	3,759.01	3	3,999.73	3	4,240.44	3	4,480.04
1/4	93.34	1/4	442.83	1/4	792.43	1/4	1,140.94	1/4	1,490.10	1/4	1,839.67	1/4	2,189.43	1/4	2,539.15	1/4	2,888.65	1/4	3,237.95	1/4	3,523.31	1/4	3,764.03	1/4	4,004.74	1/4	4,245.46	1/4	4,484.93
1/2	100.58	1/2	450.12	1/2	799.69	1/2	1,148.21	1/2	1,497.37	1/2	1,846.96	1/2	2,196.71	1/2	2,546.43	1/2	2,895.93	1/2	3,245.23	1/2	3,528.33	1/2	3,769.04	1/2	4,009.76	1/2	4,250.47	1/2	4,489.80
3/4	107.82	3/4	457.40	3/4	806.95	3/4	1,155.49	3/4	1,504.65	3/4	1,854.25	3/4	2,204.00	3/4	2,553.71	3/4	2,903.21	3/4	3,252.50	3/4	3,533.34	3/4	3,774.06	3/4	4,014.77	3/4	4,255.49	3/4	4,494.68
4	115.07	4	464.69	4	814.20	4	1,162.76	4	1,511.92	4	1,861.53	4	2,212.28	4	2,561.00	4	2,910.49	4	3,259.78	4	3,538.36	4	3,779.07	4	4,019.79	4	4,260.50	4	4,499.55
1/4	122.33	1/4	471.98	1/4	821.46	1/4	1,170.04	1/4	1,519.20	1/4	1,868.82	1/4	2,218.57	1/4	2,568.28	1/4	2,917.77	1/4	3,267.06	1/4	3,543.37	1/4	3,784.09	1/4	4,024.80	1/4	4,265.52	1/4	4,504.41
1/2	129.59	1/2	479.26	1/2	828.72	1/2	1,177.31	1/2	1,526.47	1/2	1,876.11	1/2	2,225.86	1/2	2,575.56	1/2	2,925.05	1/2	3,274.33	1/2	3,548.39	1/2	3,789.10	1/2	4,029.82	1/2	4,270.53	1/2	4,509.27
3/4	136.85	3/4	486.55	3/4	835.97	3/4	1,184.58	3/4	1,533.75	3/4	1,883.39	3/4	2,233.14	3/4	2,582.84	3/4	2,932.32	3/4	3,281.61	3/4	3,553.40	3/4	3,794.12	3/4	4,034.83	3/4	4,275.55	TRIM	CORRECTION
5	144.12	5	493.84	5	843.23	5	1,191.86	5	1,541.02	5	1,890.68	5	2,240.43	5	2,590.12	5	2,939.60	5	3,288.61	5	3,558.42	5	3,799.13	5	4,039.85	5	4,280.56	FT	INCHES
1/4	151.40	1/4	501.12	1/4	850.48	1/4	1,199.13	1/4	1,548.29	1/4	1,897.97	1/4	2,247.72	1/4	2,597.40	1/4	2,946.88	1/4	3,295.61	1/4	3,563.43	1/4	3,804.15	1/4	4,044.86	1/4	4,285.58	0.25	- 1/8
1/2	158.67	1/2	508.41	1/2	857.74	1/2	1,206.41	1/2	1,555.57	1/2	1,905.25	1/2	2,255.00	1/2	2,604.68	1/2	2,954.15	1/2	3,302.60	1/2	3,568.45	1/2	3,809.16	1/2	4,049.88	1/2	4,290.59	0.50	- 3/8
3/4	165.95	3/4	515.69	3/4	864.99	3/4	1,213.68	3/4	1,562.84	3/4	1,912.54	3/4	2,262.29	3/4	2,611.96	3/4	2,961.43	3/4	3,309.60	3/4	3,573.46	3/4	3,814.18	3/4	4,054.89	3/4	4,295.61	0.75	- 1/2
6	173.24	6	522.98	6	872.25	6	1,220.96	6	1,570.12	6	1,919.83	6	2,269.58	6	2,619.24	6	2,968.71	6	3,316.32	6	3,578.48	6	3,819.19	6	4,059.91	6	4,300.62	1.00	- 5/8
1/4	180.52	1/4	530.27	1/4	879.50	1/4	1,228.23	1/4	1,577.39	1/4	1,927.11	1/4	2,276.86	1/4	2,626.53	1/4	2,975.98	1/4	3,323.04	1/4	3,583.49	1/4	3,824.21	1/4	4,064.92	1/4	4,305.64	1.25	- 3/4
1/2	187.81	1/2	537.55	1/2	886.76	1/2	1,235.51	1/2	1,584.67	1/2	1,934.40	1/2	2,284.15	1/2	2,633.81	1/2	2,983.26	1/2	3,329.76	1/2	3,588.51	1/2	3,829.22	1/2	4,069.94	1/2	4,310.65	1.50	- 1
3/4	195.10	3/4	544.84	3/4	894.02	3/4	1,242.78	3/4	1,591.94	3/4	1,941.69	3/4	2,291.43	3/4	2,641.09	3/4	2,990.54	3/4	3,336.48	3/4	3,593.52	3/4	3,834.24	3/4	4,074.95	3/4	4,315.67	1.75	- 1 1/8
7	202.39	7	552.13	7	901.27	7	1,250.05	7	1,599.22	7	1,948.97	7	2,298.72	7	2,648.37	7	2,997.81	7	3,342.92	7	3,598.54	7	3,839.25	7	4,079.97	7	4,320.68	2.00	- 1 1/4
1/4	209.67	1/4	559.41	1/4	908.53	1/4	1,257.33	1/4	1,606.50	1/4	1,956.26	1/4	2,306.01	1/4	2,655.65	1/4	3,005.09	1/4	3,349.36	1/4	3,603.55	1/4	3,844.27	1/4	4,084.98	1/4	4,325.70	2.25	- 1 3/8
1/2	216.96	1/2	566.70	1/2	915.78	1/2	1,264.60	1/2	1,613.79	1/2	1,963.55	1/2	2,313.29	1/2	2,662.93	1/2	3,012.37	1/2	3,355.80	1/2	3,608.57	1/2	3,849.28	1/2	4,090.00	1/2	4,330.71	2.50	- 1 5/8
3/4	224.25	3/4	573.98	3/4	923.04	3/4	1,271.88	3/4	1,621.08	3/4	1,970.83	3/4	2,320.58	3/4	2,670.21	3/4	3,019.64	3/4	3,362.24	3/4	3,613.58	3/4	3,854.30	3/4	4,095.01	3/4	4,335.73	2.75	- 1 3/4
8	231.53	8	581.27	8	930.29	8	1,279.15	8	1,628.36	8	1,978.12	8	2,327.87	8	2,677.49	8	3,026.92	8	3,368.40	8	3,618.60	8	3,859.31	8	4,100.03	8	4,340.74	3.00	- 1 7/8
1/4	238.82	1/4	588.56	1/4	937.55	1/4	1,286.43	1/4	1,635.65	1/4	1,985.41	1/4	2,335.15	1/4	2,684.78	1/4	3,034.20	1/4	3,374.56	1/4	3,623.61	1/4	3,864.33	1/4	4,105.04	1/4	4,345.76	3.25	- 2
1/2	246.10	1/2	595.84	1/2	944.81	1/2	1,293.70	1/2	1,642.94	1/2	1,992.69	1/2	2,342.44	1/2	2,692.06	1/2	3,041.48	1/2	3,380.72	1/2	3,628.63	1/2	3,869.34	1/2	4,110.06	1/2	4,350.78	3.50	- 2 1/4
3/4	253.39	3/4	603.13	3/4	952.06	3/4	1,300.97	3/4	1,650.22	3/4	1,999.98	3/4	2,349.73	3/4	2,699.34	3/4	3,048.75	3/4	3,386.89	3/4	3,633.64	3/4	3,874.36	3/4	4,115.07	3/4	4,355.80	3.75	- 2 3/8
9	260.68	9	610.41	9	959.32	9	1,308.25	9	1,657.51	9	2,007.27	9	2,357.01	9	2,706.62	9	3,056.03	9	3,392.77	9	3,638.66	9	3,879.37	9	4,120.09	9	4,360.82	4.00	- 2 1/2
1/4	267.96	1/4	617.70	1/4	966.57	1/4	1,315.52	1/4	1,664.80	1/4	2,014.55	1/4	2,364.30	1/4	2,713.90	1/4	3,063.31	1/4	3,398.65	1/4	3,643.67	1/4	3,884.39	1/4	4,125.10	1/4	4,365.84	4.25	- 2 5/8
1/2	275.25	1/2	624.99	1/2	973.83	1/2	1,322.80	1/2	1,672.08	1/2	2,021.84	1/2																	



BARGE: GBL 4830

HULL No. JEFFBOAT 13-2886

SLOP PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6 1/2"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	80	6	581	0	1,144	6	1,707	0	2,270	6	2,833	0	3,396	6	3,959	0	4,523	6	5,086	0	5,498
1/8	86	1/8	593	1/8	1,156	1/8	1,719	1/8	2,282	1/8	2,845	1/8	3,408	1/8	3,971	1/8	4,534	1/8	5,097	1/8	5,501
1/4	92	1/4	605	1/4	1,168	1/4	1,731	1/4	2,294	1/4	2,857	1/4	3,420	1/4	3,983	1/4	4,546	1/4	5,109	1/4	5,504
3/8	99	3/8	616	3/8	1,179	3/8	1,742	3/8	2,305	3/8	2,869	3/8	3,432	3/8	3,995	3/8	4,558	3/8	5,121	3/8	5,507
1/2	106	1/2	628	1/2	1,191	1/2	1,754	1/2	2,317	1/2	2,880	1/2	3,443	1/2	4,006	1/2	4,569	1/2	5,133	1/2	5,509
5/8	114	5/8	640	5/8	1,203	5/8	1,766	5/8	2,329	5/8	2,892	5/8	3,455	5/8	4,018	5/8	4,581	5/8	5,144	5/8	
3/4	121	3/4	651	3/4	1,214	3/4	1,778	3/4	2,341	3/4	2,904	3/4	3,467	3/4	4,030	3/4	4,593	3/4	5,156	3/4	
7/8	129	7/8	663	7/8	1,226	7/8	1,789	7/8	2,352	7/8	2,915	7/8	3,478	7/8	4,042	7/8	4,605	7/8	5,168	7/8	
1	137	7	675	1	1,238	7	1,801	1	2,364	7	2,927	1	3,490	7	4,053	1	4,616	7	5,179	1	
1/8	146	1/8	687	1/8	1,250	1/8	1,813	1/8	2,376	1/8	2,939	1/8	3,502	1/8	4,065	1/8	4,628	1/8	5,191	1/8	
1/4	154	1/4	698	1/4	1,261	1/4	1,824	1/4	2,388	1/4	2,951	1/4	3,514	1/4	4,077	1/4	4,640	1/4	5,203	1/4	
3/8	163	3/8	710	3/8	1,273	3/8	1,836	3/8	2,399	3/8	2,962	3/8	3,525	3/8	4,088	3/8	4,652	3/8	5,215	3/8	
1/2	172	1/2	722	1/2	1,285	1/2	1,848	1/2	2,411	1/2	2,974	1/2	3,537	1/2	4,100	1/2	4,663	1/2	5,226	1/2	
5/8	181	5/8	734	5/8	1,297	5/8	1,860	5/8	2,423	5/8	2,986	5/8	3,549	5/8	4,112	5/8	4,675	5/8	5,238	5/8	
3/4	191	3/4	745	3/4	1,308	3/4	1,871	3/4	2,434	3/4	2,998	3/4	3,561	3/4	4,124	3/4	4,687	3/4	5,250	3/4	
7/8	201	7/8	757	7/8	1,320	7/8	1,883	7/8	2,446	7/8	3,009	7/8	3,572	7/8	4,135	7/8	4,698	7/8	5,261	7/8	
2	211	8	769	2	1,332	8	1,895	2	2,458	8	3,021	2	3,584	8	4,147	2	4,710	8	5,272	2	
1/8	221	1/8	780	1/8	1,344	1/8	1,907	1/8	2,470	1/8	3,033	1/8	3,596	1/8	4,159	1/8	4,722	1/8	5,283	1/8	
1/4	231	1/4	792	1/4	1,355	1/4	1,918	1/4	2,481	1/4	3,044	1/4	3,608	1/4	4,171	1/4	4,734	1/4	5,294	1/4	
3/8	242	3/8	804	3/8	1,367	3/8	1,930	3/8	2,493	3/8	3,056	3/8	3,619	3/8	4,182	3/8	4,745	3/8	5,304	3/8	
1/2	253	1/2	816	1/2	1,379	1/2	1,942	1/2	2,505	1/2	3,068	1/2	3,631	1/2	4,194	1/2	4,757	1/2	5,314	1/2	
5/8	265	5/8	827	5/8	1,390	5/8	1,954	5/8	2,517	5/8	3,080	5/8	3,643	5/8	4,206	5/8	4,769	5/8	5,324	5/8	
3/4	276	3/4	839	3/4	1,402	3/4	1,965	3/4	2,528	3/4	3,091	3/4	3,654	3/4	4,218	3/4	4,781	3/4	5,334	3/4	
7/8	288	7/8	851	7/8	1,414	7/8	1,977	7/8	2,540	7/8	3,103	7/8	3,666	7/8	4,229	7/8	4,792	7/8	5,343	7/8	
3	300	9	863	3	1,426	9	1,989	3	2,552	9	3,115	3	3,678	9	4,241	3	4,804	9	5,352	3	
1/8	311	1/8	874	1/8	1,437	1/8	2,000	1/8	2,564	1/8	3,127	1/8	3,690	1/8	4,253	1/8	4,816	1/8	5,361	1/8	
1/4	323	1/4	886	1/4	1,449	1/4	2,012	1/4	2,575	1/4	3,138	1/4	3,701	1/4	4,264	1/4	4,828	1/4	5,370	1/4	
3/8	335	3/8	898	3/8	1,461	3/8	2,024	3/8	2,587	3/8	3,150	3/8	3,713	3/8	4,276	3/8	4,839	3/8	5,378	3/8	
1/2	346	1/2	909	1/2	1,473	1/2	2,036	1/2	2,599	1/2	3,162	1/2	3,725	1/2	4,288	1/2	4,851	1/2	5,386	1/2	
5/8	358	5/8	921	5/8	1,484	5/8	2,047	5/8	2,610	5/8	3,174	5/8	3,737	5/8	4,300	5/8	4,863	5/8	5,394	5/8	
3/4	370	3/4	933	3/4	1,496	3/4	2,059	3/4	2,622	3/4	3,185	3/4	3,748	3/4	4,311	3/4	4,874	3/4	5,402	3/4	
7/8	382	7/8	945	7/8	1,508	7/8	2,071	7/8	2,634	7/8	3,197	7/8	3,760	7/8	4,323	7/8	4,886	7/8	5,409	7/8	
4	393	10	956	4	1,519	10	2,083	4	2,646	10	3,209	4	3,772	10	4,335	4	4,898	10	5,417	4	
1/8	405	1/8	968	1/8	1,531	1/8	2,094	1/8	2,657	1/8	3,220	1/8	3,783	1/8	4,347	1/8	4,910	1/8	5,424	1/8	
1/4	417	1/4	980	1/4	1,543	1/4	2,106	1/4	2,669	1/4	3,232	1/4	3,795	1/4	4,358	1/4	4,921	1/4	5,430	1/4	
3/8	429	3/8	992	3/8	1,555	3/8	2,118	3/8	2,681	3/8	3,244	3/8	3,807	3/8	4,370	3/8	4,933	3/8	5,437	3/8	
1/2	440	1/2	1,003	1/2	1,566	1/2	2,129	1/2	2,693	1/2	3,256	1/2	3,819	1/2	4,382	1/2	4,945	1/2	5,443	1/2	
5/8	452	5/8	1,015	5/8	1,578	5/8	2,141	5/8	2,704	5/8	3,267	5/8	3,830	5/8	4,393	5/8	4,957	5/8	5,449	5/8	
3/4	464	3/4	1,027	3/4	1,590	3/4	2,153	3/4	2,716	3/4	3,279	3/4	3,842	3/4	4,405	3/4	4,968	3/4	5,455	3/4	
7/8	475	7/8	1,039	7/8	1,602	7/8	2,165	7/8	2,728	7/8	3,291	7/8	3,854	7/8	4,417	7/8	4,980	7/8	5,460	7/8	
5	487	11	1,050	5	1,613	11	2,176	5	2,739	11	3,303	5	3,866	11	4,429	5	4,992	11	5,465	5	
1/8	499	1/8	1,062	1/8	1,625	1/8	2,188	1/8	2,751	1/8	3,314	1/8	3,877	1/8	4,440	1/8	5,003	1/8	5,470	1/8	
1/4	511	1/4	1,074	1/4	1,637	1/4	2,200	1/4	2,763	1/4	3,326	1/4	3,889	1/4	4,452	1/4	5,015	1/4	5,475	1/4	
3/8	522	3/8	1,085	3/8	1,649	3/8	2,212	3/8	2,775	3/8	3,338	3/8	3,901	3/8	4,464	3/8	5,027	3/8	5,480	3/8	
1/2	534	1/2	1,097	1/2	1,660	1/2	2,223	1/2	2,786	1/2	3,349	1/2	3,913	1/2	4,476	1/2	5,039	1/2	5,484	1/2	
5/8	546	5/8	1,109	5/8	1,672	5/8	2,235	5/8	2,798	5/8	3,361	5/8	3,924	5/8	4,487	5/8	5,050	5/8	5,488	5/8	
3/4	558	3/4	1,121	3/4	1,684	3/4	2,247	3/4	2,810	3/4	3,373	3/4	3,936	3/4	4,499	3/4	5,062	3/4	5,492	3/4	
7/8	569	7/8	1,132	7/8	1,695	7/8	2,259	7/8	2,822	7/8	3,385	7/8	3,948	7/8	4,511	7/8	5,074	7/8	5,495	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 10/26/2015 BY: JMF

DATE COMPUTED: 10/28/2015 BY: WHF

DATE ISSUED: 10/28/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK





BARGE: GBL 4830
HULL No. JEFFBOAT 13-2886

SLOP STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6 3/4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	71	6	550	0	1,094	6	1,637	0	2,181	6	2,725	0	3,269	6	3,812	0	4,356	6	4,900	0	5,307
1/8	77	1/8	561	1/8	1,105	1/8	1,649	1/8	2,192	1/8	2,736	1/8	3,280	1/8	3,824	1/8	4,367	1/8	4,911	1/8	5,310
1/4	83	1/4	572	1/4	1,116	1/4	1,660	1/4	2,204	1/4	2,747	1/4	3,291	1/4	3,835	1/4	4,379	1/4	4,922	1/4	5,313
3/8	89	3/8	584	3/8	1,128	3/8	1,671	3/8	2,215	3/8	2,759	3/8	3,302	3/8	3,846	3/8	4,390	3/8	4,934	3/8	5,315
1/2	96	1/2	595	1/2	1,139	1/2	1,683	1/2	2,226	1/2	2,770	1/2	3,314	1/2	3,858	1/2	4,401	1/2	4,945	1/2	5,318
5/8	103	5/8	606	5/8	1,150	5/8	1,694	5/8	2,238	5/8	2,781	5/8	3,325	5/8	3,869	5/8	4,413	5/8	4,956	5/8	5,320
3/4	110	3/4	618	3/4	1,161	3/4	1,705	3/4	2,249	3/4	2,793	3/4	3,336	3/4	3,880	3/4	4,424	3/4	4,968	3/4	5,322
7/8	117	7/8	629	7/8	1,173	7/8	1,717	7/8	2,260	7/8	2,804	7/8	3,348	7/8	3,892	7/8	4,435	7/8	4,979	7/8	
1	125	7	640	1	1,184	7	1,728	1	2,272	7	2,815	1	3,359	7	3,903	1	4,447	7	4,990	1	
1/8	133	1/8	652	1/8	1,195	1/8	1,739	1/8	2,283	1/8	2,827	1/8	3,370	1/8	3,914	1/8	4,458	1/8	5,002	1/8	
1/4	141	1/4	663	1/4	1,207	1/4	1,751	1/4	2,294	1/4	2,838	1/4	3,382	1/4	3,926	1/4	4,469	1/4	5,013	1/4	
3/8	149	3/8	674	3/8	1,218	3/8	1,762	3/8	2,306	3/8	2,849	3/8	3,393	3/8	3,937	3/8	4,481	3/8	5,024	3/8	
1/2	157	1/2	686	1/2	1,229	1/2	1,773	1/2	2,317	1/2	2,861	1/2	3,404	1/2	3,948	1/2	4,492	1/2	5,036	1/2	
5/8	166	5/8	697	5/8	1,241	5/8	1,785	5/8	2,328	5/8	2,872	5/8	3,416	5/8	3,960	5/8	4,503	5/8	5,047	5/8	
3/4	175	3/4	708	3/4	1,252	3/4	1,796	3/4	2,340	3/4	2,883	3/4	3,427	3/4	3,971	3/4	4,515	3/4	5,058	3/4	
7/8	184	7/8	720	7/8	1,263	7/8	1,807	7/8	2,351	7/8	2,895	7/8	3,438	7/8	3,982	7/8	4,526	7/8	5,070	7/8	
2	194	8	731	2	1,275	8	1,819	2	2,362	8	2,906	2	3,450	8	3,993	2	4,537	8	5,080	2	
1/8	203	1/8	742	1/8	1,286	1/8	1,830	1/8	2,374	1/8	2,917	1/8	3,461	1/8	4,005	1/8	4,549	1/8	5,091	1/8	
1/4	213	1/4	754	1/4	1,297	1/4	1,841	1/4	2,385	1/4	2,929	1/4	3,472	1/4	4,016	1/4	4,560	1/4	5,102	1/4	
3/8	224	3/8	765	3/8	1,309	3/8	1,853	3/8	2,396	3/8	2,940	3/8	3,484	3/8	4,027	3/8	4,571	3/8	5,112	3/8	
1/2	234	1/2	776	1/2	1,320	1/2	1,864	1/2	2,408	1/2	2,951	1/2	3,495	1/2	4,039	1/2	4,583	1/2	5,122	1/2	
5/8	245	5/8	788	5/8	1,331	5/8	1,875	5/8	2,419	5/8	2,963	5/8	3,506	5/8	4,050	5/8	4,594	5/8	5,132	5/8	
3/4	255	3/4	799	3/4	1,343	3/4	1,886	3/4	2,430	3/4	2,974	3/4	3,518	3/4	4,061	3/4	4,605	3/4	5,141	3/4	
7/8	267	7/8	810	7/8	1,354	7/8	1,898	7/8	2,442	7/8	2,985	7/8	3,529	7/8	4,073	7/8	4,617	7/8	5,151	7/8	
3	278	9	822	3	1,365	9	1,909	3	2,453	9	2,997	3	3,540	9	4,084	3	4,628	9	5,160	3	
1/8	289	1/8	833	1/8	1,377	1/8	1,920	1/8	2,464	1/8	3,008	1/8	3,552	1/8	4,095	1/8	4,639	1/8	5,169	1/8	
1/4	301	1/4	844	1/4	1,388	1/4	1,932	1/4	2,476	1/4	3,019	1/4	3,563	1/4	4,107	1/4	4,651	1/4	5,177	1/4	
3/8	312	3/8	856	3/8	1,399	3/8	1,943	3/8	2,487	3/8	3,031	3/8	3,574	3/8	4,118	3/8	4,662	3/8	5,186	3/8	
1/2	323	1/2	867	1/2	1,411	1/2	1,954	1/2	2,498	1/2	3,042	1/2	3,586	1/2	4,129	1/2	4,673	1/2	5,194	1/2	
5/8	335	5/8	878	5/8	1,422	5/8	1,966	5/8	2,510	5/8	3,053	5/8	3,597	5/8	4,141	5/8	4,685	5/8	5,202	5/8	
3/4	346	3/4	890	3/4	1,433	3/4	1,977	3/4	2,521	3/4	3,065	3/4	3,608	3/4	4,152	3/4	4,696	3/4	5,209	3/4	
7/8	357	7/8	901	7/8	1,445	7/8	1,988	7/8	2,532	7/8	3,076	7/8	3,620	7/8	4,163	7/8	4,707	7/8	5,217	7/8	
4	369	10	912	4	1,456	10	2,000	4	2,544	10	3,087	4	3,631	10	4,175	4	4,718	10	5,224	4	
1/8	380	1/8	924	1/8	1,467	1/8	2,011	1/8	2,555	1/8	3,099	1/8	3,642	1/8	4,186	1/8	4,730	1/8	5,231	1/8	
1/4	391	1/4	935	1/4	1,479	1/4	2,022	1/4	2,566	1/4	3,110	1/4	3,654	1/4	4,197	1/4	4,741	1/4	5,237	1/4	
3/8	403	3/8	946	3/8	1,490	3/8	2,034	3/8	2,577	3/8	3,121	3/8	3,665	3/8	4,209	3/8	4,752	3/8	5,244	3/8	
1/2	414	1/2	958	1/2	1,501	1/2	2,045	1/2	2,589	1/2	3,133	1/2	3,676	1/2	4,220	1/2	4,764	1/2	5,250	1/2	
5/8	425	5/8	969	5/8	1,513	5/8	2,056	5/8	2,600	5/8	3,144	5/8	3,688	5/8	4,231	5/8	4,775	5/8	5,256	5/8	
3/4	437	3/4	980	3/4	1,524	3/4	2,068	3/4	2,611	3/4	3,155	3/4	3,699	3/4	4,243	3/4	4,786	3/4	5,262	3/4	
7/8	448	7/8	992	7/8	1,535	7/8	2,079	7/8	2,623	7/8	3,167	7/8	3,710	7/8	4,254	7/8	4,798	7/8	5,267	7/8	
5	459	11	1,003	5	1,547	11	2,090	5	2,634	11	3,178	5	3,722	11	4,265	5	4,809	11	5,273	5	
1/8	470	1/8	1,014	1/8	1,558	1/8	2,102	1/8	2,645	1/8	3,189	1/8	3,733	1/8	4,277	1/8	4,820	1/8	5,278	1/8	
1/4	482	1/4	1,026	1/4	1,569	1/4	2,113	1/4	2,657	1/4	3,201	1/4	3,744	1/4	4,288	1/4	4,832	1/4	5,283	1/4	
3/8	493	3/8	1,037	3/8	1,581	3/8	2,124	3/8	2,668	3/8	3,212	3/8	3,756	3/8	4,299	3/8	4,843	3/8	5,287	3/8	
1/2	504	1/2	1,048	1/2	1,592	1/2	2,136	1/2	2,679	1/2	3,223	1/2	3,767	1/2	4,311	1/2	4,854	1/2	5,292	1/2	
5/8	516	5/8	1,060	5/8	1,603	5/8	2,147	5/8	2,691	5/8	3,235	5/8	3,778	5/8	4,322	5/8	4,866	5/8	5,296	5/8	
3/4	527	3/4	1,071	3/4	1,615	3/4	2,158	3/4	2,702	3/4	3,246	3/4	3,790	3/4	4,333	3/4	4,877	3/4	5,300	3/4	
7/8	538	7/8	1,082	7/8	1,626	7/8	2,170	7/8	2,713	7/8	3,257	7/8	3,801	7/8	4,345	7/8	4,888	7/8	5,303	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 10/26/2015 BY: JMF
DATE COMPUTED: 10/28/2015 BY: WHF
DATE ISSUED: 10/28/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK

