



BARGE: GBL 5834
JEFFBOAT 16-2396

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-06 1/2"

Table with columns for depth (0 to 15 FT.) and rows for gauge height (0 to 11 FT.). Each cell contains a numerical value representing capacity in whole gallons.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 06/14/2017 BY: JM
DATE COMPUTED: 06/15/2017 BY: CL
DATE ISSUED: 06/15/2017



BARGE: GBL 5834
JEFFBOAT 16-2396

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-06 1/4"

Table with 25 columns (0 FT. to 15 FT.) and 25 rows (0 to 15). Each cell contains a numerical value representing capacity in gallons for a specific depth and width.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 06/14/2017 BY: JM
DATE COMPUTED: 06/15/2017 BY: CL
DATE ISSUED: 06/15/2017

Signature of the responsible party.



BARGE: GBL 5834
JEFFBOAT 16-2396

4 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-06"

Table with 25 columns (0 FT. to 15 FT.) and 30 rows (0 to 11). Each cell contains capacity values for different gauging depths (0, 1/4, 1/2, 3/4). Values range from 849 at 0 FT to 10,613 at 15 FT.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 06/14/2017 BY: JM
DATE COMPUTED: 06/15/2017 BY: CL
DATE ISSUED: 06/15/2017



BARGE: GBL 5834
JEFFBOAT 16-2396

STBD SLOP
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS			FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK																		REFERENCE GAUGE HEIGHT: 5'-11 3/8"		
IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0	0	0	1,437	0	2,873	0	4,310	0	5,747	0		0		0		0		0		0		0	
1/4	30	1/4	1,467	1/4	2,903	1/4	4,340	1/4	5,777	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	60	1/2	1,497	1/2	2,933	1/2	4,370	1/2	5,807	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	90	3/4	1,527	3/4	2,963	3/4	4,400	3/4	5,837	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	120	1	1,556	1	2,993	1	4,430	1	5,867	1		1		1		1		1		1		1	
1/4	150	1/4	1,586	1/4	3,023	1/4	4,460	1/4	5,897	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	180	1/2	1,616	1/2	3,053	1/2	4,490	1/2	5,926	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	210	3/4	1,646	3/4	3,083	3/4	4,520	3/4	5,956	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	239	2	1,676	2	3,113	2	4,550	2	5,986	2		2		2		2		2		2		2	
1/4	269	1/4	1,706	1/4	3,143	1/4	4,580	1/4	6,016	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	299	1/2	1,736	1/2	3,173	1/2	4,609	1/2	6,046	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	1,766	3/4	3,203	3/4	4,639	3/4	6,076	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	359	3	1,796	3	3,233	3	4,669	3	6,106	3		3		3		3		3		3		3	
1/4	389	1/4	1,826	1/4	3,263	1/4	4,699	1/4	6,136	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	419	1/2	1,856	1/2	3,292	1/2	4,729	1/2	6,166	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	449	3/4	1,886	3/4	3,322	3/4	4,759	3/4	6,196	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	479	4	1,916	4	3,352	4	4,789	4	6,226	4		4		4		4		4		4		4	
1/4	509	1/4	1,946	1/4	3,382	1/4	4,819	1/4	6,256	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	539	1/2	1,975	1/2	3,412	1/2	4,849	1/2	6,286	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	569	3/4	2,005	3/4	3,442	3/4	4,879	3/4	6,316	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	599	5	2,035	5	3,472	5	4,909	5	6,346	5		5		5		5		5		5		5	
1/4	629	1/4	2,065	1/4	3,502	1/4	4,939	1/4	6,375	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	658	1/2	2,095	1/2	3,532	1/2	4,969	1/2	6,405	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	688	3/4	2,125	3/4	3,562	3/4	4,999	3/4	6,435	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	718	6	2,155	6	3,592	6	5,029	6	6,465	6		6		6		6		6		6		6	
1/4	748	1/4	2,185	1/4	3,622	1/4	5,058	1/4	6,495	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	778	1/2	2,215	1/2	3,652	1/2	5,088	1/2	6,525	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	808	3/4	2,245	3/4	3,682	3/4	5,118	3/4	6,555	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	838	7	2,275	7	3,712	7	5,148	7	6,585	7		7		7		7		7		7		7	
1/4	868	1/4	2,305	1/4	3,741	1/4	5,178	1/4	6,615	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	898	1/2	2,335	1/2	3,771	1/2	5,208	1/2	6,645	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	928	3/4	2,365	3/4	3,801	3/4	5,238	3/4	6,675	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	958	8	2,395	8	3,831	8	5,268	8	6,705	8		8		8		8		8		8		8	
1/4	988	1/4	2,424	1/4	3,861	1/4	5,298	1/4	6,735	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,018	1/2	2,454	1/2	3,891	1/2	5,328	1/2	6,765	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,048	3/4	2,484	3/4	3,921	3/4	5,358	3/4	6,794	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	1,078	9	2,514	9	3,951	9	5,388	9	6,824	9		9		9		9		9		9		9	
1/4	1,107	1/4	2,544	1/4	3,981	1/4	5,418	1/4	6,854	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,137	1/2	2,574	1/2	4,011	1/2	5,448	1/2	6,884	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,167	3/4	2,604	3/4	4,041	3/4	5,478	3/4	6,914	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	1,197	10	2,634	10	4,071	10	5,507	10	6,944	10		10		10		10		10		10		10	
1/4	1,227	1/4	2,664	1/4	4,101	1/4	5,537	1/4	6,974	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,257	1/2	2,694	1/2	4,131	1/2	5,567	1/2	7,004	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,287	3/4	2,724	3/4	4,161	3/4	5,597	3/4	7,034	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	1,317	11	2,754	11	4,190	11	5,627	11	7,064	11		11		11		11		11		11		11	
1/4	1,347	1/4	2,784	1/4	4,220	1/4	5,657	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,377	1/2	2,814	1/2	4,250	1/2	5,687	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,407	3/4	2,844	3/4	4,280	3/4	5,717	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
 NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
 NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
 NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 06/14/2017 BY: JM
 DATE COMPUTED: 06/15/2017 BY: CL
 DATE ISSUED: 06/15/2017

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

GBL 5734 & GBL 5834

GA B-23294

300 GALLON 42" TALL FUEL OIL TANK STRAPPING

Hulls 16-2395 thru 16-2396

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET	
INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS
0	0	0	85	0	212.54	0	328	-----	-----
1/4	0	1/4	87	1/4	215.24	1/4	330	-----	-----
1/2	1	1/2	90	1/2	217.93	1/2	332	-----	-----
3/4	1	3/4	92	3/4	220.62	3/4	334	-----	-----
1	2	1	95	1	223.30	1	336	-----	-----
1 1/4	3	1 1/4	97	1 1/4	225.97	1 1/4	337	-----	-----
1 1/2	4	1 1/2	100	1 1/2	228.64	1 1/2	339	-----	-----
1 3/4	5	1 3/4	102	1 3/4	231.30	1 3/4	341	-----	-----
2	6	2	105	2	233.95	2	342	-----	-----
2 1/4	7	2 1/4	108	2 1/4	236.60	2 1/4	344	-----	-----
2 1/2	9	2 1/2	110	2 1/2	239.23	2 1/2	346	-----	-----
2 3/4	10	2 3/4	113	2 3/4	241.86	2 3/4	347	-----	-----
3	11	3	115	3	244.48	3	348	-----	-----
3 1/4	13	3 1/4	118	3 1/4	247.09	3 1/4	350	-----	-----
3 1/2	14	3 1/2	121	3 1/2	249.69	3 1/2	351	-----	-----
3 3/4	16	3 3/4	123	3 3/4	252.28	3 3/4	352	-----	-----
4	17	4	126	4	254.85	4	354	-----	-----
4 1/4	19	4 1/4	129	4 1/4	257.42	4 1/4	355	-----	-----
4 1/2	21	4 1/2	131	4 1/2	259.97	4 1/2	356	-----	-----
4 3/4	22	4 3/4	134	4 3/4	262.51	4 3/4	357	-----	-----
5	24	5	137	5	265.04	5	358	-----	-----
5 1/4	26	5 1/4	139	5 1/4	267.56	5 1/4	358	-----	-----
5 1/2	28	5 1/2	142	5 1/2	270.06	5 1/2	359	-----	-----
5 3/4	30	5 3/4	145	5 3/4	272.54	5 3/4	360	-----	-----
6	32	6	147	6	275.02	6	360	-----	-----
6 1/4	33	6 1/4	150	6 1/4	277.47	6 1/4	-----	-----	-----
6 1/2	35	6 1/2	153	6 1/2	279.91	6 1/2	-----	-----	-----
6 3/4	37	6 3/4	155	6 3/4	282.34	6 3/4	-----	-----	-----
7	39	7	158	7	284.74	7	-----	-----	-----
7 1/4	41	7 1/4	161	7 1/4	287.13	7 1/4	-----	-----	-----
7 1/2	44	7 1/2	164	7 1/2	289.50	7 1/2	-----	-----	-----
7 3/4	46	7 3/4	166	7 3/4	291.86	7 3/4	-----	-----	-----
8	48	8	169	8	294.19	8	-----	-----	-----
8 1/4	50	8 1/4	172	8 1/4	296.50	8 1/4	-----	-----	-----
8 1/2	52	8 1/2	174	8 1/2	298.79	8 1/2	-----	-----	-----
8 3/4	54	8 3/4	177	8 3/4	301.07	8 3/4	-----	-----	-----
9	57	9	180	9	303.31	9	-----	-----	-----
9 1/4	59	9 1/4	183	9 1/4	305.54	9 1/4	-----	-----	-----
9 1/2	61	9 1/2	185	9 1/2	307.74	9 1/2	-----	-----	-----
9 3/4	63	9 3/4	188	9 3/4	309.92	9 3/4	-----	-----	-----
10	66	10	191	10	312.08	10	-----	-----	-----
10 1/4	68	10 1/4	194	10 1/4	314.21	10 1/4	-----	-----	-----
10 1/2	70	10 1/2	196	10 1/2	316.31	10 1/2	-----	-----	-----
10 3/4	73	10 3/4	199	10 3/4	318.39	10 3/4	-----	-----	-----
11	75	11	202	11	320.43	11	-----	-----	-----
11 1/4	78	11 1/4	204	11 1/4	322.45	11 1/4	-----	-----	-----
11 1/2	80	11 1/2	207	11 1/2	324.44	-----	-----	-----	-----
11 3/4	82	11 3/4	210	11 3/4	326.40	-----	-----	-----	-----

GBL 5734 & GBL 5834

GA B-23294

1000 GALLON FUEL OIL TANK STRAPPING (@SND TUBE)

Hulls 16-2395 thru 16-2396

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET	
INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS
0	4	0	340	0	676.00	0	1011	-----	-----
1/4	11	1/4	347	1/4	683.00	1/4	1017	-----	-----
1/2	18	1/2	354	1/2	690.00	1/2	1023	-----	-----
3/4	25	3/4	361	3/4	697.00	3/4	1028	-----	-----
1	32	1	368	1	704.00	1	1031	-----	-----
1 1/4	39	1 1/4	375	1 1/4	711.00	1 1/4	1034	-----	-----
1 1/2	46	1 1/2	382	1 1/2	718.00	1 1/2	-----	-----	-----
1 3/4	53	1 3/4	389	1 3/4	725.00	1 3/4	-----	-----	-----
2	60	2	396	2	732.00	2	-----	-----	-----
2 1/4	67	2 1/4	403	2 1/4	739.00	2 1/4	-----	-----	-----
2 1/2	74	2 1/2	410	2 1/2	746.00	2 1/2	-----	-----	-----
2 3/4	81	2 3/4	417	2 3/4	753.00	2 3/4	-----	-----	-----
3	88	3	424	3	760.00	3	-----	-----	-----
3 1/4	95	3 1/4	431	3 1/4	767.00	3 1/4	-----	-----	-----
3 1/2	102	3 1/2	438	3 1/2	774.00	3 1/2	-----	-----	-----
3 3/4	109	3 3/4	445	3 3/4	781.00	3 3/4	-----	-----	-----
4	116	4	452	4	788.00	4	-----	-----	-----
4 1/4	123	4 1/4	459	4 1/4	795.00	4 1/4	-----	-----	-----
4 1/2	130	4 1/2	466	4 1/2	802.00	4 1/2	-----	-----	-----
4 3/4	137	4 3/4	473	4 3/4	809.00	4 3/4	-----	-----	-----
5	144	5	480	5	816.00	5	-----	-----	-----
5 1/4	151	5 1/4	487	5 1/4	823.00	5 1/4	-----	-----	-----
5 1/2	158	5 1/2	494	5 1/2	830.00	5 1/2	-----	-----	-----
5 3/4	165	5 3/4	501	5 3/4	837.00	5 3/4	-----	-----	-----
6	172	6	508	6	844.00	6	-----	-----	-----
6 1/4	179	6 1/4	515	6 1/4	851.00	6 1/4	-----	-----	-----
6 1/2	186	6 1/2	522	6 1/2	858.00	6 1/2	-----	-----	-----
6 3/4	193	6 3/4	529	6 3/4	865.00	6 3/4	-----	-----	-----
7	200	7	536	7	872.00	7	-----	-----	-----
7 1/4	207	7 1/4	543	7 1/4	879.00	7 1/4	-----	-----	-----
7 1/2	214	7 1/2	550	7 1/2	885.00	7 1/2	-----	-----	-----
7 3/4	221	7 3/4	557	7 3/4	892.00	7 3/4	-----	-----	-----
8	228	8	564	8	899.00	8	-----	-----	-----
8 1/4	235	8 1/4	571	8 1/4	906.00	8 1/4	-----	-----	-----
8 1/2	242	8 1/2	578	8 1/2	913.00	8 1/2	-----	-----	-----
8 3/4	249	8 3/4	585	8 3/4	920.00	8 3/4	-----	-----	-----
9	256	9	592	9	927.00	9	-----	-----	-----
9 1/4	263	9 1/4	599	9 1/4	934.00	9 1/4	-----	-----	-----
9 1/2	270	9 1/2	606	9 1/2	941.00	9 1/2	-----	-----	-----
9 3/4	277	9 3/4	613	9 3/4	948.00	9 3/4	-----	-----	-----
10	284	10	620	10	955.00	10	-----	-----	-----
10 1/4	291	10 1/4	627	10 1/4	962.00	10 1/4	-----	-----	-----
10 1/2	298	10 1/2	634	10 1/2	969.00	10 1/2	-----	-----	-----
10 3/4	305	10 3/4	641	10 3/4	976.00	10 3/4	-----	-----	-----
11	312	11	648	11	983.00	11	-----	-----	-----
11 1/4	319	11 1/4	655	11 1/4	990.00	11 1/4	-----	-----	-----
11 1/2	326	11 1/2	662	11 1/2	997.00	-----	-----	-----	-----
11 3/4	333	11 3/4	669	11 3/4	1004.00	-----	-----	-----	-----