

BARGE "GBL 830" HULL NO. 02-2970

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/4"

Table with 19 columns (IN, 0 FT., IN, 1 FT., IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT.) and 19 rows of capacity data for various heights.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.

NOTE: GAUGE POINT LOCATED 12'-0" OFF CENTERLINE AND 38'-9 1/2" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 5/14/03 BY: KS-KF

DATE COMPUTED: 5/23/03 BY: DAR

DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT

Handwritten signature: Caleb Brett

**BARGE "GBL 830"
HULL NO. 02-2970**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS


GAUGE HEIGHT 16'- 5 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	3,061.49	0	3,372.16	0	3,682.84	0	3,993.51	0	4,302.42	0	4,560.55	0		0		0		0	
1/4	3,067.96	1/4	3,378.64	1/4	3,689.31	1/4	3,999.99	1/4	4,308.86	1/4	4,562.09	1/4		1/4		1/4		1/4	
1/2	3,074.43	1/2	3,385.11	1/2	3,695.78	1/2	4,006.42	1/2	4,315.29	1/2	4,562.54	1/2		1/2		1/2		1/2	
3/4	3,080.91	3/4	3,391.58	3/4	3,702.26	3/4	4,012.86	3/4	4,321.73	3/4	4,563.00	3/4		3/4		3/4		3/4	
1	3,087.38	1	3,398.05	1	3,708.73	1	4,019.29	1	4,328.16	1	4,563.46	1		1		1		1	
1/4	3,093.85	1/4	3,404.53	1/4	3,715.20	1/4	4,025.73	1/4	4,334.60	1/4	4,563.92	1/4		1/4		1/4		1/4	
1/2	3,100.32	1/2	3,411.00	1/2	3,721.67	1/2	4,032.16	1/2	4,341.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,106.80	3/4	3,417.47	3/4	3,728.15	3/4	4,038.60	3/4	4,347.47	3/4		3/4		3/4		3/4		3/4	
2	3,113.27	2	3,423.94	2	3,734.62	2	4,045.03	2	4,353.90	2		2		2		2		2	
1/4	3,119.74	1/4	3,430.42	1/4	3,741.09	1/4	4,051.47	1/4	4,360.34	1/4		1/4		1/4		1/4		1/4	
1/2	3,126.21	1/2	3,436.89	1/2	3,747.56	1/2	4,057.90	1/2	4,366.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,132.69	3/4	3,443.36	3/4	3,754.04	3/4	4,064.33	3/4	4,373.12	3/4		3/4		3/4		3/4		3/4	
3	3,139.16	3	3,449.83	3	3,760.51	3	4,070.77	3	4,379.51	3		3		3		3		3	
1/4	3,145.63	1/4	3,456.31	1/4	3,766.98	1/4	4,077.20	1/4	4,385.90	1/4		1/4		1/4		1/4		1/4	
1/2	3,152.10	1/2	3,462.78	1/2	3,773.45	1/2	4,083.64	1/2	4,392.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,158.57	3/4	3,469.25	3/4	3,779.93	3/4	4,090.07	3/4	4,398.69	3/4		3/4		3/4		3/4		3/4	
4	3,165.05	4	3,475.72	4	3,786.40	4	4,096.51	4	4,405.08	4		4		4		4		4	
1/4	3,171.52	1/4	3,482.19	1/4	3,792.87	1/4	4,102.94	1/4	4,411.47	1/4		1/4		1/4		1/4		1/4	
1/2	3,177.99	1/2	3,488.67	1/2	3,799.34	1/2	4,109.38	1/2	4,417.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,184.46	3/4	3,495.14	3/4	3,805.81	3/4	4,115.81	3/4	4,424.26	3/4		3/4		3/4		3/4		3/4	
5	3,190.94	5	3,501.61	5	3,812.29	5	4,122.25	5	4,430.65	5		5		5		5		5	
1/4	3,197.41	1/4	3,508.08	1/4	3,818.76	1/4	4,128.68	1/4	4,437.04	1/4		1/4		1/4		1/4		1/4	
1/2	3,203.88	1/2	3,514.56	1/2	3,825.23	1/2	4,135.12	1/2	4,443.43	1/2		1/2		1/2		1/2		1/2	
3/4	3,210.35	3/4	3,521.03	3/4	3,831.70	3/4	4,141.55	3/4	4,449.83	3/4		3/4		3/4		3/4		3/4	
6	3,216.83	6	3,527.50	6	3,838.18	6	4,147.99	6	4,456.22	6		6		6		6		6	
1/4	3,223.30	1/4	3,533.97	1/4	3,844.65	1/4	4,154.42	1/4	4,462.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,229.77	1/2	3,540.45	1/2	3,851.12	1/2	4,160.86	1/2	4,469.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,236.24	3/4	3,546.92	3/4	3,857.59	3/4	4,167.29	3/4	4,475.40	3/4		3/4		3/4		3/4		3/4	
7	3,242.72	7	3,553.39	7	3,864.07	7	4,173.73	7	4,481.79	7		7		7		7		7	
1/4	3,249.19	1/4	3,559.86	1/4	3,870.54	1/4	4,180.16	1/4	4,488.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,255.66	1/2	3,566.34	1/2	3,877.01	1/2	4,186.60	1/2	4,494.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,262.13	3/4	3,572.81	3/4	3,883.48	3/4	4,193.03	3/4	4,499.89	3/4		3/4		3/4		3/4		3/4	
8	3,268.61	8	3,579.28	8	3,889.96	8	4,199.47	8	4,505.74	8		8		8		8		8	
1/4	3,275.08	1/4	3,585.75	1/4	3,896.43	1/4	4,205.90	1/4	4,511.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,281.55	1/2	3,592.23	1/2	3,902.90	1/2	4,212.34	1/2	4,516.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,288.02	3/4	3,598.70	3/4	3,909.37	3/4	4,218.77	3/4	4,521.14	3/4		3/4		3/4		3/4		3/4	
9	3,294.50	9	3,605.17	9	3,915.85	9	4,225.20	9	4,525.91	9		9		9		9		9	
1/4	3,300.97	1/4	3,611.64	1/4	3,922.32	1/4	4,231.64	1/4	4,530.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,307.44	1/2	3,618.12	1/2	3,928.79	1/2	4,238.07	1/2	4,534.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,313.91	3/4	3,624.59	3/4	3,935.26	3/4	4,244.51	3/4	4,538.08	3/4		3/4		3/4		3/4		3/4	
10	3,320.38	10	3,631.06	10	3,941.74	10	4,250.94	10	4,541.77	10		10		10		10		10	
1/4	3,326.86	1/4	3,637.53	1/4	3,948.21	1/4	4,257.38	1/4	4,545.47	1/4		1/4		1/4		1/4		1/4	
1/2	3,333.33	1/2	3,644.00	1/2	3,954.68	1/2	4,263.81	1/2	4,548.09	1/2		1/2		1/2		1/2		1/2	
3/4	3,339.80	3/4	3,650.48	3/4	3,961.15	3/4	4,270.25	3/4	4,550.70	3/4		3/4		3/4		3/4		3/4	
11	3,346.27	11	3,656.95	11	3,967.62	11	4,276.68	11	4,553.32	11		11		11		11		11	
1/4	3,352.75	1/4	3,663.42	1/4	3,974.10	1/4	4,283.12	1/4	4,555.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,359.22	1/2	3,669.89	1/2	3,980.57	1/2	4,289.55	1/2	4,557.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,365.69	3/4	3,676.37	3/4	3,987.04	3/4	4,295.99	3/4	4,559.01	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/14/03 BY: KS-KF
DATE COMPUTED: 5/23/03 BY: DAR
DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT



**BARGE "GBL 830"
HULL NO. 02-2970**

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	11.81	0	272.67	0	578.58	0	890.61	0	1,202.71	0	1,514.69	0	1,826.59	0	2,138.69	0	2,450.78	0	2,762.86
1/4	14.40	1/4	278.67	1/4	585.07	1/4	897.12	1/4	1,209.21	1/4	1,521.18	1/4	1,833.09	1/4	2,145.19	1/4	2,457.28	1/4	2,769.37
1/2	18.73	1/2	284.75	1/2	591.57	1/2	903.62	1/2	1,215.71	1/2	1,527.68	1/2	1,839.59	1/2	2,151.69	1/2	2,463.79	1/2	2,775.87
3/4	23.05	3/4	290.82	3/4	598.07	3/4	910.12	3/4	1,222.22	3/4	1,534.17	3/4	1,846.10	3/4	2,158.19	3/4	2,470.29	3/4	2,782.37
1	27.38	1	296.89	1	604.57	1	916.62	1	1,228.72	1	1,540.67	1	1,852.60	1	2,164.69	1	2,476.79	1	2,788.87
1/4	31.70	1/4	302.97	1/4	611.07	1/4	923.12	1/4	1,235.22	1/4	1,547.16	1/4	1,859.10	1/4	2,171.20	1/4	2,483.29	1/4	2,795.37
1/2	36.93	1/2	309.12	1/2	617.57	1/2	929.63	1/2	1,241.72	1/2	1,553.66	1/2	1,865.60	1/2	2,177.70	1/2	2,489.79	1/2	2,801.87
3/4	42.16	3/4	315.27	3/4	624.07	3/4	936.13	3/4	1,248.22	3/4	1,560.15	3/4	1,872.10	3/4	2,184.20	3/4	2,496.30	3/4	2,808.37
2	47.39	2	321.42	2	630.57	2	942.63	2	1,254.73	2	1,566.65	2	1,878.61	2	2,190.70	2	2,502.80	2	2,814.88
1/4	52.62	1/4	327.57	1/4	637.07	1/4	949.13	1/4	1,261.23	1/4	1,573.14	1/4	1,885.11	1/4	2,197.20	1/4	2,509.30	1/4	2,821.38
1/2	57.92	1/2	333.80	1/2	643.57	1/2	955.63	1/2	1,267.73	1/2	1,579.64	1/2	1,891.61	1/2	2,203.71	1/2	2,515.80	1/2	2,827.88
3/4	63.23	3/4	340.03	3/4	650.06	3/4	962.14	3/4	1,274.23	3/4	1,586.13	3/4	1,898.11	3/4	2,210.21	3/4	2,522.30	3/4	2,834.38
3	68.53	3	346.26	3	656.56	3	968.64	3	1,280.73	3	1,592.63	3	1,904.61	3	2,216.71	3	2,528.81	3	2,840.88
1/4	73.84	1/4	352.49	1/4	663.06	1/4	975.14	1/4	1,287.24	1/4	1,599.12	1/4	1,911.12	1/4	2,223.21	1/4	2,535.31	1/4	2,847.38
1/2	79.22	1/2	358.79	1/2	669.56	1/2	981.64	1/2	1,293.74	1/2	1,605.62	1/2	1,917.62	1/2	2,229.71	1/2	2,541.81	1/2	2,853.88
3/4	84.60	3/4	365.10	3/4	676.06	3/4	988.14	3/4	1,300.24	3/4	1,612.11	3/4	1,924.12	3/4	2,236.22	3/4	2,548.31	3/4	2,860.39
4	89.99	4	371.40	4	682.56	4	994.65	4	1,306.74	4	1,618.61	4	1,930.62	4	2,242.72	4	2,554.81	4	2,866.89
1/4	95.37	1/4	377.71	1/4	689.06	1/4	1,001.15	1/4	1,313.24	1/4	1,625.10	1/4	1,937.12	1/4	2,249.22	1/4	2,561.32	1/4	2,873.39
1/2	100.83	1/2	384.09	1/2	695.56	1/2	1,007.65	1/2	1,319.75	1/2	1,631.60	1/2	1,943.63	1/2	2,255.72	1/2	2,567.82	1/2	2,879.89
3/4	106.29	3/4	390.47	3/4	702.06	3/4	1,014.15	3/4	1,326.25	3/4	1,638.09	3/4	1,950.13	3/4	2,262.22	3/4	2,574.32	3/4	2,886.39
5	111.74	5	396.85	5	708.56	5	1,020.65	5	1,332.75	5	1,644.59	5	1,956.63	5	2,268.73	5	2,580.82	5	2,892.89
1/4	117.20	1/4	403.23	1/4	715.06	1/4	1,027.16	1/4	1,339.25	1/4	1,651.08	1/4	1,963.13	1/4	2,275.23	1/4	2,587.32	1/4	2,899.39
1/2	122.74	1/2	409.69	1/2	721.56	1/2	1,033.66	1/2	1,345.75	1/2	1,657.58	1/2	1,969.63	1/2	2,281.73	1/2	2,593.83	1/2	2,905.90
3/4	128.28	3/4	416.15	3/4	728.06	3/4	1,040.16	3/4	1,352.26	3/4	1,664.07	3/4	1,976.14	3/4	2,288.23	3/4	2,600.33	3/4	2,912.40
6	133.81	6	422.61	6	734.57	6	1,046.66	6	1,358.76	6	1,670.57	6	1,982.64	6	2,294.73	6	2,606.83	6	2,918.90
1/4	139.35	1/4	429.07	1/4	741.07	1/4	1,053.16	1/4	1,365.26	1/4	1,677.06	1/4	1,989.14	1/4	2,301.24	1/4	2,613.33	1/4	2,925.40
1/2	144.96	1/2	435.57	1/2	747.57	1/2	1,059.67	1/2	1,371.76	1/2	1,683.56	1/2	1,995.64	1/2	2,307.74	1/2	2,619.83	1/2	2,931.90
3/4	150.57	3/4	442.07	3/4	754.07	3/4	1,066.17	3/4	1,378.26	3/4	1,690.06	3/4	2,002.14	3/4	2,314.24	3/4	2,626.33	3/4	2,938.40
7	156.19	7	448.57	7	760.57	7	1,072.67	7	1,384.77	7	1,696.55	7	2,008.65	7	2,320.74	7	2,632.84	7	2,944.90
1/4	161.80	1/4	455.08	1/4	767.08	1/4	1,079.17	1/4	1,391.27	1/4	1,703.05	1/4	2,015.15	1/4	2,327.24	1/4	2,639.34	1/4	2,951.40
1/2	167.49	1/2	461.58	1/2	773.58	1/2	1,085.67	1/2	1,397.77	1/2	1,709.55	1/2	2,021.65	1/2	2,333.75	1/2	2,645.84	1/2	2,957.91
3/4	173.18	3/4	468.08	3/4	780.08	3/4	1,092.18	3/4	1,404.26	3/4	1,716.06	3/4	2,028.15	3/4	2,340.25	3/4	2,652.34	3/4	2,964.41
8	178.87	8	474.58	8	786.58	8	1,098.68	8	1,410.76	8	1,722.56	8	2,034.65	8	2,346.75	8	2,658.84	8	2,970.91
1/4	184.56	1/4	481.08	1/4	793.08	1/4	1,105.18	1/4	1,417.26	1/4	1,729.06	1/4	2,041.16	1/4	2,353.25	1/4	2,665.34	1/4	2,977.41
1/2	190.33	1/2	487.59	1/2	799.59	1/2	1,111.68	1/2	1,423.76	1/2	1,735.56	1/2	2,047.66	1/2	2,359.75	1/2	2,671.84	1/2	2,983.91
3/4	196.09	3/4	494.09	3/4	806.09	3/4	1,118.18	3/4	1,430.25	3/4	1,742.06	3/4	2,054.16	3/4	2,366.26	3/4	2,678.35	3/4	2,990.41
9	201.86	9	500.59	9	812.59	9	1,124.69	9	1,436.75	9	1,748.57	9	2,060.66	9	2,372.76	9	2,684.85	9	2,996.91
1/4	207.63	1/4	507.09	1/4	819.09	1/4	1,131.19	1/4	1,443.24	1/4	1,755.07	1/4	2,067.16	1/4	2,379.26	1/4	2,691.35	1/4	3,003.42
1/2	213.47	1/2	513.59	1/2	825.59	1/2	1,137.69	1/2	1,449.74	1/2	1,761.57	1/2	2,073.67	1/2	2,385.76	1/2	2,697.85	1/2	3,009.92
3/4	219.31	3/4	520.08	3/4	832.10	3/4	1,144.19	3/4	1,456.23	3/4	1,768.07	3/4	2,080.17	3/4	2,392.26	3/4	2,704.35	3/4	3,016.42
10	225.16	10	526.58	10	838.60	10	1,150.69	10	1,462.73	10	1,774.57	10	2,086.67	10	2,398.77	10	2,710.85	10	3,022.92
1/4	231.00	1/4	533.08	1/4	845.10	1/4	1,157.20	1/4	1,469.22	1/4	1,781.08	1/4	2,093.17	1/4	2,405.27	1/4	2,717.35	1/4	3,029.42
1/2	236.92	1/2	539.58	1/2	851.60	1/2	1,163.70	1/2	1,475.72	1/2	1,787.58	1/2	2,099.67	1/2	2,411.77	1/2	2,723.86	1/2	3,035.92
3/4	242.84	3/4	546.08	3/4	858.10	3/4	1,170.20	3/4	1,482.21	3/4	1,794.08	3/4	2,106.18	3/4	2,418.27	3/4	2,730.36	3/4	3,042.42
11	248.76	11	552.58	11	864.61	11	1,176.70	11	1,488.71	11	1,800.58	11	2,112.68	11	2,424.77	11	2,736.86	11	3,048.93
1/4	254.68	1/4	559.08	1/4	871.11	1/4	1,183.20	1/4	1,495.20	1/4	1,807.08	1/4	2,119.18	1/4	2,431.28	1/4	2,743.36	1/4	3,055.43
1/2	260.68	1/2	565.58	1/2	877.61	1/2	1,189.71	1/2	1,501.70	1/2	1,813.59	1/2	2,125.68	1/2	2,437.78	1/2	2,749.86	1/2	3,061.93
3/4	266.68	3/4	572.08	3/4	884.11	3/4	1,196.21	3/4	1,508.19	3/4	1,820.09	3/4	2,132.18	3/4	2,444.28	3/4	2,756.36	3/4	3,068.43

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.
 NOTE: GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 9 1/2" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 5/14/03 BY: KS-KF
 DATE COMPUTED: 5/23/03 BY: DAR
 DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT

Dale A. Rose

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,074.93	0	3,387.00	0	3,699.07	0	4,011.13	0	4,321.43	0	4,580.73	0		0		0		0	
1/4	3,081.43	1/4	3,393.50	1/4	3,705.57	1/4	4,017.63	1/4	4,327.90	1/4	4,582.28	1/4		1/4		1/4		1/4	
1/2	3,087.93	1/2	3,400.00	1/2	3,712.07	1/2	4,024.10	1/2	4,334.36	1/2	4,582.74	1/2		1/2		1/2		1/2	
3/4	3,094.44	3/4	3,406.50	3/4	3,718.57	3/4	4,030.56	3/4	4,340.82	3/4	4,583.20	3/4		3/4		3/4		3/4	
1	3,100.94	1	3,413.00	1	3,725.07	1	4,037.03	1	4,347.29	1	4,583.66	1		1		1		1	
1/4	3,107.44	1/4	3,419.51	1/4	3,731.57	1/4	4,043.49	1/4	4,353.75	1/4	4,584.12	1/4		1/4		1/4		1/4	
1/2	3,113.94	1/2	3,426.01	1/2	3,738.07	1/2	4,049.95	1/2	4,360.22	1/2	<u>4,584.12</u>	1/2		1/2		1/2		1/2	
3/4	3,120.44	3/4	3,432.51	3/4	3,744.58	3/4	4,056.42	3/4	4,366.68	3/4		3/4		3/4		3/4		3/4	
2	3,126.94	2	3,439.01	2	3,751.08	2	4,062.88	2	4,373.14	2		2		2		2		2	
1/4	3,133.44	1/4	3,445.51	1/4	3,757.58	1/4	4,069.34	1/4	4,379.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,139.95	1/2	3,452.01	1/2	3,764.08	1/2	4,075.81	1/2	4,386.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,146.45	3/4	3,458.51	3/4	3,770.58	3/4	4,082.27	3/4	4,392.45	3/4		3/4		3/4		3/4		3/4	
3	3,152.95	3	3,465.02	3	3,777.08	3	4,088.74	3	4,398.87	3		3		3		3		3	
1/4	3,159.45	1/4	3,471.52	1/4	3,783.58	1/4	4,095.20	1/4	4,405.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,165.95	1/2	3,478.02	1/2	3,790.09	1/2	4,101.66	1/2	4,411.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,172.45	3/4	3,484.52	3/4	3,796.59	3/4	4,108.13	3/4	4,418.13	3/4		3/4		3/4		3/4		3/4	
4	3,178.95	4	3,491.02	4	3,803.09	4	4,114.59	4	4,424.56	4		4		4		4		4	
1/4	3,185.46	1/4	3,497.52	1/4	3,809.59	1/4	4,121.06	1/4	4,430.98	1/4		1/4		1/4		1/4		1/4	
1/2	3,191.96	1/2	3,504.02	1/2	3,816.09	1/2	4,127.52	1/2	4,437.40	1/2		1/2		1/2		1/2		1/2	
3/4	3,198.46	3/4	3,510.53	3/4	3,822.59	3/4	4,133.98	3/4	4,443.82	3/4		3/4		3/4		3/4		3/4	
5	3,204.96	5	3,517.03	5	3,829.09	5	4,140.45	5	4,450.24	5		5		5		5		5	
1/4	3,211.46	1/4	3,523.53	1/4	3,835.60	1/4	4,146.91	1/4	4,456.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,217.96	1/2	3,530.03	1/2	3,842.10	1/2	4,153.37	1/2	4,463.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,224.46	3/4	3,536.53	3/4	3,848.60	3/4	4,159.84	3/4	4,469.50	3/4		3/4		3/4		3/4		3/4	
6	3,230.97	6	3,543.03	6	3,855.10	6	4,166.30	6	4,475.93	6		6		6		6		6	
1/4	3,237.47	1/4	3,549.53	1/4	3,861.60	1/4	4,172.77	1/4	4,482.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,243.97	1/2	3,556.04	1/2	3,868.10	1/2	4,179.23	1/2	4,488.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,250.47	3/4	3,562.54	3/4	3,874.60	3/4	4,185.69	3/4	4,495.19	3/4		3/4		3/4		3/4		3/4	
7	3,256.97	7	3,569.04	7	3,881.11	7	4,192.16	7	4,501.61	7		7		7		7		7	
1/4	3,263.47	1/4	3,575.54	1/4	3,887.61	1/4	4,198.62	1/4	4,508.03	1/4		1/4		1/4		1/4		1/4	
1/2	3,269.97	1/2	3,582.04	1/2	3,894.11	1/2	4,205.08	1/2	4,513.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,276.47	3/4	3,588.54	3/4	3,900.61	3/4	4,211.55	3/4	4,519.79	3/4		3/4		3/4		3/4		3/4	
8	3,282.98	8	3,595.04	8	3,907.11	8	4,218.01	8	4,525.67	8		8		8		8		8	
1/4	3,289.48	1/4	3,601.54	1/4	3,913.61	1/4	4,224.48	1/4	4,531.55	1/4		1/4		1/4		1/4		1/4	
1/2	3,295.98	1/2	3,608.05	1/2	3,920.11	1/2	4,230.94	1/2	4,536.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,302.48	3/4	3,614.55	3/4	3,926.61	3/4	4,237.40	3/4	4,541.14	3/4		3/4		3/4		3/4		3/4	
9	3,308.98	9	3,621.05	9	3,933.12	9	4,243.87	9	4,545.94	9		9		9		9		9	
1/4	3,315.48	1/4	3,627.55	1/4	3,939.62	1/4	4,250.33	1/4	4,550.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,321.98	1/2	3,634.05	1/2	3,946.12	1/2	4,256.80	1/2	4,554.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,328.49	3/4	3,640.55	3/4	3,952.62	3/4	4,263.26	3/4	4,558.16	3/4		3/4		3/4		3/4		3/4	
10	3,334.99	10	3,647.05	10	3,959.12	10	4,269.72	10	4,561.87	10		10		10		10		10	
1/4	3,341.49	1/4	3,653.56	1/4	3,965.62	1/4	4,276.19	1/4	4,565.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,347.99	1/2	3,660.06	1/2	3,972.12	1/2	4,282.65	1/2	4,568.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,354.49	3/4	3,666.56	3/4	3,978.63	3/4	4,289.11	3/4	4,570.84	3/4		3/4		3/4		3/4		3/4	
11	3,360.99	11	3,673.06	11	3,985.13	11	4,295.58	11	4,573.47	11		11		11		11		11	
1/4	3,367.49	1/4	3,679.56	1/4	3,991.63	1/4	4,302.04	1/4	4,576.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,374.00	1/2	3,686.06	1/2	3,998.13	1/2	4,308.51	1/2	4,577.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,380.50	3/4	3,692.56	3/4	4,004.63	3/4	4,314.97	3/4	4,579.19	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/14/03 BY: KS-KF
DATE COMPUTED: 5/23/03 BY: DAR
DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 5"


IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	16.76	0	367.01	0	725.95	0	1,084.83	0	1,443.79	0	1,802.77	0	2,161.74	0	2,520.71	0	2,879.69	0	3,238.66
1/4	20.50	1/4	374.49	1/4	733.42	1/4	1,092.31	1/4	1,451.27	1/4	1,810.25	1/4	2,169.22	1/4	2,528.19	1/4	2,887.16	1/4	3,246.14
1/2	26.74	1/2	381.97	1/2	740.90	1/2	1,099.79	1/2	1,458.75	1/2	1,817.72	1/2	2,176.70	1/2	2,535.67	1/2	2,894.64	1/2	3,253.62
3/4	32.97	3/4	389.45	3/4	748.37	3/4	1,107.27	3/4	1,466.23	3/4	1,825.20	3/4	2,184.18	3/4	2,543.15	3/4	2,902.12	3/4	3,261.09
1	39.20	1	396.93	1	755.85	1	1,114.74	1	1,473.71	1	1,832.68	1	2,191.65	1	2,550.63	1	2,909.60	1	3,268.57
1/4	45.43	1/4	404.40	1/4	763.32	1/4	1,122.22	1/4	1,481.19	1/4	1,840.16	1/4	2,199.13	1/4	2,558.11	1/4	2,917.08	1/4	3,276.05
1/2	52.91	1/2	411.88	1/2	770.80	1/2	1,129.70	1/2	1,488.67	1/2	1,847.64	1/2	2,206.61	1/2	2,565.58	1/2	2,924.56	1/2	3,283.53
3/4	60.39	3/4	419.36	3/4	778.27	3/4	1,137.18	3/4	1,496.14	3/4	1,855.12	3/4	2,214.09	3/4	2,573.06	3/4	2,932.04	3/4	3,291.01
2	67.87	2	426.84	2	785.75	2	1,144.65	2	1,503.62	2	1,862.60	2	2,221.57	2	2,580.54	2	2,939.51	2	3,298.49
1/4	75.35	1/4	434.32	1/4	793.23	1/4	1,152.13	1/4	1,511.10	1/4	1,870.07	1/4	2,229.05	1/4	2,588.02	1/4	2,946.99	1/4	3,305.97
1/2	82.82	1/2	441.80	1/2	800.70	1/2	1,159.61	1/2	1,518.58	1/2	1,877.55	1/2	2,236.53	1/2	2,595.50	1/2	2,954.47	1/2	3,313.44
3/4	90.30	3/4	449.28	3/4	808.18	3/4	1,167.09	3/4	1,526.06	3/4	1,885.03	3/4	2,244.00	3/4	2,602.98	3/4	2,961.95	3/4	3,320.92
3	97.78	3	456.75	3	815.65	3	1,174.56	3	1,533.54	3	1,892.51	3	2,251.48	3	2,610.46	3	2,969.43	3	3,328.40
1/4	105.26	1/4	464.23	1/4	823.13	1/4	1,182.04	1/4	1,541.02	1/4	1,899.99	1/4	2,258.96	1/4	2,617.93	1/4	2,976.91	1/4	3,335.88
1/2	112.74	1/2	471.71	1/2	830.60	1/2	1,189.52	1/2	1,548.49	1/2	1,907.47	1/2	2,266.44	1/2	2,625.41	1/2	2,984.39	1/2	3,343.36
3/4	120.22	3/4	479.19	3/4	838.08	3/4	1,197.00	3/4	1,555.97	3/4	1,914.95	3/4	2,273.92	3/4	2,632.89	3/4	2,991.86	3/4	3,350.84
4	127.70	4	486.67	4	845.56	4	1,204.48	4	1,563.45	4	1,922.42	4	2,281.40	4	2,640.37	4	2,999.34	4	3,358.32
1/4	135.18	1/4	494.15	1/4	853.03	1/4	1,211.96	1/4	1,570.93	1/4	1,929.90	1/4	2,288.88	1/4	2,647.85	1/4	3,006.82	1/4	3,365.79
1/2	142.65	1/2	501.63	1/2	860.51	1/2	1,219.44	1/2	1,578.41	1/2	1,937.38	1/2	2,296.35	1/2	2,655.33	1/2	3,014.30	1/2	3,373.27
3/4	150.13	3/4	509.11	3/4	867.98	3/4	1,226.91	3/4	1,585.89	3/4	1,944.86	3/4	2,303.83	3/4	2,662.81	3/4	3,021.78	3/4	3,380.75
5	157.61	5	516.58	5	875.46	5	1,234.39	5	1,593.37	5	1,952.34	5	2,311.31	5	2,670.28	5	3,029.26	5	3,388.23
1/4	165.09	1/4	524.06	1/4	882.94	1/4	1,241.87	1/4	1,600.84	1/4	1,959.82	1/4	2,318.79	1/4	2,677.76	1/4	3,036.74	1/4	3,395.71
1/2	172.57	1/2	531.54	1/2	890.41	1/2	1,249.35	1/2	1,608.32	1/2	1,967.30	1/2	2,326.27	1/2	2,685.24	1/2	3,044.21	1/2	3,403.19
3/4	180.05	3/4	539.02	3/4	897.89	3/4	1,256.83	3/4	1,615.80	3/4	1,974.77	3/4	2,333.75	3/4	2,692.72	3/4	3,051.69	3/4	3,410.67
6	187.53	6	546.50	6	905.37	6	1,264.31	6	1,623.28	6	1,982.25	6	2,341.23	6	2,700.20	6	3,059.17	6	3,418.14
1/4	195.01	1/4	553.98	1/4	912.85	1/4	1,271.79	1/4	1,630.76	1/4	1,989.73	1/4	2,348.70	1/4	2,707.68	1/4	3,066.65	1/4	3,425.62
1/2	202.48	1/2	561.46	1/2	920.33	1/2	1,279.26	1/2	1,638.24	1/2	1,997.21	1/2	2,356.18	1/2	2,715.16	1/2	3,074.13	1/2	3,433.10
3/4	209.96	3/4	568.93	3/4	927.80	3/4	1,286.74	3/4	1,645.72	3/4	2,004.69	3/4	2,363.66	3/4	2,722.63	3/4	3,081.61	3/4	3,440.58
7	217.44	7	576.41	7	935.28	7	1,294.22	7	1,653.19	7	2,012.17	7	2,371.14	7	2,730.11	7	3,089.09	7	3,448.06
1/4	224.92	1/4	583.89	1/4	942.76	1/4	1,301.70	1/4	1,660.67	1/4	2,019.65	1/4	2,378.62	1/4	2,737.59	1/4	3,096.56	1/4	3,455.54
1/2	232.40	1/2	591.37	1/2	950.24	1/2	1,309.18	1/2	1,668.15	1/2	2,027.12	1/2	2,386.10	1/2	2,745.07	1/2	3,104.04	1/2	3,463.02
3/4	239.88	3/4	598.85	3/4	957.71	3/4	1,316.66	3/4	1,675.63	3/4	2,034.60	3/4	2,393.58	3/4	2,752.55	3/4	3,111.52	3/4	3,470.49
8	247.35	8	606.33	8	965.19	8	1,324.14	8	1,683.11	8	2,042.08	8	2,401.05	8	2,760.03	8	3,119.00	8	3,477.97
1/4	254.83	1/4	613.81	1/4	972.67	1/4	1,331.62	1/4	1,690.59	1/4	2,049.56	1/4	2,408.53	1/4	2,767.51	1/4	3,126.48	1/4	3,485.45
1/2	262.31	1/2	621.28	1/2	980.15	1/2	1,339.09	1/2	1,698.07	1/2	2,057.04	1/2	2,416.01	1/2	2,774.98	1/2	3,133.96	1/2	3,492.93
3/4	269.79	3/4	628.76	3/4	987.62	3/4	1,346.57	3/4	1,705.55	3/4	2,064.52	3/4	2,423.49	3/4	2,782.46	3/4	3,141.44	3/4	3,500.41
9	277.27	9	636.24	9	995.10	9	1,354.05	9	1,713.02	9	2,072.00	9	2,430.97	9	2,789.94	9	3,148.91	9	3,507.89
1/4	284.75	1/4	643.71	1/4	1,002.58	1/4	1,361.53	1/4	1,720.50	1/4	2,079.48	1/4	2,438.45	1/4	2,797.42	1/4	3,156.39	1/4	3,515.37
1/2	292.23	1/2	651.19	1/2	1,010.06	1/2	1,369.01	1/2	1,727.98	1/2	2,086.95	1/2	2,445.93	1/2	2,804.90	1/2	3,163.87	1/2	3,522.84
3/4	299.70	3/4	658.67	3/4	1,017.53	3/4	1,376.49	3/4	1,735.46	3/4	2,094.43	3/4	2,453.41	3/4	2,812.38	3/4	3,171.35	3/4	3,530.32
10	307.18	10	666.14	10	1,025.01	10	1,383.97	10	1,742.94	10	2,101.91	10	2,460.88	10	2,819.86	10	3,178.83	10	3,537.80
1/4	314.66	1/4	673.62	1/4	1,032.49	1/4	1,391.44	1/4	1,750.42	1/4	2,109.39	1/4	2,468.36	1/4	2,827.34	1/4	3,186.31	1/4	3,545.28
1/2	322.14	1/2	681.09	1/2	1,039.97	1/2	1,398.92	1/2	1,757.90	1/2	2,116.87	1/2	2,475.84	1/2	2,834.81	1/2	3,193.79	1/2	3,552.76
3/4	329.62	3/4	688.57	3/4	1,047.44	3/4	1,406.40	3/4	1,765.37	3/4	2,124.35	3/4	2,483.32	3/4	2,842.29	3/4	3,201.27	3/4	3,560.24
11	337.10	11	696.04	11	1,054.92	11	1,413.88	11	1,772.85	11	2,131.83	11	2,490.80	11	2,849.77	11	3,208.74	11	3,567.72
1/4	344.58	1/4	703.52	1/4	1,062.40	1/4	1,421.36	1/4	1,780.33	1/4	2,139.30	1/4	2,498.28	1/4	2,857.25	1/4	3,216.22	1/4	3,575.20
1/2	352.05	1/2	710.99	1/2	1,069.88	1/2	1,428.84	1/2	1,787.81	1/2	2,146.78	1/2	2,505.76	1/2	2,864.73	1/2	3,223.70	1/2	3,582.67
3/4	359.53	3/4	718.47	3/4	1,077.35	3/4	1,436.32	3/4	1,795.29	3/4	2,154.26	3/4	2,513.23	3/4	2,872.21	3/4	3,231.18	3/4	3,590.15

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.
 NOTE: GAUGE POINT LOCATED 12'-0" OFF CENTERLINE AND 44'-9" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 5/14/03 BY: KS-KF
 DATE COMPUTED: 5/23/03 BY: DAR
 DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT



BARGE "GBL 830" HULL NO. 02-2970

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 5"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,597.63	0	3,956.60	0	4,315.58	0	4,674.55	0	5,031.75	0	5,330.30	0		0		0		0	
1/4	3,605.11	1/4	3,964.08	1/4	4,323.06	1/4	4,682.03	1/4	5,039.20	1/4	5,332.08	1/4		1/4		1/4		1/4	
1/2	3,612.59	1/2	3,971.56	1/2	4,330.53	1/2	4,689.47	1/2	5,046.64	1/2	5,332.62	1/2		1/2		1/2		1/2	
3/4	3,620.07	3/4	3,979.04	3/4	4,338.01	3/4	4,696.91	3/4	5,054.08	3/4	5,333.15	3/4		3/4		3/4		3/4	
1	3,627.55	1	3,986.52	1	4,345.49	1	4,704.35	1	5,061.52	1	5,333.69	1		1		1		1	
1/4	3,635.02	1/4	3,994.00	1/4	4,352.97	1/4	4,711.79	1/4	5,068.96	1/4	5,334.23	1/4		1/4		1/4		1/4	
1/2	3,642.50	1/2	4,001.48	1/2	4,360.45	1/2	4,719.23	1/2	5,076.40	1/2		1/2		1/2		1/2		1/2	
3/4	3,649.98	3/4	4,008.95	3/4	4,367.93	3/4	4,726.67	3/4	5,083.84	3/4		3/4		3/4		3/4		3/4	
2	3,657.46	2	4,016.43	2	4,375.41	2	4,734.11	2	5,091.28	2		2		2		2		2	
1/4	3,664.94	1/4	4,023.91	1/4	4,382.88	1/4	4,741.56	1/4	5,098.72	1/4		1/4		1/4		1/4		1/4	
1/2	3,672.42	1/2	4,031.39	1/2	4,390.36	1/2	4,749.00	1/2	5,106.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,679.90	3/4	4,038.87	3/4	4,397.84	3/4	4,756.44	3/4	5,113.51	3/4		3/4		3/4		3/4		3/4	
3	3,687.37	3	4,046.35	3	4,405.32	3	4,763.88	3	5,120.90	3		3		3		3		3	
1/4	3,694.85	1/4	4,053.83	1/4	4,412.80	1/4	4,771.32	1/4	5,128.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,702.33	1/2	4,061.30	1/2	4,420.28	1/2	4,778.76	1/2	5,135.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,709.81	3/4	4,068.78	3/4	4,427.76	3/4	4,786.20	3/4	5,143.08	3/4		3/4		3/4		3/4		3/4	
4	3,717.29	4	4,076.26	4	4,435.23	4	4,793.64	4	5,150.47	4		4		4		4		4	
1/4	3,724.77	1/4	4,083.74	1/4	4,442.71	1/4	4,801.08	1/4	5,157.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,732.25	1/2	4,091.22	1/2	4,450.19	1/2	4,808.52	1/2	5,165.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,739.72	3/4	4,098.70	3/4	4,457.67	3/4	4,815.97	3/4	5,172.64	3/4		3/4		3/4		3/4		3/4	
5	3,747.20	5	4,106.18	5	4,465.15	5	4,823.41	5	5,180.04	5		5		5		5		5	
1/4	3,754.68	1/4	4,113.65	1/4	4,472.63	1/4	4,830.85	1/4	5,187.43	1/4		1/4		1/4		1/4		1/4	
1/2	3,762.16	1/2	4,121.13	1/2	4,480.11	1/2	4,838.29	1/2	5,194.82	1/2		1/2		1/2		1/2		1/2	
3/4	3,769.64	3/4	4,128.61	3/4	4,487.58	3/4	4,845.73	3/4	5,202.21	3/4		3/4		3/4		3/4		3/4	
6	3,777.12	6	4,136.09	6	4,495.06	6	4,853.17	6	5,209.60	6		6		6		6		6	
1/4	3,784.60	1/4	4,143.57	1/4	4,502.54	1/4	4,860.61	1/4	5,217.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,792.07	1/2	4,151.05	1/2	4,510.02	1/2	4,868.05	1/2	5,224.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,799.55	3/4	4,158.53	3/4	4,517.50	3/4	4,875.49	3/4	5,231.78	3/4		3/4		3/4		3/4		3/4	
7	3,807.03	7	4,166.00	7	4,524.98	7	4,882.93	7	5,239.17	7		7		7		7		7	
1/4	3,814.51	1/4	4,173.48	1/4	4,532.46	1/4	4,890.38	1/4	5,246.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,821.99	1/2	4,180.96	1/2	4,539.93	1/2	4,897.82	1/2	5,253.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,829.47	3/4	4,188.44	3/4	4,547.41	3/4	4,905.26	3/4	5,260.10	3/4		3/4		3/4		3/4		3/4	
8	3,836.95	8	4,195.92	8	4,554.89	8	4,912.70	8	5,266.87	8		8		8		8		8	
1/4	3,844.42	1/4	4,203.40	1/4	4,562.37	1/4	4,920.14	1/4	5,273.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,851.90	1/2	4,210.88	1/2	4,569.85	1/2	4,927.58	1/2	5,279.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,859.38	3/4	4,218.35	3/4	4,577.33	3/4	4,935.02	3/4	5,284.68	3/4		3/4		3/4		3/4		3/4	
9	3,866.86	9	4,225.83	9	4,584.81	9	4,942.46	9	5,290.20	9		9		9		9		9	
1/4	3,874.34	1/4	4,233.31	1/4	4,592.28	1/4	4,949.90	1/4	5,295.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,881.82	1/2	4,240.79	1/2	4,599.76	1/2	4,957.34	1/2	5,300.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,889.30	3/4	4,248.27	3/4	4,607.24	3/4	4,964.79	3/4	5,304.28	3/4		3/4		3/4		3/4		3/4	
10	3,896.77	10	4,255.75	10	4,614.72	10	4,972.23	10	5,308.55	10		10		10		10		10	
1/4	3,904.25	1/4	4,263.23	1/4	4,622.20	1/4	4,979.67	1/4	5,312.83	1/4		1/4		1/4		1/4		1/4	
1/2	3,911.73	1/2	4,270.70	1/2	4,629.68	1/2	4,987.11	1/2	5,315.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,919.21	3/4	4,278.18	3/4	4,637.16	3/4	4,994.55	3/4	5,318.89	3/4		3/4		3/4		3/4		3/4	
11	3,926.69	11	4,285.66	11	4,644.63	11	5,001.99	11	5,321.92	11		11		11		11		11	
1/4	3,934.17	1/4	4,293.14	1/4	4,652.11	1/4	5,009.43	1/4	5,324.95	1/4		1/4		1/4		1/4		1/4	
1/2	3,941.65	1/2	4,300.62	1/2	4,659.59	1/2	5,016.87	1/2	5,326.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,949.13	3/4	4,308.10	3/4	4,667.07	3/4	5,024.31	3/4	5,328.51	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/14/03 BY: KS-KF
DATE COMPUTED: 5/23/03 BY: DAR
DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	16.86	0	369.13	0	730.14	0	1,090.70	0	1,451.23	0	1,811.78	0	2,172.53	0	2,533.58	0	2,894.63	0	3,255.67
1/4	20.62	1/4	376.65	1/4	737.65	1/4	1,098.21	1/4	1,458.74	1/4	1,819.29	1/4	2,180.05	1/4	2,541.10	1/4	2,902.15	1/4	3,263.19
1/2	26.89	1/2	384.17	1/2	745.17	1/2	1,105.72	1/2	1,466.25	1/2	1,826.81	1/2	2,187.58	1/2	2,548.62	1/2	2,909.67	1/2	3,270.72
3/4	33.16	3/4	391.69	3/4	752.69	3/4	1,113.23	3/4	1,473.76	3/4	1,834.32	3/4	2,195.10	3/4	2,556.14	3/4	2,917.19	3/4	3,281.24
1	39.42	1	399.22	1	760.21	1	1,120.74	1	1,481.27	1	1,841.83	1	2,202.62	1	2,563.67	1	2,924.71	1	3,285.76
1/4	45.69	1/4	406.74	1/4	767.73	1/4	1,128.24	1/4	1,488.78	1/4	1,849.34	1/4	2,210.14	1/4	2,571.19	1/4	2,932.23	1/4	3,293.28
1/2	53.21	1/2	414.26	1/2	775.25	1/2	1,135.75	1/2	1,496.30	1/2	1,856.85	1/2	2,217.66	1/2	2,578.71	1/2	2,939.76	1/2	3,300.80
3/4	60.73	3/4	421.78	3/4	782.77	3/4	1,143.26	3/4	1,503.81	3/4	1,864.36	3/4	2,225.19	3/4	2,586.23	3/4	2,947.28	3/4	3,308.32
2	68.26	2	429.30	2	790.29	2	1,150.77	2	1,511.32	2	1,871.88	2	2,232.71	2	2,593.75	2	2,954.80	2	3,315.85
1/4	75.78	1/4	436.82	1/4	797.81	1/4	1,158.28	1/4	1,518.83	1/4	1,879.39	1/4	2,240.23	1/4	2,601.28	1/4	2,962.32	1/4	3,323.37
1/2	83.30	1/2	444.35	1/2	805.32	1/2	1,165.79	1/2	1,526.34	1/2	1,886.90	1/2	2,247.75	1/2	2,608.80	1/2	2,969.84	1/2	3,330.89
3/4	90.82	3/4	451.87	3/4	812.84	3/4	1,173.30	3/4	1,533.85	3/4	1,894.41	3/4	2,255.27	3/4	2,616.32	3/4	2,977.37	3/4	3,338.41
3	98.34	3	459.39	3	820.36	3	1,180.81	3	1,541.36	3	1,901.92	3	2,262.79	3	2,623.84	3	2,984.89	3	3,345.93
1/4	105.87	1/4	466.91	1/4	827.88	1/4	1,188.32	1/4	1,548.88	1/4	1,909.43	1/4	2,270.32	1/4	2,631.36	1/4	2,992.41	1/4	3,353.46
1/2	113.39	1/2	474.43	1/2	835.40	1/2	1,195.83	1/2	1,556.39	1/2	1,916.94	1/2	2,277.84	1/2	2,638.88	1/2	2,999.93	1/2	3,360.98
3/4	120.91	3/4	481.96	3/4	842.92	3/4	1,203.34	3/4	1,563.90	3/4	1,924.46	3/4	2,285.36	3/4	2,646.41	3/4	3,007.45	3/4	3,368.50
4	128.43	4	489.48	4	850.43	4	1,210.85	4	1,571.41	4	1,931.97	4	2,292.88	4	2,653.93	4	3,014.97	4	3,376.02
1/4	135.95	1/4	497.00	1/4	857.94	1/4	1,218.37	1/4	1,578.92	1/4	1,939.48	1/4	2,300.40	1/4	2,661.45	1/4	3,022.50	1/4	3,383.54
1/2	143.47	1/2	504.52	1/2	865.44	1/2	1,225.88	1/2	1,586.43	1/2	1,946.99	1/2	2,307.93	1/2	2,668.97	1/2	3,030.02	1/2	3,391.06
3/4	151.00	3/4	512.04	3/4	872.95	3/4	1,233.39	3/4	1,593.95	3/4	1,954.50	3/4	2,315.45	3/4	2,676.49	3/4	3,037.54	3/4	3,398.59
5	158.52	5	519.56	5	880.46	5	1,240.90	5	1,601.46	5	1,962.01	5	2,322.97	5	2,684.02	5	3,045.06	5	3,406.11
1/4	166.04	1/4	527.09	1/4	887.97	1/4	1,248.41	1/4	1,608.97	1/4	1,969.53	1/4	2,330.49	1/4	2,691.54	1/4	3,052.58	1/4	3,413.63
1/2	173.56	1/2	534.61	1/2	895.48	1/2	1,255.92	1/2	1,616.48	1/2	1,977.04	1/2	2,338.01	1/2	2,699.06	1/2	3,060.11	1/2	3,421.15
3/4	181.08	3/4	542.13	3/4	902.99	3/4	1,263.44	3/4	1,623.99	3/4	1,984.55	3/4	2,345.53	3/4	2,706.58	3/4	3,067.63	3/4	3,428.67
6	188.61	6	549.65	6	910.50	6	1,270.95	6	1,631.50	6	1,992.06	6	2,353.06	6	2,714.10	6	3,075.15	6	3,436.20
1/4	196.13	1/4	557.17	1/4	918.00	1/4	1,278.46	1/4	1,639.02	1/4	1,999.57	1/4	2,360.58	1/4	2,721.62	1/4	3,082.67	1/4	3,443.72
1/2	203.65	1/2	564.70	1/2	925.51	1/2	1,285.97	1/2	1,646.53	1/2	2,007.08	1/2	2,368.10	1/2	2,729.15	1/2	3,090.19	1/2	3,451.24
3/4	211.17	3/4	572.22	3/4	933.02	3/4	1,293.48	3/4	1,654.04	3/4	2,014.60	3/4	2,375.62	3/4	2,736.67	3/4	3,097.71	3/4	3,458.76
7	218.69	7	579.74	7	940.53	7	1,300.99	7	1,661.55	7	2,022.11	7	2,383.14	7	2,744.19	7	3,105.24	7	3,466.28
1/4	226.21	1/4	587.26	1/4	948.04	1/4	1,308.51	1/4	1,669.06	1/4	2,029.62	1/4	2,390.67	1/4	2,751.71	1/4	3,112.76	1/4	3,473.80
1/2	233.74	1/2	594.78	1/2	955.55	1/2	1,316.02	1/2	1,676.57	1/2	2,037.14	1/2	2,398.19	1/2	2,759.23	1/2	3,120.28	1/2	3,481.33
3/4	241.26	3/4	602.30	3/4	963.06	3/4	1,323.53	3/4	1,684.09	3/4	2,044.66	3/4	2,405.71	3/4	2,766.76	3/4	3,127.80	3/4	3,488.85
8	248.78	8	609.83	8	970.56	8	1,331.04	8	1,691.60	8	2,052.18	8	2,413.23	8	2,774.28	8	3,135.32	8	3,496.37
1/4	256.30	1/4	617.35	1/4	978.07	1/4	1,338.55	1/4	1,699.11	1/4	2,059.71	1/4	2,420.75	1/4	2,781.80	1/4	3,142.85	1/4	3,503.89
1/2	263.82	1/2	624.87	1/2	985.58	1/2	1,346.06	1/2	1,706.62	1/2	2,067.23	1/2	2,428.27	1/2	2,789.32	1/2	3,150.37	1/2	3,511.41
3/4	271.35	3/4	632.39	3/4	993.09	3/4	1,353.57	3/4	1,714.13	3/4	2,074.75	3/4	2,435.80	3/4	2,796.84	3/4	3,157.89	3/4	3,518.94
9	278.87	9	639.91	9	1,000.60	9	1,361.09	9	1,721.64	9	2,082.27	9	2,443.32	9	2,804.36	9	3,165.41	9	3,526.46
1/4	286.39	1/4	647.43	1/4	1,008.11	1/4	1,368.60	1/4	1,729.15	1/4	2,089.79	1/4	2,450.84	1/4	2,811.89	1/4	3,172.93	1/4	3,533.98
1/2	293.91	1/2	654.95	1/2	1,015.62	1/2	1,376.11	1/2	1,736.67	1/2	2,097.31	1/2	2,458.36	1/2	2,819.41	1/2	3,180.45	1/2	3,541.50
3/4	301.43	3/4	662.47	3/4	1,023.12	3/4	1,383.62	3/4	1,744.18	3/4	2,104.84	3/4	2,465.88	3/4	2,826.93	3/4	3,187.98	3/4	3,549.02
10	308.95	10	669.99	10	1,030.63	10	1,391.13	10	1,751.69	10	2,112.36	10	2,473.40	10	2,834.45	10	3,195.50	10	3,556.54
1/4	316.48	1/4	677.50	1/4	1,038.14	1/4	1,398.64	1/4	1,759.20	1/4	2,119.88	1/4	2,480.93	1/4	2,841.97	1/4	3,203.02	1/4	3,564.07
1/2	324.00	1/2	685.02	1/2	1,045.65	1/2	1,406.16	1/2	1,766.71	1/2	2,127.40	1/2	2,488.45	1/2	2,849.49	1/2	3,210.54	1/2	3,571.59
3/4	331.52	3/4	692.54	3/4	1,053.16	3/4	1,413.67	3/4	1,774.22	3/4	2,134.92	3/4	2,495.97	3/4	2,857.02	3/4	3,218.06	3/4	3,579.11
11	339.04	11	700.06	11	1,060.67	11	1,421.18	11	1,781.74	11	2,142.45	11	2,503.49	11	2,864.54	11	3,225.58	11	3,586.63
1/4	346.56	1/4	707.58	1/4	1,068.18	1/4	1,428.69	1/4	1,789.25	1/4	2,149.97	1/4	2,511.01	1/4	2,872.06	1/4	3,233.11	1/4	3,594.15
1/2	354.08	1/2	715.10	1/2	1,075.68	1/2	1,436.20	1/2	1,796.76	1/2	2,157.49	1/2	2,518.54	1/2	2,879.58	1/2	3,240.63	1/2	3,601.67
3/4	361.61	3/4	722.62	3/4	1,083.19	3/4	1,443.71	3/4	1,804.27	3/4	2,165.01	3/4	2,526.06	3/4	2,887.10	3/4	3,248.15	3/4	3,609.20

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.
 NOTE: GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 9" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 5/14/03 BY: KS-KF
 DATE COMPUTED: 5/23/03 BY: DAR
 DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT

Dale A. Ross

BARGE "GBL 830"
HULL NO. 02-2970

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 1/2"

Table with 20 columns (IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT., IN, 18 FT., IN, 19 FT.) and multiple rows of capacity data for each length and gauge height.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/14/03 BY: KS-KF
DATE COMPUTED: 5/23/03 BY: DAR
DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT

**BARGE "GBL 830"
HULL NO. 02-2970**

**3 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 5 1/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	16.79	0	367.68	0	727.10	0	1,086.42	0	1,446.03	0	1,805.66	0	2,165.28	0	2,524.91	0	2,884.30	0	3,242.36
1/4	20.54	1/4	375.17	1/4	734.58	1/4	1,093.91	1/4	1,453.52	1/4	1,813.15	1/4	2,172.77	1/4	2,532.40	1/4	2,891.76	1/4	3,249.81
1/2	26.78	1/2	382.66	1/2	742.05	1/2	1,101.40	1/2	1,461.02	1/2	1,820.64	1/2	2,180.27	1/2	2,539.89	1/2	2,899.22	1/2	3,257.20
3/4	33.03	3/4	390.15	3/4	749.53	3/4	1,108.89	3/4	1,468.51	3/4	1,828.13	3/4	2,187.76	3/4	2,547.38	3/4	2,906.68	3/4	3,264.59
1	39.27	1	397.65	1	757.01	1	1,116.38	1	1,476.00	1	1,835.63	1	2,195.25	1	2,554.88	1	2,914.14	1	3,271.98
1/4	45.51	1/4	405.14	1/4	764.48	1/4	1,123.87	1/4	1,483.49	1/4	1,843.12	1/4	2,202.74	1/4	2,562.37	1/4	2,921.60	1/4	3,279.37
1/2	53.01	1/2	412.63	1/2	771.96	1/2	1,131.36	1/2	1,490.98	1/2	1,850.61	1/2	2,210.24	1/2	2,569.86	1/2	2,929.06	1/2	3,286.76
3/4	60.50	3/4	420.12	3/4	779.44	3/4	1,138.85	3/4	1,498.48	3/4	1,858.10	3/4	2,217.73	3/4	2,577.35	3/4	2,936.52	3/4	3,294.15
2	67.99	2	427.62	2	786.91	2	1,146.35	2	1,505.97	2	1,865.59	2	2,225.22	2	2,584.85	2	2,943.98	2	3,301.54
1/4	75.48	1/4	435.11	1/4	794.39	1/4	1,153.84	1/4	1,513.46	1/4	1,873.09	1/4	2,232.71	1/4	2,592.34	1/4	2,951.44	1/4	3,308.93
1/2	82.97	1/2	442.60	1/2	801.87	1/2	1,161.33	1/2	1,520.95	1/2	1,880.58	1/2	2,240.20	1/2	2,599.83	1/2	2,958.90	1/2	3,316.32
3/4	90.47	3/4	450.09	3/4	809.34	3/4	1,168.82	3/4	1,528.45	3/4	1,888.07	3/4	2,247.70	3/4	2,607.32	3/4	2,966.36	3/4	3,323.71
3	97.96	3	457.58	3	816.82	3	1,176.31	3	1,535.94	3	1,895.56	3	2,255.19	3	2,614.81	3	2,973.82	3	3,331.10
1/4	105.45	1/4	465.08	1/4	824.30	1/4	1,183.80	1/4	1,543.43	1/4	1,903.06	1/4	2,262.68	1/4	2,622.31	1/4	2,981.28	1/4	3,338.49
1/2	112.94	1/2	472.57	1/2	831.77	1/2	1,191.30	1/2	1,550.92	1/2	1,910.55	1/2	2,270.17	1/2	2,629.80	1/2	2,988.74	1/2	3,345.88
3/4	120.44	3/4	480.06	3/4	839.25	3/4	1,198.79	3/4	1,558.41	3/4	1,918.04	3/4	2,277.67	3/4	2,637.29	3/4	2,996.20	3/4	3,353.27
4	127.93	4	487.55	4	846.73	4	1,206.28	4	1,565.91	4	1,925.53	4	2,285.16	4	2,644.78	4	3,003.65	4	3,360.66
1/4	135.42	1/4	495.05	1/4	854.20	1/4	1,213.77	1/4	1,573.40	1/4	1,933.02	1/4	2,292.65	1/4	2,652.28	1/4	3,011.11	1/4	3,368.05
1/2	142.91	1/2	502.54	1/2	861.68	1/2	1,221.27	1/2	1,580.89	1/2	1,940.52	1/2	2,300.14	1/2	2,659.77	1/2	3,018.57	1/2	3,375.44
3/4	150.40	3/4	510.03	3/4	869.17	3/4	1,228.76	3/4	1,588.38	3/4	1,948.01	3/4	2,307.63	3/4	2,667.26	3/4	3,026.03	3/4	3,382.83
5	157.90	5	517.52	5	876.66	5	1,236.25	5	1,595.88	5	1,955.50	5	2,315.13	5	2,674.75	5	3,033.49	5	3,390.22
1/4	165.39	1/4	525.01	1/4	884.15	1/4	1,243.74	1/4	1,603.37	1/4	1,962.99	1/4	2,322.62	1/4	2,682.24	1/4	3,040.95	1/4	3,397.61
1/2	172.88	1/2	532.51	1/2	891.64	1/2	1,251.23	1/2	1,610.86	1/2	1,970.49	1/2	2,330.11	1/2	2,689.74	1/2	3,048.41	1/2	3,405.00
3/4	180.37	3/4	540.00	3/4	899.14	3/4	1,258.73	3/4	1,618.35	3/4	1,977.98	3/4	2,337.60	3/4	2,697.23	3/4	3,055.87	3/4	3,412.39
6	187.87	6	547.49	6	906.63	6	1,266.22	6	1,625.84	6	1,985.47	6	2,345.10	6	2,704.72	6	3,063.33	6	3,419.78
1/4	195.36	1/4	554.98	1/4	914.12	1/4	1,273.71	1/4	1,633.34	1/4	1,992.96	1/4	2,352.59	1/4	2,712.21	1/4	3,070.79	1/4	3,427.17
1/2	202.85	1/2	562.48	1/2	921.61	1/2	1,281.20	1/2	1,640.83	1/2	2,000.45	1/2	2,360.08	1/2	2,719.71	1/2	3,078.25	1/2	3,434.56
3/4	210.34	3/4	569.97	3/4	929.10	3/4	1,288.70	3/4	1,648.32	3/4	2,007.95	3/4	2,367.57	3/4	2,727.20	3/4	3,085.71	3/4	3,441.95
7	217.83	7	577.46	7	936.59	7	1,296.19	7	1,655.81	7	2,015.44	7	2,375.06	7	2,734.69	7	3,093.17	7	3,449.34
1/4	225.33	1/4	584.95	1/4	944.08	1/4	1,303.68	1/4	1,663.31	1/4	2,022.93	1/4	2,382.56	1/4	2,742.18	1/4	3,100.63	1/4	3,456.73
1/2	232.82	1/2	592.44	1/2	951.57	1/2	1,311.17	1/2	1,670.80	1/2	2,030.42	1/2	2,390.05	1/2	2,749.67	1/2	3,108.09	1/2	3,464.12
3/4	240.31	3/4	599.94	3/4	959.07	3/4	1,318.66	3/4	1,678.29	3/4	2,037.92	3/4	2,397.54	3/4	2,757.17	3/4	3,115.55	3/4	3,471.51
8	247.80	8	607.43	8	966.56	8	1,326.16	8	1,685.78	8	2,045.41	8	2,405.03	8	2,764.66	8	3,123.00	8	3,478.90
1/4	255.30	1/4	614.92	1/4	974.05	1/4	1,333.65	1/4	1,693.27	1/4	2,052.90	1/4	2,412.53	1/4	2,772.15	1/4	3,130.46	1/4	3,486.29
1/2	262.79	1/2	622.41	1/2	981.54	1/2	1,341.14	1/2	1,700.77	1/2	2,060.39	1/2	2,420.02	1/2	2,779.64	1/2	3,137.92	1/2	3,493.68
3/4	270.28	3/4	629.91	3/4	989.03	3/4	1,348.63	3/4	1,708.26	3/4	2,067.88	3/4	2,427.51	3/4	2,787.14	3/4	3,145.38	3/4	3,501.07
9	277.77	9	637.38	9	996.52	9	1,356.12	9	1,715.75	9	2,075.38	9	2,435.00	9	2,794.63	9	3,152.84	9	3,508.46
1/4	285.26	1/4	644.86	1/4	1,004.01	1/4	1,363.62	1/4	1,723.24	1/4	2,082.87	1/4	2,442.49	1/4	2,802.12	1/4	3,160.30	1/4	3,515.85
1/2	292.76	1/2	652.33	1/2	1,011.50	1/2	1,371.11	1/2	1,730.73	1/2	2,090.36	1/2	2,449.99	1/2	2,809.61	1/2	3,167.76	1/2	3,522.64
3/4	300.25	3/4	659.81	3/4	1,018.99	3/4	1,378.60	3/4	1,738.23	3/4	2,097.85	3/4	2,457.48	3/4	2,817.10	3/4	3,175.22	3/4	3,529.43
10	307.74	10	667.29	10	1,026.49	10	1,386.09	10	1,745.72	10	2,105.34	10	2,464.97	10	2,824.60	10	3,182.68	10	3,536.22
1/4	315.23	1/4	674.76	1/4	1,033.98	1/4	1,393.59	1/4	1,753.21	1/4	2,112.84	1/4	2,472.46	1/4	2,832.09	1/4	3,190.14	1/4	3,543.01
1/2	322.72	1/2	682.24	1/2	1,041.47	1/2	1,401.08	1/2	1,760.70	1/2	2,120.33	1/2	2,479.95	1/2	2,839.55	1/2	3,197.60	1/2	3,549.40
3/4	330.22	3/4	689.72	3/4	1,048.96	3/4	1,408.57	3/4	1,768.20	3/4	2,127.82	3/4	2,487.45	3/4	2,847.01	3/4	3,205.06	3/4	3,555.79
11	337.71	11	697.19	11	1,056.45	11	1,416.06	11	1,775.69	11	2,135.31	11	2,494.94	11	2,854.47	11	3,212.52	11	3,562.18
1/4	345.20	1/4	704.67	1/4	1,063.94	1/4	1,423.55	1/4	1,783.18	1/4	2,142.81	1/4	2,502.43	1/4	2,861.93	1/4	3,219.98	1/4	3,568.57
1/2	352.69	1/2	712.15	1/2	1,071.43	1/2	1,431.05	1/2	1,790.67	1/2	2,150.30	1/2	2,509.92	1/2	2,869.39	1/2	3,227.44	1/2	3,574.66
3/4	360.19	3/4	719.62	3/4	1,078.92	3/4	1,438.54	3/4	1,798.16	3/4	2,157.79	3/4	2,517.42	3/4	2,876.84	3/4	3,234.90	3/4	3,580.76

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.
 NOTE: GAUGE POINT LOCATED 12'- 0" OFF CENTERLINE AND 51'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 5/14/03 BY: KS-KF
 DATE COMPUTED: 5/23/03 BY: DAR
 DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT

Caleb Brett

**BARGE "GBL 830"
HULL NO. 02-2970**

**3 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 5 1/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,586.85	0	3,851.94	0	4,115.63	0	4,379.33	0	4,635.31	0	4,842.14	0		0		0		0	
1/4	3,592.94	1/4	3,857.43	1/4	4,121.13	1/4	4,384.82	1/4	4,640.64	1/4	4,843.16	1/4		1/4		1/4		1/4	
1/2	3,598.64	1/2	3,862.93	1/2	4,126.62	1/2	4,390.15	1/2	4,645.97	1/2	4,843.26	1/2		1/2		1/2		1/2	
3/4	3,604.33	3/4	3,868.42	3/4	4,132.11	3/4	4,395.48	3/4	4,651.30	3/4	4,843.37	3/4		3/4		3/4		3/4	
1	3,610.02	1	3,873.92	1	4,137.61	1	4,400.81	1	4,656.63	1	4,843.47	1		1		1		1	
1/4	3,615.72	1/4	3,879.41	1/4	4,143.10	1/4	4,406.14	1/4	4,661.96	1/4	4,843.58	1/4		1/4		1/4		1/4	
1/2	3,621.21	1/2	3,884.90	1/2	4,148.60	1/2	4,411.47	1/2	4,667.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,626.70	3/4	3,890.40	3/4	4,154.09	3/4	4,416.80	3/4	4,672.62	3/4		3/4		3/4		3/4		3/4	
2	3,632.20	2	3,895.89	2	4,159.58	2	4,422.13	2	4,677.95	2		2		2		2		2	
1/4	3,637.69	1/4	3,901.38	1/4	4,165.08	1/4	4,427.46	1/4	4,683.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,643.18	1/2	3,906.88	1/2	4,170.57	1/2	4,432.79	1/2	4,688.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,648.67	3/4	3,912.37	3/4	4,176.06	3/4	4,438.12	3/4	4,693.56	3/4		3/4		3/4		3/4		3/4	
3	3,654.17	3	3,917.86	3	4,181.56	3	4,443.45	3	4,698.70	3		3		3		3		3	
1/4	3,659.67	1/4	3,923.36	1/4	4,187.05	1/4	4,448.78	1/4	4,703.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,665.16	1/2	3,928.85	1/2	4,192.54	1/2	4,454.11	1/2	4,708.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,670.65	3/4	3,934.35	3/4	4,198.04	3/4	4,459.43	3/4	4,714.13	3/4		3/4		3/4		3/4		3/4	
4	3,676.15	4	3,939.84	4	4,203.53	4	4,464.76	4	4,719.27	4		4		4		4		4	
1/4	3,681.64	1/4	3,945.33	1/4	4,209.03	1/4	4,470.09	1/4	4,724.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,687.13	1/2	3,950.83	1/2	4,214.52	1/2	4,475.42	1/2	4,729.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,692.63	3/4	3,956.32	3/4	4,220.01	3/4	4,480.75	3/4	4,734.69	3/4		3/4		3/4		3/4		3/4	
5	3,698.12	5	3,961.81	5	4,225.51	5	4,486.08	5	4,739.83	5		5		5		5		5	
1/4	3,703.61	1/4	3,967.31	1/4	4,231.00	1/4	4,491.41	1/4	4,744.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,709.11	1/2	3,972.80	1/2	4,236.49	1/2	4,496.74	1/2	4,750.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,714.60	3/4	3,978.29	3/4	4,241.99	3/4	4,502.07	3/4	4,755.26	3/4		3/4		3/4		3/4		3/4	
6	3,720.09	6	3,983.79	6	4,247.48	6	4,507.40	6	4,760.40	6		6		6		6		6	
1/4	3,725.59	1/4	3,989.28	1/4	4,252.97	1/4	4,512.73	1/4	4,765.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,731.08	1/2	3,994.77	1/2	4,258.47	1/2	4,518.06	1/2	4,770.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,736.58	3/4	4,000.27	3/4	4,263.96	3/4	4,523.39	3/4	4,775.82	3/4		3/4		3/4		3/4		3/4	
7	3,742.07	7	4,005.76	7	4,269.45	7	4,528.72	7	4,780.96	7		7		7		7		7	
1/4	3,747.56	1/4	4,011.26	1/4	4,274.95	1/4	4,534.05	1/4	4,786.11	1/4		1/4		1/4		1/4		1/4	
1/2	3,753.06	1/2	4,016.75	1/2	4,280.44	1/2	4,539.38	1/2	4,790.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,758.55	3/4	4,022.24	3/4	4,285.94	3/4	4,544.71	3/4	4,795.47	3/4		3/4		3/4		3/4		3/4	
8	3,764.04	8	4,027.74	8	4,291.43	8	4,550.04	8	4,800.16	8		8		8		8		8	
1/4	3,769.54	1/4	4,033.23	1/4	4,296.92	1/4	4,555.37	1/4	4,804.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,775.03	1/2	4,038.72	1/2	4,302.42	1/2	4,560.70	1/2	4,808.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,780.52	3/4	4,044.22	3/4	4,307.91	3/4	4,566.03	3/4	4,812.38	3/4		3/4		3/4		3/4		3/4	
9	3,786.02	9	4,049.71	9	4,313.40	9	4,571.36	9	4,816.15	9		9		9		9		9	
1/4	3,791.51	1/4	4,055.20	1/4	4,318.90	1/4	4,576.69	1/4	4,819.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,797.01	1/2	4,060.70	1/2	4,324.39	1/2	4,582.02	1/2	4,822.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,802.50	3/4	4,066.19	3/4	4,329.88	3/4	4,587.35	3/4	4,825.62	3/4		3/4		3/4		3/4		3/4	
10	3,807.99	10	4,071.69	10	4,335.38	10	4,592.67	10	4,828.47	10		10		10		10		10	
1/4	3,813.49	1/4	4,077.18	1/4	4,340.87	1/4	4,598.00	1/4	4,831.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,818.98	1/2	4,082.67	1/2	4,346.37	1/2	4,603.33	1/2	4,833.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,824.47	3/4	4,088.17	3/4	4,351.86	3/4	4,608.66	3/4	4,835.20	3/4		3/4		3/4		3/4		3/4	
11	3,829.97	11	4,093.66	11	4,357.35	11	4,613.99	11	4,837.13	11		11		11		11		11	
1/4	3,835.46	1/4	4,099.15	1/4	4,362.85	1/4	4,619.32	1/4	4,839.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,840.95	1/2	4,104.65	1/2	4,368.34	1/2	4,624.65	1/2	4,840.09	1/2		1/2		1/2		1/2		1/2	
3/4	3,846.45	3/4	4,110.14	3/4	4,373.83	3/4	4,629.98	3/4	4,841.11	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

Caleb Brett

BARGE "GBL 830"
HULL NO. 02-2970

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-5 1/2"


IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	16.82	0	368.36	0	728.41	0	1,087.90	0	1,447.23	0	1,807.03	0	2,167.06	0	2,527.30	0	2,887.49	0	3,247.44
1/4	20.58	1/4	375.87	1/4	735.89	1/4	1,095.39	1/4	1,454.71	1/4	1,814.53	1/4	2,174.56	1/4	2,534.80	1/4	2,894.99	1/4	3,254.93
1/2	26.83	1/2	383.37	1/2	743.38	1/2	1,102.88	1/2	1,462.20	1/2	1,822.03	1/2	2,182.07	1/2	2,542.31	1/2	2,902.49	1/2	3,262.42
3/4	33.09	3/4	390.88	3/4	750.87	3/4	1,110.37	3/4	1,469.68	3/4	1,829.53	3/4	2,189.57	3/4	2,549.81	3/4	2,909.99	3/4	3,269.91
1	39.34	1	398.38	1	758.36	1	1,117.86	1	1,477.16	1	1,837.03	1	2,197.08	1	2,557.32	1	2,917.49	1	3,277.39
1/4	45.60	1/4	405.89	1/4	765.85	1/4	1,125.35	1/4	1,484.64	1/4	1,844.53	1/4	2,204.58	1/4	2,564.82	1/4	2,924.99	1/4	3,284.88
1/2	53.11	1/2	413.39	1/2	773.34	1/2	1,132.84	1/2	1,492.12	1/2	1,852.02	1/2	2,212.09	1/2	2,572.33	1/2	2,932.49	1/2	3,292.36
3/4	60.61	3/4	420.90	3/4	780.83	3/4	1,140.34	3/4	1,499.60	3/4	1,859.52	3/4	2,219.59	3/4	2,579.83	3/4	2,939.98	3/4	3,299.85
2	68.12	2	428.40	2	788.32	2	1,147.83	2	1,507.08	2	1,867.02	2	2,227.10	2	2,587.34	2	2,947.48	2	3,307.33
1/4	75.62	1/4	435.91	1/4	795.81	1/4	1,155.32	1/4	1,514.56	1/4	1,874.52	1/4	2,234.60	1/4	2,594.84	1/4	2,954.98	1/4	3,314.82
1/2	83.13	1/2	443.41	1/2	803.30	1/2	1,162.81	1/2	1,522.04	1/2	1,882.02	1/2	2,242.11	1/2	2,602.35	1/2	2,962.48	1/2	3,322.30
3/4	90.64	3/4	450.92	3/4	810.79	3/4	1,170.30	3/4	1,529.53	3/4	1,889.52	3/4	2,249.61	3/4	2,609.85	3/4	2,969.98	3/4	3,329.79
3	98.14	3	458.42	3	818.28	3	1,177.80	3	1,537.01	3	1,897.01	3	2,257.12	3	2,617.36	3	2,977.48	3	3,337.28
1/4	105.65	1/4	465.93	1/4	825.77	1/4	1,185.29	1/4	1,544.49	1/4	1,904.51	1/4	2,264.62	1/4	2,624.86	1/4	2,984.98	1/4	3,344.76
1/2	113.16	1/2	473.43	1/2	833.26	1/2	1,192.78	1/2	1,551.98	1/2	1,912.01	1/2	2,272.13	1/2	2,632.37	1/2	2,992.48	1/2	3,352.25
3/4	120.66	3/4	480.94	3/4	840.75	3/4	1,200.28	3/4	1,559.48	3/4	1,919.51	3/4	2,279.63	3/4	2,639.87	3/4	2,999.97	3/4	3,359.73
4	128.17	4	488.44	4	848.23	4	1,207.77	4	1,566.98	4	1,927.01	4	2,287.14	4	2,647.38	4	3,007.47	4	3,367.22
1/4	135.68	1/4	495.95	1/4	855.71	1/4	1,215.27	1/4	1,574.48	1/4	1,934.51	1/4	2,294.64	1/4	2,654.88	1/4	3,014.97	1/4	3,374.70
1/2	143.18	1/2	503.45	1/2	863.18	1/2	1,222.76	1/2	1,581.99	1/2	1,942.00	1/2	2,302.15	1/2	2,662.39	1/2	3,022.47	1/2	3,382.19
3/4	150.69	3/4	510.96	3/4	870.66	3/4	1,230.25	3/4	1,589.49	3/4	1,949.50	3/4	2,309.65	3/4	2,669.89	3/4	3,029.97	3/4	3,389.67
5	158.19	5	518.46	5	878.15	5	1,237.75	5	1,597.00	5	1,957.00	5	2,317.16	5	2,677.40	5	3,037.47	5	3,397.16
1/4	165.70	1/4	525.97	1/4	885.64	1/4	1,245.24	1/4	1,604.50	1/4	1,964.50	1/4	2,324.66	1/4	2,684.90	1/4	3,044.97	1/4	3,404.65
1/2	173.21	1/2	533.47	1/2	893.13	1/2	1,252.72	1/2	1,612.01	1/2	1,972.00	1/2	2,332.17	1/2	2,692.41	1/2	3,052.47	1/2	3,412.13
3/4	180.71	3/4	540.98	3/4	900.62	3/4	1,260.20	3/4	1,619.51	3/4	1,979.50	3/4	2,339.67	3/4	2,699.91	3/4	3,059.97	3/4	3,419.62
6	188.22	6	548.48	6	908.11	6	1,267.68	6	1,627.02	6	1,987.00	6	2,347.18	6	2,707.42	6	3,067.46	6	3,427.10
1/4	195.73	1/4	555.99	1/4	915.61	1/4	1,275.17	1/4	1,634.52	1/4	1,994.49	1/4	2,354.68	1/4	2,714.92	1/4	3,074.96	1/4	3,434.59
1/2	203.23	1/2	563.49	1/2	923.10	1/2	1,282.65	1/2	1,642.03	1/2	2,001.99	1/2	2,362.19	1/2	2,722.43	1/2	3,082.46	1/2	3,442.07
3/4	210.74	3/4	571.00	3/4	930.59	3/4	1,290.13	3/4	1,649.53	3/4	2,009.49	3/4	2,369.69	3/4	2,729.93	3/4	3,089.96	3/4	3,449.56
7	218.25	7	578.50	7	938.08	7	1,297.61	7	1,657.03	7	2,016.99	7	2,377.20	7	2,737.44	7	3,097.46	7	3,457.05
1/4	225.75	1/4	586.01	1/4	945.57	1/4	1,305.09	1/4	1,664.54	1/4	2,024.49	1/4	2,384.70	1/4	2,744.94	1/4	3,104.96	1/4	3,464.53
1/2	233.26	1/2	593.51	1/2	953.06	1/2	1,312.57	1/2	1,672.04	1/2	2,031.99	1/2	2,392.21	1/2	2,752.45	1/2	3,112.46	1/2	3,472.02
3/4	240.77	3/4	601.02	3/4	960.55	3/4	1,320.05	3/4	1,679.55	3/4	2,039.48	3/4	2,399.71	3/4	2,759.95	3/4	3,119.96	3/4	3,479.50
8	248.27	8	608.52	8	968.04	8	1,327.53	8	1,687.05	8	2,046.98	8	2,407.22	8	2,767.46	8	3,127.45	8	3,486.99
1/4	255.78	1/4	616.03	1/4	975.53	1/4	1,335.01	1/4	1,694.56	1/4	2,054.48	1/4	2,414.72	1/4	2,774.96	1/4	3,134.95	1/4	3,494.47
1/2	263.28	1/2	623.54	1/2	983.02	1/2	1,342.50	1/2	1,702.06	1/2	2,061.99	1/2	2,422.23	1/2	2,782.47	1/2	3,142.45	1/2	3,501.96
3/4	270.79	3/4	631.04	3/4	990.52	3/4	1,349.98	3/4	1,709.55	3/4	2,069.49	3/4	2,429.73	3/4	2,789.97	3/4	3,149.95	3/4	3,509.44
9	278.30	9	638.53	9	998.01	9	1,357.46	9	1,717.05	9	2,077.00	9	2,437.24	9	2,797.48	9	3,157.45	9	3,516.93
1/4	285.80	1/4	646.02	1/4	1,005.50	1/4	1,364.94	1/4	1,724.55	1/4	2,084.50	1/4	2,444.74	1/4	2,804.98	1/4	3,164.95	1/4	3,523.61
1/2	293.31	1/2	653.51	1/2	1,012.99	1/2	1,372.42	1/2	1,732.05	1/2	2,092.01	1/2	2,452.25	1/2	2,812.49	1/2	3,172.45	1/2	3,530.50
3/4	300.82	3/4	661.00	3/4	1,020.48	3/4	1,379.90	3/4	1,739.55	3/4	2,099.51	3/4	2,459.75	3/4	2,819.99	3/4	3,179.95	3/4	3,537.38
10	308.32	10	668.49	10	1,027.97	10	1,387.38	10	1,747.05	10	2,107.02	10	2,467.26	10	2,827.50	10	3,187.44	10	3,544.27
1/4	315.83	1/4	675.98	1/4	1,035.46	1/4	1,394.86	1/4	1,754.55	1/4	2,114.52	1/4	2,474.76	1/4	2,835.00	1/4	3,194.94	1/4	3,551.15
1/2	323.33	1/2	683.47	1/2	1,042.95	1/2	1,402.35	1/2	1,762.04	1/2	2,122.03	1/2	2,482.27	1/2	2,842.50	1/2	3,202.44	1/2	3,557.64
3/4	330.84	3/4	690.96	3/4	1,050.44	3/4	1,409.83	3/4	1,769.54	3/4	2,129.53	3/4	2,489.77	3/4	2,850.00	3/4	3,209.94	3/4	3,564.12
11	338.34	11	698.45	11	1,057.93	11	1,417.31	11	1,777.04	11	2,137.04	11	2,497.28	11	2,857.50	11	3,217.44	11	3,570.60
1/4	345.85	1/4	705.94	1/4	1,065.43	1/4	1,424.79	1/4	1,784.54	1/4	2,144.54	1/4	2,504.78	1/4	2,865.00	1/4	3,224.94	1/4	3,577.09
1/2	353.35	1/2	713.43	1/2	1,072.92	1/2	1,432.27	1/2	1,792.04	1/2	2,152.05	1/2	2,512.29	1/2	2,872.50	1/2	3,232.44	1/2	3,583.19
3/4	360.86	3/4	720.92	3/4	1,080.41	3/4	1,439.75	3/4	1,799.54	3/4	2,159.55	3/4	2,519.79	3/4	2,879.99	3/4	3,239.94	3/4	3,589.30

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.
NOTE: GAUGE POINT LOCATED 11'-6" OFF CENTERLINE AND 51'-6" FORWARD OF AFT. BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 5/14/03 BY: KS-KF
DATE COMPUTED: 5/23/03 BY: DAR
DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT



BARGE "GBL 830"
HULL NO. 02-2970

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 5 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,595.40	0	3,860.99	0	4,125.19	0	4,389.38	0	4,653.57	0	4,874.63	0		0		0		0	
1/4	3,601.51	1/4	3,866.50	1/4	4,130.69	1/4	4,394.88	1/4	4,659.07	1/4	4,875.97	1/4		1/4		1/4		1/4	
1/2	3,607.21	1/2	3,872.00	1/2	4,136.19	1/2	4,400.39	1/2	4,664.58	1/2	4,876.39	1/2		1/2		1/2		1/2	
3/4	3,612.91	3/4	3,877.51	3/4	4,141.70	3/4	4,405.89	3/4	4,670.08	3/4	4,876.82	3/4		3/4		3/4		3/4	
1	3,618.62	1	3,883.01	1	4,147.20	1	4,411.39	1	4,675.59	1	4,877.24	1		1		1		1	
1/4	3,624.32	1/4	3,888.51	1/4	4,152.71	1/4	4,416.90	1/4	4,681.09	1/4	4,877.66	1/4		1/4		1/4		1/4	
1/2	3,629.83	1/2	3,894.02	1/2	4,158.21	1/2	4,422.40	1/2	4,686.59	1/2		1/2		1/2		1/2		1/2	
3/4	3,635.33	3/4	3,899.52	3/4	4,163.71	3/4	4,427.91	3/4	4,692.10	3/4		3/4		3/4		3/4		3/4	
2	3,640.84	2	3,905.03	2	4,169.22	2	4,433.41	2	4,697.60	2		2		2		2		2	
1/4	3,646.34	1/4	3,910.53	1/4	4,174.72	1/4	4,438.91	1/4	4,703.11	1/4		1/4		1/4		1/4		1/4	
1/2	3,651.84	1/2	3,916.03	1/2	4,180.23	1/2	4,444.42	1/2	4,708.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,657.35	3/4	3,921.54	3/4	4,185.73	3/4	4,449.92	3/4	4,714.04	3/4		3/4		3/4		3/4		3/4	
3	3,662.85	3	3,927.04	3	4,191.23	3	4,455.43	3	4,719.51	3		3		3		3		3	
1/4	3,668.36	1/4	3,932.55	1/4	4,196.74	1/4	4,460.93	1/4	4,724.98	1/4		1/4		1/4		1/4		1/4	
1/2	3,673.86	1/2	3,938.05	1/2	4,202.24	1/2	4,466.43	1/2	4,730.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,679.36	3/4	3,943.55	3/4	4,207.75	3/4	4,471.94	3/4	4,735.92	3/4		3/4		3/4		3/4		3/4	
4	3,684.87	4	3,949.06	4	4,213.25	4	4,477.44	4	4,741.38	4		4		4		4		4	
1/4	3,690.37	1/4	3,954.56	1/4	4,218.75	1/4	4,482.95	1/4	4,746.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,695.87	1/2	3,960.07	1/2	4,224.26	1/2	4,488.45	1/2	4,752.32	1/2		1/2		1/2		1/2		1/2	
3/4	3,701.38	3/4	3,965.57	3/4	4,229.76	3/4	4,493.95	3/4	4,757.79	3/4		3/4		3/4		3/4		3/4	
5	3,706.88	5	3,971.07	5	4,235.27	5	4,499.46	5	4,763.26	5		5		5		5		5	
1/4	3,712.39	1/4	3,976.58	1/4	4,240.77	1/4	4,504.96	1/4	4,768.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,717.89	1/2	3,982.08	1/2	4,246.27	1/2	4,510.47	1/2	4,774.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,723.39	3/4	3,987.59	3/4	4,251.78	3/4	4,515.97	3/4	4,779.66	3/4		3/4		3/4		3/4		3/4	
6	3,728.90	6	3,993.09	6	4,257.28	6	4,521.47	6	4,785.13	6		6		6		6		6	
1/4	3,734.40	1/4	3,998.59	1/4	4,262.79	1/4	4,526.98	1/4	4,790.60	1/4		1/4		1/4		1/4		1/4	
1/2	3,739.91	1/2	4,004.10	1/2	4,268.29	1/2	4,532.48	1/2	4,796.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,745.41	3/4	4,009.60	3/4	4,273.79	3/4	4,537.99	3/4	4,801.53	3/4		3/4		3/4		3/4		3/4	
7	3,750.91	7	4,015.11	7	4,279.30	7	4,543.49	7	4,807.00	7		7		7		7		7	
1/4	3,756.42	1/4	4,020.61	1/4	4,284.80	1/4	4,548.99	1/4	4,812.47	1/4		1/4		1/4		1/4		1/4	
1/2	3,761.92	1/2	4,026.11	1/2	4,290.31	1/2	4,554.50	1/2	4,817.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,767.43	3/4	4,031.62	3/4	4,295.81	3/4	4,560.00	3/4	4,822.49	3/4		3/4		3/4		3/4		3/4	
8	3,772.93	8	4,037.12	8	4,301.31	8	4,565.51	8	4,827.50	8		8		8		8		8	
1/4	3,778.43	1/4	4,042.63	1/4	4,306.82	1/4	4,571.01	1/4	4,832.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,783.94	1/2	4,048.13	1/2	4,312.32	1/2	4,576.51	1/2	4,836.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,789.44	3/4	4,053.63	3/4	4,317.83	3/4	4,582.02	3/4	4,840.69	3/4		3/4		3/4		3/4		3/4	
9	3,794.95	9	4,059.14	9	4,323.33	9	4,587.52	9	4,844.79	9		9		9		9		9	
1/4	3,800.45	1/4	4,064.64	1/4	4,328.83	1/4	4,593.03	1/4	4,848.88	1/4		1/4		1/4		1/4		1/4	
1/2	3,805.95	1/2	4,070.15	1/2	4,334.34	1/2	4,598.53	1/2	4,852.05	1/2		1/2		1/2		1/2		1/2	
3/4	3,811.46	3/4	4,075.65	3/4	4,339.84	3/4	4,604.03	3/4	4,855.23	3/4		3/4		3/4		3/4		3/4	
10	3,816.96	10	4,081.15	10	4,345.35	10	4,609.54	10	4,858.40	10		10		10		10		10	
1/4	3,822.47	1/4	4,086.66	1/4	4,350.85	1/4	4,615.04	1/4	4,861.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,827.97	1/2	4,092.16	1/2	4,356.35	1/2	4,620.55	1/2	4,863.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,833.47	3/4	4,097.67	3/4	4,361.86	3/4	4,626.05	3/4	4,866.09	3/4		3/4		3/4		3/4		3/4	
11	3,838.98	11	4,103.17	11	4,367.36	11	4,631.55	11	4,868.35	11		11		11		11		11	
1/4	3,844.48	1/4	4,108.67	1/4	4,372.87	1/4	4,637.06	1/4	4,870.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,849.99	1/2	4,114.18	1/2	4,378.37	1/2	4,642.56	1/2	4,871.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,855.49	3/4	4,119.68	3/4	4,383.87	3/4	4,648.07	3/4	4,873.29	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5/14/03 BY: KS-KF
DATE COMPUTED: 5/23/03 BY: DAR
DATE ISSUED: 5/27/03

INTERTEK - CALEB BRETT