

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 4-1/4"

Table with columns for height (0 to 9 FT.) and fractional increments (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels. The table is a grid where the first column is height and subsequent columns are fractional increments. Each height row has four fractional increment sub-rows.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.
NOTE: GAUGE POINT LOCATED 11'- 4" OFF CENTERLINE AND 51'- 3" FORWARD OF AFT. BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT

**BARGE "GBL 932B"
HULL NO. 03-2001**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS


GAUGE HEIGHT 16' 4-1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,818.57	0	4,129.65	0	4,440.72	0	4,751.80	0	5,062.87	0		0		0		0		0	
1/4	3,825.05	1/4	4,136.13	1/4	4,447.20	1/4	4,758.28	1/4	5,069.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,831.53	1/2	4,142.61	1/2	4,453.68	1/2	4,764.76	1/2	5,075.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,838.01	3/4	4,149.09	3/4	4,460.16	3/4	4,771.24	3/4	5,082.31	3/4		3/4		3/4		3/4		3/4	
1	3,844.49	1	4,155.57	1	4,466.64	1	4,777.72	1	5,088.80	1		1		1		1		1	
1/4	3,850.97	1/4	4,162.05	1/4	4,473.12	1/4	4,784.20	1/4	5,095.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,857.45	1/2	4,168.53	1/2	4,479.61	1/2	4,790.68	1/2	5,101.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,863.94	3/4	4,175.01	3/4	4,486.09	3/4	4,797.16	3/4	5,108.24	3/4		3/4		3/4		3/4		3/4	
2	3,870.42	2	4,181.49	2	4,492.57	2	4,803.64	2	5,114.72	2		2		2		2		2	
1/4	3,876.90	1/4	4,187.97	1/4	4,499.05	1/4	4,810.12	1/4	5,121.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,883.38	1/2	4,194.45	1/2	4,505.53	1/2	4,816.60	1/2	5,127.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,889.86	3/4	4,200.93	3/4	4,512.01	3/4	4,823.08	3/4	5,134.16	3/4		3/4		3/4		3/4		3/4	
3	3,896.34	3	4,207.41	3	4,518.49	3	4,829.57	3	5,140.64	3		3		3		3		3	
1/4	3,902.82	1/4	4,213.90	1/4	4,524.97	1/4	4,836.05	1/4	5,147.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,909.30	1/2	4,220.38	1/2	4,531.45	1/2	4,842.53	1/2	5,153.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,915.78	3/4	4,226.86	3/4	4,537.93	3/4	4,849.01	3/4	5,160.08	3/4		3/4		3/4		3/4		3/4	
4	3,922.26	4	4,233.34	4	4,544.41	4	4,855.49	4	5,166.56	4		4		4		4		4	
1/4	3,928.74	1/4	4,239.82	1/4	4,550.89	1/4	4,861.97	1/4	5,173.04	1/4		1/4		1/4		1/4		1/4	
1/2	3,935.22	1/2	4,246.30	1/2	4,557.37	1/2	4,868.45	1/2	5,179.53	1/2		1/2		1/2		1/2		1/2	
3/4	3,941.70	3/4	4,252.78	3/4	4,563.86	3/4	4,874.93	3/4	5,186.01	3/4		3/4		3/4		3/4		3/4	
5	3,948.19	5	4,259.26	5	4,570.34	5	4,881.41	5	5,192.49	5		5		5		5		5	
1/4	3,954.67	1/4	4,265.74	1/4	4,576.82	1/4	4,887.89	1/4	5,198.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,961.15	1/2	4,272.22	1/2	4,583.30	1/2	4,894.37	1/2	5,205.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,967.63	3/4	4,278.70	3/4	4,589.78	3/4	4,900.85	3/4	5,211.93	3/4		3/4		3/4		3/4		3/4	
6	3,974.11	6	4,285.18	6	4,596.26	6	4,907.33	6	5,218.41	6		6		6		6		6	
1/4	3,980.59	1/4	4,291.66	1/4	4,602.74	1/4	4,913.82	1/4	5,224.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,987.07	1/2	4,298.14	1/2	4,609.22	1/2	4,920.30	1/2	5,230.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,993.55	3/4	4,304.63	3/4	4,615.70	3/4	4,926.78	3/4	5,236.23	3/4		3/4		3/4		3/4		3/4	
7	4,000.03	7	4,311.11	7	4,622.18	7	4,933.26	7	5,242.17	7		7		7		7		7	
1/4	4,006.51	1/4	4,317.59	1/4	4,628.66	1/4	4,939.74	1/4	5,247.03	1/4		1/4		1/4		1/4		1/4	
1/2	4,012.99	1/2	4,324.07	1/2	4,635.14	1/2	4,946.22	1/2	5,251.89	1/2		1/2		1/2		1/2		1/2	
3/4	4,019.47	3/4	4,330.55	3/4	4,641.62	3/4	4,952.70	3/4	5,256.75	3/4		3/4		3/4		3/4		3/4	
8	4,025.95	8	4,337.03	8	4,648.10	8	4,959.18	8	5,261.61	8		8		8		8		8	
1/4	4,032.43	1/4	4,343.51	1/4	4,654.59	1/4	4,965.66	1/4	5,265.40	1/4		1/4		1/4		1/4		1/4	
1/2	4,038.92	1/2	4,349.99	1/2	4,661.07	1/2	4,972.14	1/2	5,269.18	1/2		1/2		1/2		1/2		1/2	
3/4	4,045.40	3/4	4,356.47	3/4	4,667.55	3/4	4,978.62	3/4	5,272.96	3/4		3/4		3/4		3/4		3/4	
9	4,051.88	9	4,362.95	9	4,674.03	9	4,985.10	9	5,276.74	9		9		9		9		9	
1/4	4,058.36	1/4	4,369.43	1/4	4,680.51	1/4	4,991.58	1/4	5,279.44	1/4		1/4		1/4		1/4		1/4	
1/2	4,064.84	1/2	4,375.91	1/2	4,686.99	1/2	4,998.06	1/2	5,282.14	1/2		1/2		1/2		1/2		1/2	
3/4	4,071.32	3/4	4,382.39	3/4	4,693.47	3/4	5,004.55	3/4	5,284.84	3/4		3/4		3/4		3/4		3/4	
10	4,077.80	10	4,388.88	10	4,699.95	10	5,011.03	10	5,287.54	10		10		10		10		10	
1/4	4,084.28	1/4	4,395.36	1/4	4,706.43	1/4	5,017.51	1/4	5,289.16	1/4		1/4		1/4		1/4		1/4	
1/2	4,090.76	1/2	4,401.84	1/2	4,712.91	1/2	5,023.99	1/2	5,290.78	1/2		1/2		1/2		1/2		1/2	
3/4	4,097.24	3/4	4,408.32	3/4	4,719.39	3/4	5,030.47	3/4	5,292.40	3/4		3/4		3/4		3/4		3/4	
11	4,103.72	11	4,414.80	11	4,725.87	11	5,036.95	11	5,294.02	11		11		11		11		11	
1/4	4,110.20	1/4	4,421.28	1/4	4,732.35	1/4	5,043.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,116.68	1/2	4,427.76	1/2	4,738.84	1/2	5,049.91	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,123.17	3/4	4,434.24	3/4	4,745.32	3/4	5,056.39	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 4-1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,818.57	0	4,129.65	0	4,440.72	0	4,751.80	0	5,062.87	0		0		0		0		0	
1/4	3,825.05	1/4	4,136.13	1/4	4,447.20	1/4	4,758.28	1/4	5,069.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,831.53	1/2	4,142.61	1/2	4,453.68	1/2	4,764.76	1/2	5,075.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,838.01	3/4	4,149.09	3/4	4,460.16	3/4	4,771.24	3/4	5,082.31	3/4		3/4		3/4		3/4		3/4	
1	3,844.49	1	4,155.57	1	4,466.64	1	4,777.72	1	5,088.80	1		1		1		1		1	
1/4	3,850.97	1/4	4,162.05	1/4	4,473.12	1/4	4,784.20	1/4	5,095.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,857.45	1/2	4,168.53	1/2	4,479.61	1/2	4,790.68	1/2	5,101.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,863.94	3/4	4,175.01	3/4	4,486.09	3/4	4,797.16	3/4	5,108.24	3/4		3/4		3/4		3/4		3/4	
2	3,870.42	2	4,181.49	2	4,492.57	2	4,803.64	2	5,114.72	2		2		2		2		2	
1/4	3,876.90	1/4	4,187.97	1/4	4,499.05	1/4	4,810.12	1/4	5,121.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,883.38	1/2	4,194.45	1/2	4,505.53	1/2	4,816.60	1/2	5,127.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,889.86	3/4	4,200.93	3/4	4,512.01	3/4	4,823.08	3/4	5,134.16	3/4		3/4		3/4		3/4		3/4	
3	3,896.34	3	4,207.41	3	4,518.49	3	4,829.57	3	5,140.64	3		3		3		3		3	
1/4	3,902.82	1/4	4,213.90	1/4	4,524.97	1/4	4,836.05	1/4	5,147.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,909.30	1/2	4,220.38	1/2	4,531.45	1/2	4,842.53	1/2	5,153.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,915.78	3/4	4,226.86	3/4	4,537.93	3/4	4,849.01	3/4	5,160.08	3/4		3/4		3/4		3/4		3/4	
4	3,922.26	4	4,233.34	4	4,544.41	4	4,855.49	4	5,166.56	4		4		4		4		4	
1/4	3,928.74	1/4	4,239.82	1/4	4,550.89	1/4	4,861.97	1/4	5,173.04	1/4		1/4		1/4		1/4		1/4	
1/2	3,935.22	1/2	4,246.30	1/2	4,557.37	1/2	4,868.45	1/2	5,179.53	1/2		1/2		1/2		1/2		1/2	
3/4	3,941.70	3/4	4,252.78	3/4	4,563.86	3/4	4,874.93	3/4	5,186.01	3/4		3/4		3/4		3/4		3/4	
5	3,948.19	5	4,259.26	5	4,570.34	5	4,881.41	5	5,192.49	5		5		5		5		5	
1/4	3,954.67	1/4	4,265.74	1/4	4,576.82	1/4	4,887.89	1/4	5,198.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,961.15	1/2	4,272.22	1/2	4,583.30	1/2	4,894.37	1/2	5,205.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,967.63	3/4	4,278.70	3/4	4,589.78	3/4	4,900.85	3/4	5,211.93	3/4		3/4		3/4		3/4		3/4	
6	3,974.11	6	4,285.18	6	4,596.26	6	4,907.33	6	5,218.41	6		6		6		6		6	
1/4	3,980.59	1/4	4,291.66	1/4	4,602.74	1/4	4,913.82	1/4	5,224.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,987.07	1/2	4,298.14	1/2	4,609.22	1/2	4,920.30	1/2	5,230.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,993.55	3/4	4,304.63	3/4	4,615.70	3/4	4,926.78	3/4	5,236.23	3/4		3/4		3/4		3/4		3/4	
7	4,000.03	7	4,311.11	7	4,622.18	7	4,933.26	7	5,242.17	7		7		7		7		7	
1/4	4,006.51	1/4	4,317.59	1/4	4,628.66	1/4	4,939.74	1/4	5,247.03	1/4		1/4		1/4		1/4		1/4	
1/2	4,012.99	1/2	4,324.07	1/2	4,635.14	1/2	4,946.22	1/2	5,251.89	1/2		1/2		1/2		1/2		1/2	
3/4	4,019.47	3/4	4,330.55	3/4	4,641.62	3/4	4,952.70	3/4	5,256.75	3/4		3/4		3/4		3/4		3/4	
8	4,025.95	8	4,337.03	8	4,648.10	8	4,959.18	8	5,261.61	8		8		8		8		8	
1/4	4,032.43	1/4	4,343.51	1/4	4,654.59	1/4	4,965.66	1/4	5,265.40	1/4		1/4		1/4		1/4		1/4	
1/2	4,038.92	1/2	4,349.99	1/2	4,661.07	1/2	4,972.14	1/2	5,269.18	1/2		1/2		1/2		1/2		1/2	
3/4	4,045.40	3/4	4,356.47	3/4	4,667.55	3/4	4,978.62	3/4	5,272.96	3/4		3/4		3/4		3/4		3/4	
9	4,051.88	9	4,362.95	9	4,674.03	9	4,985.10	9	5,276.74	9		9		9		9		9	
1/4	4,058.36	1/4	4,369.43	1/4	4,680.51	1/4	4,991.58	1/4	5,279.44	1/4		1/4		1/4		1/4		1/4	
1/2	4,064.84	1/2	4,375.91	1/2	4,686.99	1/2	4,998.06	1/2	5,282.14	1/2		1/2		1/2		1/2		1/2	
3/4	4,071.32	3/4	4,382.39	3/4	4,693.47	3/4	5,004.55	3/4	5,284.84	3/4		3/4		3/4		3/4		3/4	
10	4,077.80	10	4,388.88	10	4,699.95	10	5,011.03	10	5,287.54	10		10		10		10		10	
1/4	4,084.28	1/4	4,395.36	1/4	4,706.43	1/4	5,017.51	1/4	5,289.16	1/4		1/4		1/4		1/4		1/4	
1/2	4,090.76	1/2	4,401.84	1/2	4,712.91	1/2	5,023.99	1/2	5,290.78	1/2		1/2		1/2		1/2		1/2	
3/4	4,097.24	3/4	4,408.32	3/4	4,719.39	3/4	5,030.47	3/4	5,292.40	3/4		3/4		3/4		3/4		3/4	
11	4,103.72	11	4,414.80	11	4,725.87	11	5,036.95	11	5,294.02	11		11		11		11		11	
1/4	4,110.20	1/4	4,421.28	1/4	4,732.35	1/4	5,043.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,116.68	1/2	4,427.76	1/2	4,738.84	1/2	5,049.91	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,123.17	3/4	4,434.24	3/4	4,745.32	3/4	5,056.39	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
 DATE COMPUTED: 1/22/04 BY: WHF
 DATE RE-ISSUED: 3/23/04 FOR VOLUME CORRECTION

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 4-1/2"

Table with 19 columns (IN, 0 FT., IN, 1 FT., IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT.) and multiple rows of capacity data.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.

NOTE: GAUGE POINT LOCATED 11'- 4" OFF CENTERLINE AND 45'- 3" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT

Signature of Caleb Brett

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 4-1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,596.30	0	3,955.55	0	4,314.79	0	4,674.04	0	5,033.28	0		0		0		0		0	
1/4	3,603.78	1/4	3,963.03	1/4	4,322.28	1/4	4,681.52	1/4	5,040.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,611.27	1/2	3,970.51	1/2	4,329.76	1/2	4,689.00	1/2	5,048.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,618.75	3/4	3,978.00	3/4	4,337.24	3/4	4,696.49	3/4	5,055.73	3/4		3/4		3/4		3/4		3/4	
1	3,626.24	1	3,985.48	1	4,344.73	1	4,703.97	1	5,063.22	1		1		1		1		1	
1/4	3,633.72	1/4	3,992.97	1/4	4,352.21	1/4	4,711.46	1/4	5,070.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,641.21	1/2	4,000.45	1/2	4,359.70	1/2	4,718.94	1/2	5,078.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,648.69	3/4	4,007.94	3/4	4,367.18	3/4	4,726.43	3/4	5,085.67	3/4		3/4		3/4		3/4		3/4	
2	3,656.17	2	4,015.42	2	4,374.67	2	4,733.91	2	5,093.16	2		2		2		2		2	
1/4	3,663.66	1/4	4,022.90	1/4	4,382.15	1/4	4,741.39	1/4	5,100.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,671.14	1/2	4,030.39	1/2	4,389.63	1/2	4,748.88	1/2	5,108.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,678.63	3/4	4,037.87	3/4	4,397.12	3/4	4,756.36	3/4	5,115.61	3/4		3/4		3/4		3/4		3/4	
3	3,686.11	3	4,045.36	3	4,404.60	3	4,763.85	3	5,123.09	3		3		3		3		3	
1/4	3,693.60	1/4	4,052.84	1/4	4,412.09	1/4	4,771.33	1/4	5,130.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,701.08	1/2	4,060.33	1/2	4,419.57	1/2	4,778.82	1/2	5,138.06	1/2		1/2		1/2		1/2		1/2	
3/4	3,708.56	3/4	4,067.81	3/4	4,427.06	3/4	4,786.30	3/4	5,145.55	3/4		3/4		3/4		3/4		3/4	
4	3,716.05	4	4,075.29	4	4,434.54	4	4,793.78	4	5,153.03	4		4		4		4		4	
1/4	3,723.53	1/4	4,082.78	1/4	4,442.02	1/4	4,801.27	1/4	5,160.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,731.02	1/2	4,090.26	1/2	4,449.51	1/2	4,808.75	1/2	5,168.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,738.50	3/4	4,097.75	3/4	4,456.99	3/4	4,816.24	3/4	5,175.48	3/4		3/4		3/4		3/4		3/4	
5	3,745.99	5	4,105.23	5	4,464.48	5	4,823.72	5	5,182.97	5		5		5		5		5	
1/4	3,753.47	1/4	4,112.72	1/4	4,471.96	1/4	4,831.21	1/4	5,190.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,760.95	1/2	4,120.20	1/2	4,479.44	1/2	4,838.69	1/2	5,197.94	1/2		1/2		1/2		1/2		1/2	
3/4	3,768.44	3/4	4,127.68	3/4	4,486.93	3/4	4,846.17	3/4	5,205.42	3/4		3/4		3/4		3/4		3/4	
6	3,775.92	6	4,135.17	6	4,494.41	6	4,853.66	6	5,212.90	6		6		6		6		6	
1/4	3,783.41	1/4	4,142.65	1/4	4,501.90	1/4	4,861.14	1/4	5,220.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,790.89	1/2	4,150.14	1/2	4,509.38	1/2	4,868.63	1/2	5,227.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,798.38	3/4	4,157.62	3/4	4,516.87	3/4	4,876.11	3/4	5,234.11	3/4		3/4		3/4		3/4		3/4	
7	3,805.86	7	4,165.11	7	4,524.35	7	4,883.60	7	5,240.34	7		7		7		7		7	
1/4	3,813.34	1/4	4,172.59	1/4	4,531.83	1/4	4,891.08	1/4	5,246.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,820.83	1/2	4,180.07	1/2	4,539.32	1/2	4,898.56	1/2	5,252.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,828.31	3/4	4,187.56	3/4	4,546.80	3/4	4,906.05	3/4	5,257.79	3/4		3/4		3/4		3/4		3/4	
8	3,835.80	8	4,195.04	8	4,554.29	8	4,913.53	8	5,262.77	8		8		8		8		8	
1/4	3,843.28	1/4	4,202.53	1/4	4,561.77	1/4	4,921.02	1/4	5,267.75	1/4		1/4		1/4		1/4		1/4	
1/2	3,850.77	1/2	4,210.01	1/2	4,569.26	1/2	4,928.50	1/2	5,272.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,858.25	3/4	4,217.50	3/4	4,576.74	3/4	4,935.99	3/4	5,276.47	3/4		3/4		3/4		3/4		3/4	
9	3,865.73	9	4,224.98	9	4,584.22	9	4,943.47	9	5,280.20	9		9		9		9		9	
1/4	3,873.22	1/4	4,232.46	1/4	4,591.71	1/4	4,950.95	1/4	5,283.93	1/4		1/4		1/4		1/4		1/4	
1/2	3,880.70	1/2	4,239.95	1/2	4,599.19	1/2	4,958.44	1/2	5,287.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,888.19	3/4	4,247.43	3/4	4,606.68	3/4	4,965.92	3/4	5,290.14	3/4		3/4		3/4		3/4		3/4	
10	3,895.67	10	4,254.92	10	4,614.16	10	4,973.41	10	5,292.62	10		10		10		10		10	
1/4	3,903.16	1/4	4,262.40	1/4	4,621.65	1/4	4,980.89	1/4	5,295.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,910.64	1/2	4,269.89	1/2	4,629.13	1/2	4,988.38	1/2	5,297.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,918.12	3/4	4,277.37	3/4	4,636.61	3/4	4,995.86	3/4	5,298.81	3/4		3/4		3/4		3/4		3/4	
11	3,925.61	11	4,284.85	11	4,644.10	11	5,003.34	11	5,300.04	11		11		11		11		11	
1/4	3,933.09	1/4	4,292.34	1/4	4,651.58	1/4	5,010.83	1/4	5,301.27	1/4		1/4		1/4		1/4		1/4	
1/2	3,940.58	1/2	4,299.82	1/2	4,659.07	1/2	5,018.31	1/2	5,302.50	1/2		1/2		1/2		1/2		1/2	
3/4	3,948.06	3/4	4,307.31	3/4	4,666.55	3/4	5,025.80	3/4	5,303.73	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 4-1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,596.30	0	3,955.55	0	4,314.79	0	4,674.04	0	5,033.28	0		0		0		0		0	
1/4	3,603.78	1/4	3,963.03	1/4	4,322.28	1/4	4,681.52	1/4	5,040.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,611.27	1/2	3,970.51	1/2	4,329.76	1/2	4,689.00	1/2	5,048.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,618.75	3/4	3,978.00	3/4	4,337.24	3/4	4,696.49	3/4	5,055.73	3/4		3/4		3/4		3/4		3/4	
1	3,626.24	1	3,985.48	1	4,344.73	1	4,703.97	1	5,063.22	1		1		1		1		1	
1/4	3,633.72	1/4	3,992.97	1/4	4,352.21	1/4	4,711.46	1/4	5,070.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,641.21	1/2	4,000.45	1/2	4,359.70	1/2	4,718.94	1/2	5,078.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,648.69	3/4	4,007.94	3/4	4,367.18	3/4	4,726.43	3/4	5,085.67	3/4		3/4		3/4		3/4		3/4	
2	3,656.17	2	4,015.42	2	4,374.67	2	4,733.91	2	5,093.16	2		2		2		2		2	
1/4	3,663.66	1/4	4,022.90	1/4	4,382.15	1/4	4,741.39	1/4	5,100.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,671.14	1/2	4,030.39	1/2	4,389.63	1/2	4,748.88	1/2	5,108.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,678.63	3/4	4,037.87	3/4	4,397.12	3/4	4,756.36	3/4	5,115.61	3/4		3/4		3/4		3/4		3/4	
3	3,686.11	3	4,045.36	3	4,404.60	3	4,763.85	3	5,123.09	3		3		3		3		3	
1/4	3,693.60	1/4	4,052.84	1/4	4,412.09	1/4	4,771.33	1/4	5,130.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,701.08	1/2	4,060.33	1/2	4,419.57	1/2	4,778.82	1/2	5,138.06	1/2		1/2		1/2		1/2		1/2	
3/4	3,708.56	3/4	4,067.81	3/4	4,427.06	3/4	4,786.30	3/4	5,145.55	3/4		3/4		3/4		3/4		3/4	
4	3,716.05	4	4,075.29	4	4,434.54	4	4,793.78	4	5,153.03	4		4		4		4		4	
1/4	3,723.53	1/4	4,082.78	1/4	4,442.02	1/4	4,801.27	1/4	5,160.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,731.02	1/2	4,090.26	1/2	4,449.51	1/2	4,808.75	1/2	5,168.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,738.50	3/4	4,097.75	3/4	4,456.99	3/4	4,816.24	3/4	5,175.48	3/4		3/4		3/4		3/4		3/4	
5	3,745.99	5	4,105.23	5	4,464.48	5	4,823.72	5	5,182.97	5		5		5		5		5	
1/4	3,753.47	1/4	4,112.72	1/4	4,471.96	1/4	4,831.21	1/4	5,190.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,760.95	1/2	4,120.20	1/2	4,479.44	1/2	4,838.69	1/2	5,197.94	1/2		1/2		1/2		1/2		1/2	
3/4	3,768.44	3/4	4,127.68	3/4	4,486.93	3/4	4,846.17	3/4	5,205.42	3/4		3/4		3/4		3/4		3/4	
6	3,775.92	6	4,135.17	6	4,494.41	6	4,853.66	6	5,212.90	6		6		6		6		6	
1/4	3,783.41	1/4	4,142.65	1/4	4,501.90	1/4	4,861.14	1/4	5,220.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,790.89	1/2	4,150.14	1/2	4,509.38	1/2	4,868.63	1/2	5,227.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,798.38	3/4	4,157.62	3/4	4,516.87	3/4	4,876.11	3/4	5,234.11	3/4		3/4		3/4		3/4		3/4	
7	3,805.86	7	4,165.11	7	4,524.35	7	4,883.60	7	5,240.34	7		7		7		7		7	
1/4	3,813.34	1/4	4,172.59	1/4	4,531.83	1/4	4,891.08	1/4	5,246.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,820.83	1/2	4,180.07	1/2	4,539.32	1/2	4,898.56	1/2	5,252.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,828.31	3/4	4,187.56	3/4	4,546.80	3/4	4,906.05	3/4	5,257.79	3/4		3/4		3/4		3/4		3/4	
8	3,835.80	8	4,195.04	8	4,554.29	8	4,913.53	8	5,262.77	8		8		8		8		8	
1/4	3,843.28	1/4	4,202.53	1/4	4,561.77	1/4	4,921.02	1/4	5,267.75	1/4		1/4		1/4		1/4		1/4	
1/2	3,850.77	1/2	4,210.01	1/2	4,569.26	1/2	4,928.50	1/2	5,272.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,858.25	3/4	4,217.50	3/4	4,576.74	3/4	4,935.99	3/4	5,276.47	3/4		3/4		3/4		3/4		3/4	
9	3,865.73	9	4,224.98	9	4,584.22	9	4,943.47	9	5,280.20	9		9		9		9		9	
1/4	3,873.22	1/4	4,232.46	1/4	4,591.71	1/4	4,950.95	1/4	5,283.93	1/4		1/4		1/4		1/4		1/4	
1/2	3,880.70	1/2	4,239.95	1/2	4,599.19	1/2	4,958.44	1/2	5,287.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,888.19	3/4	4,247.43	3/4	4,606.68	3/4	4,965.92	3/4	5,290.14	3/4		3/4		3/4		3/4		3/4	
10	3,895.67	10	4,254.92	10	4,614.16	10	4,973.41	10	5,292.62	10		10		10		10		10	
1/4	3,903.16	1/4	4,262.40	1/4	4,621.65	1/4	4,980.89	1/4	5,295.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,910.64	1/2	4,269.89	1/2	4,629.13	1/2	4,988.38	1/2	5,297.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,918.12	3/4	4,277.37	3/4	4,636.61	3/4	4,995.86	3/4	5,298.81	3/4		3/4		3/4		3/4		3/4	
11	3,925.61	11	4,284.85	11	4,644.10	11	5,003.34	11	5,300.04	11		11		11		11		11	
1/4	3,933.09	1/4	4,292.34	1/4	4,651.58	1/4	5,010.83	1/4	5,301.27	1/4		1/4		1/4		1/4		1/4	
1/2	3,940.58	1/2	4,299.82	1/2	4,659.07	1/2	5,018.31	1/2	5,302.50	1/2		1/2		1/2		1/2		1/2	
3/4	3,948.06	3/4	4,307.31	3/4	4,666.55	3/4	5,025.80	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 4-1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,832.17	0	4,094.12	0	4,356.06	0	4,618.01	0	4,879.96	0		0		0		0		0	
1/4	3,837.62	1/4	4,099.57	1/4	4,361.52	1/4	4,623.47	1/4	4,885.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,843.08	1/2	4,105.03	1/2	4,366.98	1/2	4,628.93	1/2	4,890.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,848.54	3/4	4,110.49	3/4	4,372.44	3/4	4,634.39	3/4	4,896.33	3/4		3/4		3/4		3/4		3/4	
1	3,854.00	1	4,115.95	1	4,377.89	1	4,639.84	1	4,901.79	1		1		1		1		1	
1/4	3,859.45	1/4	4,121.40	1/4	4,383.35	1/4	4,645.30	1/4	4,907.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,864.91	1/2	4,126.86	1/2	4,388.81	1/2	4,650.76	1/2	4,912.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,870.37	3/4	4,132.32	3/4	4,394.27	3/4	4,656.21	3/4	4,918.16	3/4		3/4		3/4		3/4		3/4	
2	3,875.83	2	4,137.77	2	4,399.72	2	4,661.67	2	4,923.62	2		2		2		2		2	
1/4	3,881.28	1/4	4,143.23	1/4	4,405.18	1/4	4,667.13	1/4	4,929.08	1/4		1/4		1/4		1/4		1/4	
1/2	3,886.74	1/2	4,148.69	1/2	4,410.64	1/2	4,672.59	1/2	4,934.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,892.20	3/4	4,154.15	3/4	4,416.09	3/4	4,678.04	3/4	4,939.99	3/4		3/4		3/4		3/4		3/4	
3	3,897.65	3	4,159.60	3	4,421.55	3	4,683.50	3	4,945.45	3		3		3		3		3	
1/4	3,903.11	1/4	4,165.06	1/4	4,427.01	1/4	4,688.96	1/4	4,950.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,908.57	1/2	4,170.52	1/2	4,432.47	1/2	4,694.42	1/2	4,956.36	1/2		1/2		1/2		1/2		1/2	
3/4	3,914.03	3/4	4,175.98	3/4	4,437.92	3/4	4,699.87	3/4	4,961.82	3/4		3/4		3/4		3/4		3/4	
4	3,919.48	4	4,181.43	4	4,443.38	4	4,705.33	4	4,967.28	4		4		4		4		4	
1/4	3,924.94	1/4	4,186.89	1/4	4,448.84	1/4	4,710.79	1/4	4,972.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,930.40	1/2	4,192.35	1/2	4,454.30	1/2	4,716.24	1/2	4,978.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,935.86	3/4	4,197.80	3/4	4,459.75	3/4	4,721.70	3/4	4,983.65	3/4		3/4		3/4		3/4		3/4	
5	3,941.31	5	4,203.26	5	4,465.21	5	4,727.16	5	4,989.11	5		5		5		5		5	
1/4	3,946.77	1/4	4,208.72	1/4	4,470.67	1/4	4,732.62	1/4	4,994.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,952.23	1/2	4,214.18	1/2	4,476.12	1/2	4,738.07	1/2	5,000.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,957.68	3/4	4,219.63	3/4	4,481.58	3/4	4,743.53	3/4	5,005.48	3/4		3/4		3/4		3/4		3/4	
6	3,963.14	6	4,225.09	6	4,487.04	6	4,748.99	6	5,010.94	6		6		6		6		6	
1/4	3,968.60	1/4	4,230.55	1/4	4,492.50	1/4	4,754.45	1/4	5,016.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,974.06	1/2	4,236.01	1/2	4,497.95	1/2	4,759.90	1/2	5,021.85	1/2		1/2		1/2		1/2		1/2	
3/4	3,979.51	3/4	4,241.46	3/4	4,503.41	3/4	4,765.36	3/4	5,027.31	3/4		3/4		3/4		3/4		3/4	
7	3,984.97	7	4,246.92	7	4,508.87	7	4,770.82	7	5,032.77	7		7		7		7		7	
1/4	3,990.43	1/4	4,252.38	1/4	4,514.33	1/4	4,776.27	1/4	5,038.22	1/4		1/4		1/4		1/4		1/4	
1/2	3,995.89	1/2	4,257.83	1/2	4,519.78	1/2	4,781.73	1/2	5,043.68	1/2		1/2		1/2		1/2		1/2	
3/4	4,001.34	3/4	4,263.29	3/4	4,525.24	3/4	4,787.19	3/4	5,049.14	3/4		3/4		3/4		3/4		3/4	
8	4,006.80	8	4,268.75	8	4,530.70	8	4,792.65	8	5,054.60	8		8		8		8		8	
1/4	4,012.26	1/4	4,274.21	1/4	4,536.15	1/4	4,798.10	1/4	5,060.05	1/4		1/4		1/4		1/4		1/4	
1/2	4,017.71	1/2	4,279.66	1/2	4,541.61	1/2	4,803.56	1/2	5,065.51	1/2		1/2		1/2		1/2		1/2	
3/4	4,023.17	3/4	4,285.12	3/4	4,547.07	3/4	4,809.02	3/4	5,068.23	3/4		3/4		3/4		3/4		3/4	
9	4,028.63	9	4,290.58	9	4,552.53	9	4,814.48	9	5,070.95	9		9		9		9		9	
1/4	4,034.09	1/4	4,296.03	1/4	4,557.98	1/4	4,819.93	1/4	5,073.66	1/4		1/4		1/4		1/4		1/4	
1/2	4,039.54	1/2	4,301.49	1/2	4,563.44	1/2	4,825.39	1/2	5,076.38	1/2		1/2		1/2		1/2		1/2	
3/4	4,045.00	3/4	4,306.95	3/4	4,568.90	3/4	4,830.85	3/4	5,078.19	3/4		3/4		3/4		3/4		3/4	
10	4,050.46	10	4,312.41	10	4,574.36	10	4,836.30	10	5,079.99	10		10		10		10		10	
1/4	4,055.92	1/4	4,317.86	1/4	4,579.81	1/4	4,841.76	1/4	5,081.80	1/4		1/4		1/4		1/4		1/4	
1/2	4,061.37	1/2	4,323.32	1/2	4,585.27	1/2	4,847.22	1/2	5,083.60	1/2		1/2		1/2		1/2		1/2	
3/4	4,066.83	3/4	4,328.78	3/4	4,590.73	3/4	4,852.68	3/4	5,084.49	3/4		3/4		3/4		3/4		3/4	
11	4,072.29	11	4,334.24	11	4,596.18	11	4,858.13	11	5,085.38	11		11		11		11		11	
1/4	4,077.74	1/4	4,339.69	1/4	4,601.64	1/4	4,863.59	1/4	5,086.27	1/4		1/4		1/4		1/4		1/4	
1/2	4,083.20	1/2	4,345.15	1/2	4,607.10	1/2	4,869.05	1/2	5,087.17	1/2		1/2		1/2		1/2		1/2	
3/4	4,088.66	3/4	4,350.61	3/4	4,612.56	3/4	4,874.51	3/4	5,088.06	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16' 4-1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,832.17	0	4,094.12	0	4,356.06	0	4,618.01	0	4,879.96	0		0		0		0		0	
1/4	3,837.62	1/4	4,099.57	1/4	4,361.52	1/4	4,623.47	1/4	4,885.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,843.08	1/2	4,105.03	1/2	4,366.98	1/2	4,628.93	1/2	4,890.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,848.54	3/4	4,110.49	3/4	4,372.44	3/4	4,634.39	3/4	4,896.33	3/4		3/4		3/4		3/4		3/4	
1	3,854.00	1	4,115.95	1	4,377.89	1	4,639.84	1	4,901.79	1		1		1		1		1	
1/4	3,859.45	1/4	4,121.40	1/4	4,383.35	1/4	4,645.30	1/4	4,907.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,864.91	1/2	4,126.86	1/2	4,388.81	1/2	4,650.76	1/2	4,912.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,870.37	3/4	4,132.32	3/4	4,394.27	3/4	4,656.21	3/4	4,918.16	3/4		3/4		3/4		3/4		3/4	
2	3,875.83	2	4,137.77	2	4,399.72	2	4,661.67	2	4,923.62	2		2		2		2		2	
1/4	3,881.28	1/4	4,143.23	1/4	4,405.18	1/4	4,667.13	1/4	4,929.08	1/4		1/4		1/4		1/4		1/4	
1/2	3,886.74	1/2	4,148.69	1/2	4,410.64	1/2	4,672.59	1/2	4,934.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,892.20	3/4	4,154.15	3/4	4,416.09	3/4	4,678.04	3/4	4,939.99	3/4		3/4		3/4		3/4		3/4	
3	3,897.65	3	4,159.60	3	4,421.55	3	4,683.50	3	4,945.45	3		3		3		3		3	
1/4	3,903.11	1/4	4,165.06	1/4	4,427.01	1/4	4,688.96	1/4	4,950.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,908.57	1/2	4,170.52	1/2	4,432.47	1/2	4,694.42	1/2	4,956.36	1/2		1/2		1/2		1/2		1/2	
3/4	3,914.03	3/4	4,175.98	3/4	4,437.92	3/4	4,699.87	3/4	4,961.82	3/4		3/4		3/4		3/4		3/4	
4	3,919.48	4	4,181.43	4	4,443.38	4	4,705.33	4	4,967.28	4		4		4		4		4	
1/4	3,924.94	1/4	4,186.89	1/4	4,448.84	1/4	4,710.79	1/4	4,972.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,930.40	1/2	4,192.35	1/2	4,454.30	1/2	4,716.24	1/2	4,978.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,935.86	3/4	4,197.80	3/4	4,459.75	3/4	4,721.70	3/4	4,983.65	3/4		3/4		3/4		3/4		3/4	
5	3,941.31	5	4,203.26	5	4,465.21	5	4,727.16	5	4,989.11	5		5		5		5		5	
1/4	3,946.77	1/4	4,208.72	1/4	4,470.67	1/4	4,732.62	1/4	4,994.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,952.23	1/2	4,214.18	1/2	4,476.12	1/2	4,738.07	1/2	5,000.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,957.68	3/4	4,219.63	3/4	4,481.58	3/4	4,743.53	3/4	5,005.48	3/4		3/4		3/4		3/4		3/4	
6	3,963.14	6	4,225.09	6	4,487.04	6	4,748.99	6	5,010.94	6		6		6		6		6	
1/4	3,968.60	1/4	4,230.55	1/4	4,492.50	1/4	4,754.45	1/4	5,016.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,974.06	1/2	4,236.01	1/2	4,497.95	1/2	4,759.90	1/2	5,021.85	1/2		1/2		1/2		1/2		1/2	
3/4	3,979.51	3/4	4,241.46	3/4	4,503.41	3/4	4,765.36	3/4	5,027.31	3/4		3/4		3/4		3/4		3/4	
7	3,984.97	7	4,246.92	7	4,508.87	7	4,770.82	7	5,032.77	7		7		7		7		7	
1/4	3,990.43	1/4	4,252.38	1/4	4,514.33	1/4	4,776.27	1/4	5,038.22	1/4		1/4		1/4		1/4		1/4	
1/2	3,995.89	1/2	4,257.83	1/2	4,519.78	1/2	4,781.73	1/2	5,043.68	1/2		1/2		1/2		1/2		1/2	
3/4	4,001.34	3/4	4,263.29	3/4	4,525.24	3/4	4,787.19	3/4	5,049.14	3/4		3/4		3/4		3/4		3/4	
8	4,006.80	8	4,268.75	8	4,530.70	8	4,792.65	8	5,054.60	8		8		8		8		8	
1/4	4,012.26	1/4	4,274.21	1/4	4,536.15	1/4	4,798.10	1/4	5,060.05	1/4		1/4		1/4		1/4		1/4	
1/2	4,017.71	1/2	4,279.66	1/2	4,541.61	1/2	4,803.56	1/2	5,065.51	1/2		1/2		1/2		1/2		1/2	
3/4	4,023.17	3/4	4,285.12	3/4	4,547.07	3/4	4,809.02	3/4	5,068.23	3/4		3/4		3/4		3/4		3/4	
9	4,028.63	9	4,290.58	9	4,552.53	9	4,814.48	9	5,070.95	9		9		9		9		9	
1/4	4,034.09	1/4	4,296.03	1/4	4,557.98	1/4	4,819.93	1/4	5,073.66	1/4		1/4		1/4		1/4		1/4	
1/2	4,039.54	1/2	4,301.49	1/2	4,563.44	1/2	4,825.39	1/2	5,076.38	1/2		1/2		1/2		1/2		1/2	
3/4	4,045.00	3/4	4,306.95	3/4	4,568.90	3/4	4,830.85	3/4	5,078.19	3/4		3/4		3/4		3/4		3/4	
10	4,050.46	10	4,312.41	10	4,574.36	10	4,836.30	10	5,079.99	10		10		10		10		10	
1/4	4,055.92	1/4	4,317.86	1/4	4,579.81	1/4	4,841.76	1/4	5,081.80	1/4		1/4		1/4		1/4		1/4	
1/2	4,061.37	1/2	4,323.32	1/2	4,585.27	1/2	4,847.22	1/2	5,083.60	1/2		1/2		1/2		1/2		1/2	
3/4	4,066.83	3/4	4,328.78	3/4	4,590.73	3/4	4,852.68	3/4	5,084.49	3/4		3/4		3/4		3/4		3/4	
11	4,072.29	11	4,334.24	11	4,596.18	11	4,858.13	11	5,085.38	11		11		11		11		11	
1/4	4,077.74	1/4	4,339.69	1/4	4,601.64	1/4	4,863.59	1/4	5,086.27	1/4		1/4		1/4		1/4		1/4	
1/2	4,083.20	1/2	4,345.15	1/2	4,607.10	1/2	4,869.05	1/2	5,087.17	1/2		1/2		1/2		1/2		1/2	
3/4	4,088.66	3/4	4,350.61	3/4	4,612.56	3/4	4,874.51	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6' 6-1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21	0	1,018	0	2,016	0	3,013	0	4,011	0		0		0		0		0	
1/4	42	1/4	1,039	1/4	2,036	1/4	3,034	1/4	4,031	1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	1,060	1/2	2,057	1/2	3,055	1/2	4,052	1/2		1/2		1/2		1/2		1/2	
3/4	83	3/4	1,081	3/4	2,078	3/4	3,076	3/4	4,073	3/4		3/4		3/4		3/4		3/4	
1	104	1	1,101	1	2,099	1	3,096	1	4,094	1		1		1		1		1	
1/4	125	1/4	1,122	1/4	2,120	1/4	3,117	1/4	4,115	1/4		1/4		1/4		1/4		1/4	
1/2	145	1/2	1,143	1/2	2,140	1/2	3,138	1/2	4,135	1/2		1/2		1/2		1/2		1/2	
3/4	166	3/4	1,164	3/4	2,161	3/4	3,159	3/4	4,156	3/4		3/4		3/4		3/4		3/4	
2	187	2	1,184	2	2,182	2	3,179	2	4,177	2		2		2		2		2	
1/4	208	1/4	1,205	1/4	2,203	1/4	3,200	1/4	4,198	1/4		1/4		1/4		1/4		1/4	
1/2	229	1/2	1,226	1/2	2,224	1/2	3,221	1/2	4,218	1/2		1/2		1/2		1/2		1/2	
3/4	249	3/4	1,247	3/4	2,244	3/4	3,242	3/4	4,239	3/4		3/4		3/4		3/4		3/4	
3	270	3	1,268	3	2,265	3	3,263	3	4,260	3		3		3		3		3	
1/4	291	1/4	1,288	1/4	2,286	1/4	3,283	1/4	4,281	1/4		1/4		1/4		1/4		1/4	
1/2	312	1/2	1,309	1/2	2,307	1/2	3,304	1/2	4,302	1/2		1/2		1/2		1/2		1/2	
3/4	332	3/4	1,330	3/4	2,327	3/4	3,325	3/4	4,322	3/4		3/4		3/4		3/4		3/4	
4	353	4	1,351	4	2,348	4	3,346	4	4,343	4		4		4		4		4	
1/4	374	1/4	1,372	1/4	2,369	1/4	3,366	1/4	4,364	1/4		1/4		1/4		1/4		1/4	
1/2	395	1/2	1,392	1/2	2,390	1/2	3,387	1/2	4,385	1/2		1/2		1/2		1/2		1/2	
3/4	416	3/4	1,413	3/4	2,411	3/4	3,408	3/4	4,405	3/4		3/4		3/4		3/4		3/4	
5	436	5	1,434	5	2,431	5	3,429	5	4,426	5		5		5		5		5	
1/4	457	1/4	1,455	1/4	2,452	1/4	3,450	1/4	4,447	1/4		1/4		1/4		1/4		1/4	
1/2	478	1/2	1,475	1/2	2,473	1/2	3,470	1/2	4,468	1/2		1/2		1/2		1/2		1/2	
3/4	499	3/4	1,496	3/4	2,494	3/4	3,491	3/4	4,489	3/4		3/4		3/4		3/4		3/4	
6	520	6	1,517	6	2,514	6	3,512	6	4,509	6		6		6		6		6	
1/4	540	1/4	1,538	1/4	2,535	1/4	3,533	1/4	4,530	1/4		1/4		1/4		1/4		1/4	
1/2	561	1/2	1,559	1/2	2,556	1/2	3,553	1/2	4,551	1/2		1/2		1/2		1/2		1/2	
3/4	582	3/4	1,579	3/4	2,577	3/4	3,574	3/4	4,572	3/4		3/4		3/4		3/4		3/4	
7	603	7	1,600	7	2,598	7	3,595	7	4,592	7		7		7		7		7	
1/4	623	1/4	1,621	1/4	2,618	1/4	3,616	1/4	4,613	1/4		1/4		1/4		1/4		1/4	
1/2	644	1/2	1,642	1/2	2,639	1/2	3,637	1/2	4,634	1/2		1/2		1/2		1/2		1/2	
3/4	665	3/4	1,662	3/4	2,660	3/4	3,657	3/4	4,655	3/4		3/4		3/4		3/4		3/4	
8	686	8	1,683	8	2,681	8	3,678	8	4,676	8		8		8		8		8	
1/4	707	1/4	1,704	1/4	2,701	1/4	3,699	1/4	4,696	1/4		1/4		1/4		1/4		1/4	
1/2	727	1/2	1,725	1/2	2,722	1/2	3,720	1/2	4,717	1/2		1/2		1/2		1/2		1/2	
3/4	748	3/4	1,746	3/4	2,743	3/4	3,740	3/4	4,738	3/4		3/4		3/4		3/4		3/4	
9	769	9	1,766	9	2,764	9	3,761	9	4,759	9		9		9		9		9	
1/4	790	1/4	1,787	1/4	2,785	1/4	3,782	1/4	4,780	1/4		1/4		1/4		1/4		1/4	
1/2	810	1/2	1,808	1/2	2,805	1/2	3,803	1/2	4,800	1/2		1/2		1/2		1/2		1/2	
3/4	831	3/4	1,829	3/4	2,826	3/4	3,824	3/4	4,821	3/4		3/4		3/4		3/4		3/4	
10	852	10	1,849	10	2,847	10	3,844	10	4,842	10		10		10		10		10	
1/4	873	1/4	1,870	1/4	2,868	1/4	3,865	1/4	4,863	1/4		1/4		1/4		1/4		1/4	
1/2	894	1/2	1,891	1/2	2,888	1/2	3,886	1/2	4,883	1/2		1/2		1/2		1/2		1/2	
3/4	914	3/4	1,912	3/4	2,909	3/4	3,907	3/4	4,904	3/4		3/4		3/4		3/4		3/4	
11	935	11	1,933	11	2,930	11	3,928	11	4,925	11		11		11		11		11	
1/4	956	1/4	1,953	1/4	2,951	1/4	3,948	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	977	1/2	1,974	1/2	2,972	1/2	3,969	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	997	3/4	1,995	3/4	2,992	3/4	3,990	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6' 6-3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21	0	1,005	0	1,989	0	2,973	0	3,957	0		0		0		0		0	
1/4	41	1/4	1,025	1/4	2,009	1/4	2,994	1/4	3,978	1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	1,046	1/2	2,030	1/2	3,014	1/2	3,998	1/2		1/2		1/2		1/2		1/2	
3/4	82	3/4	1,066	3/4	2,050	3/4	3,035	3/4	4,019	3/4		3/4		3/4		3/4		3/4	
1	103	1	1,087	1	2,071	1	3,055	1	4,039	1		1		1		1		1	
1/4	123	1/4	1,107	1/4	2,091	1/4	3,076	1/4	4,060	1/4		1/4		1/4		1/4		1/4	
1/2	144	1/2	1,128	1/2	2,112	1/2	3,096	1/2	4,080	1/2		1/2		1/2		1/2		1/2	
3/4	164	3/4	1,148	3/4	2,132	3/4	3,117	3/4	4,101	3/4		3/4		3/4		3/4		3/4	
2	185	2	1,169	2	2,153	2	3,137	2	4,121	2		2		2		2		2	
1/4	205	1/4	1,189	1/4	2,173	1/4	3,158	1/4	4,142	1/4		1/4		1/4		1/4		1/4	
1/2	226	1/2	1,210	1/2	2,194	1/2	3,178	1/2	4,162	1/2		1/2		1/2		1/2		1/2	
3/4	246	3/4	1,230	3/4	2,215	3/4	3,199	3/4	4,183	3/4		3/4		3/4		3/4		3/4	
3	267	3	1,251	3	2,235	3	3,219	3	4,203	3		3		3		3		3	
1/4	287	1/4	1,271	1/4	2,256	1/4	3,240	1/4	4,224	1/4		1/4		1/4		1/4		1/4	
1/2	308	1/2	1,292	1/2	2,276	1/2	3,260	1/2	4,244	1/2		1/2		1/2		1/2		1/2	
3/4	328	3/4	1,312	3/4	2,297	3/4	3,281	3/4	4,265	3/4		3/4		3/4		3/4		3/4	
4	349	4	1,333	4	2,317	4	3,301	4	4,285	4		4		4		4		4	
1/4	369	1/4	1,353	1/4	2,338	1/4	3,322	1/4	4,306	1/4		1/4		1/4		1/4		1/4	
1/2	390	1/2	1,374	1/2	2,358	1/2	3,342	1/2	4,326	1/2		1/2		1/2		1/2		1/2	
3/4	410	3/4	1,394	3/4	2,379	3/4	3,363	3/4	4,347	3/4		3/4		3/4		3/4		3/4	
5	431	5	1,415	5	2,399	5	3,383	5	4,367	5		5		5		5		5	
1/4	451	1/4	1,435	1/4	2,420	1/4	3,404	1/4	4,388	1/4		1/4		1/4		1/4		1/4	
1/2	472	1/2	1,456	1/2	2,440	1/2	3,424	1/2	4,409	1/2		1/2		1/2		1/2		1/2	
3/4	492	3/4	1,476	3/4	2,461	3/4	3,445	3/4	4,429	3/4		3/4		3/4		3/4		3/4	
6	513	6	1,497	6	2,481	6	3,465	6	4,450	6		6		6		6		6	
1/4	533	1/4	1,517	1/4	2,502	1/4	3,486	1/4	4,470	1/4		1/4		1/4		1/4		1/4	
1/2	554	1/2	1,538	1/2	2,522	1/2	3,506	1/2	4,491	1/2		1/2		1/2		1/2		1/2	
3/4	574	3/4	1,558	3/4	2,543	3/4	3,527	3/4	4,511	3/4		3/4		3/4		3/4		3/4	
7	595	7	1,579	7	2,563	7	3,547	7	4,532	7		7		7		7		7	
1/4	615	1/4	1,599	1/4	2,584	1/4	3,568	1/4	4,552	1/4		1/4		1/4		1/4		1/4	
1/2	636	1/2	1,620	1/2	2,604	1/2	3,588	1/2	4,573	1/2		1/2		1/2		1/2		1/2	
3/4	656	3/4	1,640	3/4	2,625	3/4	3,609	3/4	4,593	3/4		3/4		3/4		3/4		3/4	
8	677	8	1,661	8	2,645	8	3,629	8	4,614	8		8		8		8		8	
1/4	697	1/4	1,681	1/4	2,666	1/4	3,650	1/4	4,634	1/4		1/4		1/4		1/4		1/4	
1/2	718	1/2	1,702	1/2	2,686	1/2	3,670	1/2	4,655	1/2		1/2		1/2		1/2		1/2	
3/4	738	3/4	1,722	3/4	2,707	3/4	3,691	3/4	4,675	3/4		3/4		3/4		3/4		3/4	
9	759	9	1,743	9	2,727	9	3,711	9	4,696	9		9		9		9		9	
1/4	779	1/4	1,763	1/4	2,748	1/4	3,732	1/4	4,716	1/4		1/4		1/4		1/4		1/4	
1/2	800	1/2	1,784	1/2	2,768	1/2	3,752	1/2	4,737	1/2		1/2		1/2		1/2		1/2	
3/4	820	3/4	1,804	3/4	2,789	3/4	3,773	3/4	4,757	3/4		3/4		3/4		3/4		3/4	
10	841	10	1,825	10	2,809	10	3,793	10	4,778	10		10		10		10		10	
1/4	861	1/4	1,845	1/4	2,830	1/4	3,814	1/4	4,798	1/4		1/4		1/4		1/4		1/4	
1/2	882	1/2	1,866	1/2	2,850	1/2	3,834	1/2	4,819	1/2		1/2		1/2		1/2		1/2	
3/4	902	3/4	1,886	3/4	2,871	3/4	3,855	3/4	4,839	3/4		3/4		3/4		3/4		3/4	
11	923	11	1,907	11	2,891	11	3,875	11	4,860	11		11		11		11		11	
1/4	943	1/4	1,927	1/4	2,912	1/4	3,896	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	964	1/2	1,948	1/2	2,932	1/2	3,916	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	984	3/4	1,968	3/4	2,953	3/4	3,937	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/7/04 BY: BB-LJ
DATE COMPUTED: 1/22/04 BY: WHF
DATE ISSUED: 1/23/04

INTERTEK - CALEB BRETT

